



WINDOW SCHEDULE

LET.	Q'TY	WIDTH	HEIGHT	TYPE	HEAD HEIGHT (TOP OF WINDOW)	SILL HEIGHT	LOCATION	REMARKS
A	1	2'-4"	8'-0"	FIX GLS	8'-0"	---	DEN	
B	2	1'-8"	6'-8"	FIX GLS	6'-8"	---	M. BATH	

DOOR SCHEDULE

NO.	Q'TY	WIDTH	HEIGHT	TYPE	FINISH	REMARKS
1	1	8'-0"	8'-2"	OVERHEAD DOOR	STAINED	
2	1	3'-4"	8'-0"	ENTRY DOOR	PAINTED	
3	4	2'-8"	8'-0"	H.C., PANELED DR	STAINED	M.T. / W.S. "C" LABEL W/AUTO CLOSING DEVICE
4	1	2'-8"	8'-0"	S.C. PANELED DR 20 min. Fire Rated.	PAINTED	
5	1	16'-0"	8'-0"	ALUM SLIDING GLS DR.	PAINTED	M.T. / W.S. W/ 4 LITE
6	6	2'-8"	6'-8"	H.C., PANELED DR	STAINED	
7	4	2'-4"	6'-8"	H.C., PANELED DR	STAINED	
8	5	(2)2'-0"	6'-8"	H.C., PANELED DR	STAINED	
9	5	8'-0"	6'-8"	ALUM SLIDING GLS DR.	PAINTED	M.T. / W.S. W/ 2 LITE
10	1	2'-0"	6'-8"	H.C., PANELED DR	STAINED	M.T. / W.S. W/ 2 LITE

NOTE:

H.C. - HOLLOW CORE
M.T. - METAL THRESHOLD
W.S. - WEATHER STRIPPING

ALL INTERIOR DOORS TO HAVE DIFFERENT
MOLDING APPLICATIONS - SEE INT. DESIGN
DRAWINGS.

GENERAL DOOR & WINDOW NOTE:

1. ALL DOORS AND WINDOW DESIGNATIONS ARE BASED ON A GENERIC FORMAT, U.N.O..
2. WINDOWS SHALL HAVE WHITE FRAMES AND TINTED GLASS.
3. ALL GLAZING AT HAZARDOUS LOCATIONS SUCH AS SLIDING DOORS, FRENCH DOORS, SIDELIGHTS, TUB AND SHOWER ENCLOSURES AND WINDOWS ETC. SHALL BE TEMPERED.
4. WINDOW AND DOOR MANUFACTURERS SHALL VERIFY THAT ANY GLAZING USED IN EXTERIOR WALLS SHALL MEET WIND LOAD DESIGNS AS SPECIFIED IN THE GOVERNING LOCAL BUILDING CODE.
5. ALL DOORS AND WINDOWS TO HAVE MUNTINS. (SEE ELEVATIONS FOR DESIGN AND LOCATION)
6. C.D.L. - TRUE DIVIDED LITE
7. V.I.F. - VERIFY IN FIELD
8. A.F.F. - ABOVE FINISH FLOOR OF 1st OR 2nd FINISH FLOOR OF THAT AREA.
9. W.B.P.L. - WINDOW OR ABOVE STAINED GLASS WINDOW'S RESIDENCE. SHOP DRAWINGS ARE REQUIRED FROM DOOR AND WINDOW MANUFACTURERS FOR THE DESIGN AND ASSEMBLY OF DOOR AND WINDOW TO BE INSTALLED. TYP. THRU-OUT.
10. SUBJECT APPROVES FOR MUNTINS ATTACHMENT DETAILS FOR ALL DOORS AND WINDOWS WITH TRANSOM GLASS ABOVE.
11. WINDOW AND DOOR MASONRY OPENINGS SHALL BE 1" AT EA. SIDE OF THE WINDOW OR DOOR. ADDITIONAL DETAIL SHALL BE AS PER FIN MANUFACTURERS RECOMMENDATIONS. THIS IS TRUE FOR TWO OR MULTIPLE SET OF WINDOWS OR DOORS.

<u>AREA CALCULATION: B</u>	
1st FLOOR - A/C	1,040 S.F.
2nd FLOOR - A/C	1,146 S.F.
3rd FLOOR - A/C	584 S.F.
<u>TOTAL - A/C:</u>	<u>2,770 S.F.</u>
GARAGE	216 S.F.
ENTRY	40 S.F.
PATIO	64 S.F.
BALCONY 1	41 S.F.
BALCONY 2	64 S.F.
BALCONY 3	-----
UPPER DECK	777 S.F.
ROOF	584 S.F.
<u>SUB- TOTAL:</u>	<u>1,786 S.F.</u>
<u>GRAND TOTAL:</u>	<u>4,456 S.F.</u>

