NOTE:

1. IT IS THE CONTRACTORS RESPONSIBILITY TO VERIFY THE COMPATIBILITY OF OF ALL PRODUCTS INCLUDING SEALANTS & SELF-ADHERING FLASHING MATERIALS USED DURING CONSTRUCTION.
2. FLASHING AT EXTERIOR WINDOWS AND DOORS OPENINGS SHALL BE INSTALLED IN ACCORDANCE W/ MANUFACTURER'S INSTALLATION INSTRUCTIONS AND APPROVED METHOD U OF FBC. R703 .8 .1

U IN ACCORDANCE WITH FENESTRATION MANUFACTURE'S INSTALLATION AND FLASHING INSTRUCTIONS.

WARNING: SEALANTS MAY REACT ADVERSELY IF NOT COMPATIBLE.



13 / A-15 TYP.WINDOW & DOOR FLASHING (FULL WRAP)
SCALE: N.T.S.



NOTES:
1. GROUT WALLS IN 8'-Ø" LIFTS.
2. SEE PLAN FOR LOCATION OF REINFORCEMENT.
3. GROUT TO BE 3000 PSI PEAGRAVEL
4. SEE MASONRY NOTES, THIS SHEET

ELEVATION

10 / A-15 REINFORCED MASONRY WALL
SCALE: 1/2" = 1'-0"



7 / A-15 BOND BEAM CHANGE OF HEIGHT
SCALE: 1/2" = 1'-0"



4 / A-15 WOOD CONNECTIONS
SCALE: 1/2" = 1'-0"



1 / A-15 SECTION
N.T.S.



14 / A-15 TYP. EXT. WALL INTERSECTION
N.T.S.



11 / A-15 TYP. CORNER/INTERSECTION REINF.
N.T.S.



8 / A-15 1 HOUR WALL SECTION
N.T.S.



5 / A-15 TYP. STRUCTURE @ OPENING
N.T.S.



2 / A-15 TYPICAL DOOR JAMB
SCALE: 1/2 = 1'-0"



15 / A-15 LOAD BEARING PARTITION
SCALE: 3/4 = 1'-0"



12 / A-15 NON LOAD BEARING PARTITION
SCALE: 3/4 = 1'-0"



9 / A-15 1 HR GARAGE CLG.
N.T.S.



6 / A-15 TYPICAL GARAGE DOOR BUCK DETAIL
SCALE: 1/2 = 1'-0"



3 / A-15 TYPICAL WINDOW JAMB
SCALE: 1/2 = 1'-0"

DRC

PZ25-12000003

05.21.2025

CAG ARCHITECTS, LLC.

CAG
ARCHITECTS, LLC.

FLORIDA CERTIFICATE #AR 0017819

406 S. NEPTUNE DRIVE,
SATELLITE BEACH, FLORIDA 32937
PHONE (321) 389-8787

COPYRIGHT

All reports, plans, specifications, computer files, field data, notes and other documents are instruments of service prepared by CAG Architects, LLC (C.A.G.) as instruments of service remain the property of C.A.G. C.A.G. shall retain all common law, statutory and other reserved rights, including the copyright thereto. Any use or reproduction of this document without written permission from C.A.G. is a violation of Federal copyright laws.

CONSULTANT

Archila Design GROUP
ARCHITECTURE

923 San Rafael Rd. SW
Palm Bay, Fl. 32908
PHONE: (561) 504-4240

1602 N. RIVERSIDE DR.
TRIPLEX

POMPANO BEACH, FL.
BROWARD COUNTY, FLORIDA

ARCHITECT SEAL
KENNETH R LEBRON
AR0017819
Kenneth R. Lebron
AR 0017819

DETAIL SHEET

Project Manager: OSCAR
Drawn by: G.R.
Project No.: 24-925

10/03/2024

Kenneth R Lebron
Digitally signed by Kenneth R Lebron
Date: 2025.04.10 17:45:51 -04'00'

A-15