







- NOTES:
1. THE ENTRANCE SHALL BE MAINTAINED IN A CONDITION THAT WILL PREVENT TRACKING OR FLOWING OF SEDIMENT ONTO THE PUBLIC RIGHTS-OF-WAY. THIS MAY REQUIRE TOP DRESSING, REPAIR AND/OR CLEANOUT OF ANY MEASURES TO SEDIMENT.
 2. WHEN NECESSARY, WHEELS SHALL BE CLEANED PRIOR TO ENTRANCE ONTO THE PUBLIC RIGHT-OF-WAY.
 3. WHEN WASHING IS REQUIRED, IT SHALL BE DONE ON AN AREA STABILIZED WITH CRUSHED STONE THAT DRAINS INTO AN APPROVED SEDIMENT TRAP OR SEDIMENT BASIN.

TEMPORARY GRAVEL CONSTRUCTION ENTRANCE



- NOTES:
1. Turbidity barriers are to be used in all permanent bodies of water regardless of water depth.
 2. Turbidity barriers shall be of sufficient length & depth & sufficiently stabilized in order to minimize turbidity.
 3. Number and spacing of anchors dependent on current velocities.
 4. Deployment of barrier around pile locations may vary to accommodate construction operations.
 5. Navigation may require segmenting barrier during construction operations.
 6. For additional information see Section 04.04 of the Standard Specifications.
- LEGEND

LEGEND

- *Pile Locations*
-  *Dredge Or Fill Area*
-  *Mooring Buoy w/Anchor*
-  *Anchor*
-  *Barrier Movement Due To Current Action*

TURBIDITY BARRIER APPLICATIONS

GENERAL NOTES


1. Floating turbidity barriers are to be paid for under the contract unit price for Floating Turbidity Barrier, LF.
2. Staked turbidity barriers are to be paid for under the contract unit price for Staked Turbidity Barrier, LF.

WATER QUALITY


1. Prior to construction and during all operations that may degrade water quality, the Contractor shall practise turbidity controls to prevent violations to the water quality standards as outlined in Chapter 62-302, F.A.C

TURBIDITY BARRIER

N.T.S.



ELEVATION
SILT BARRIER FENCE



Digitally signed
by James
Messick
Date:
2024.07.10
08:57:47-04'00'

MINOR SITE PLAN SUBMITTAL
ELEVATIONS SHOWN ARE NAV 88



—	—			—			
NO	DATE	REVISION		BY	NO	DATE	REVISION BY



Calvin, Giordano & Associates, Inc.
A SAFEbuilt COMPANY
1800 Elier Drive, Suite 600, Fort Lauderdale, FL 33316
Phone: 954.921.7781 • Fax: 954.921.8807

BLOSSMAN GAS COMPANY
261 S. ANDREWS AVENUE
POMPANO BEACH, FL 33069

STORMWATER POLLUTION PREVENTION DETAILS

JAMES D. MESSICK, STATE OF FLORIDA, PROFESSIONAL ENGINEER, LICENSE NO. 70870
THIS ITEM HAS BEEN DIGITALLY SIGNED AND SEALED BY JAMES D. MESSICK DATE
INDICATED HERE.
PRINTED COPIES OF THIS DOCUMENT ARE NOT CONSIDERED SIGNED AND SEALED AND
THE SIGNATURE MUST BE VERIFIED ON ANY ELECTRONIC COPIES.
DATE: 07/02/2024