


SPACING OF REQUIRED ROADWAY, PARKING AREA, AND UTILITY TRENCH TESTS								
	Proctor Maximum Density		L.B.R.		DENSITY / Per Lift		THICKNESS	
	MAX. SPACING		MAX. SPACING		MAX. SPACING		MAX. SPACING	
	LIN. FEET	SQ. FEET	LIN. FEET	SQ. FEET	LIN. FEET	SQ. FEET	LIN. FEET	SQ. FEET
COMPACTED OR STABILIZED SUBGRADE	1000	12,000	1000	12,000	500	6,000	200	2,400
LIMEROCK BASE	4000	24,000	--	--	500	6,000	200	2,400
ASPHALT	--	--	--	--	1500	18000	Every 200 Tons	
UTILITY TRENCH	One per Soil Type		--	--	500	6,000	--	--
Embankment / Backfill	One per Soil Type		--	--	500	6,000	--	--


ALL TESTING SHOULD BE TAKEN IN A STAGGERED SAMPLING PATTERN FROM A POINT 12" INSIDE THE LEFT EDGE OF THE ITEM TESTED TO THE CENTER, TO A POINT 12" INSIDE THE RIGHT EDGE. A MINIMUM OF 2 TESTS SHALL BE TAKEN INCLUDING UTILITY TRENCHES AND ROADWAY RESTORATION. SEE FDOT STANDARD SPECIFICATIONS FOR FURTHER DETAILS AND REQUIREMENTS.

14

# COMPACTION TEST SCHEDULE

NOT TO SCALE



 <b>KEITH</b>		
301 East Atlantic Blvd. Pompano Beach, FL 33060 PH: (954) 788-3400		
Florida Engineering Business License: CA7928 Florida Surveyor and Mapper Business License: LB6860 Florida Landscape Architecture Business License: LC26000457		
REVISIONS		
NO.	DESCRIPTION	DATE
<b>PRELIMINARY PLAN NOT FOR CONSTRUCTION</b>		
THESE PLANS ARE NOT FULLY PERMITTED AND ARE SUBJECT TO REVISIONS MADE DURING THE PERMITTING PROCESS.		
RESPONSIBILITY FOR THE USE OF THESE PLANS PRIOR TO OBTAINING PERMITS FROM ALL AGENCIES HAVING JURISDICTION OVER THE PROJECT WILL FALL SOLELY UPON THE USER.		
ISSUE DATE:	08/26/2025	
DESIGNED BY:	BB	
DRAWN BY:	DJE	
CHECKED BY:	NW	
BID-CONTRACT:		
THOMAS F. DONAHUE, P.E. FLORIDA REG. NO. 60529 (FOR THE FIRM)		
CLIENT		
GREEN MILLS GROUP		
PROJECT		
ASPIRE 1650		
SHEET TITLE		
PAVING, GRADING, AND DRAINAGE DETAILS		
SHEET NUMBER	CP-502	
PROJECT NUMBER	16500.00	