

DRC

PZ23-12000017
03/05/2025




NON-VEHICULAR SLEEVING SCHEDULE	
PIPE SIZE	MIN. SLEEVE SIZE
3/4"	2"
1"	2"
1 - 1/4"	2"
1 - 1/2"	3"
2"	3"
2 - 1/2"	4"
3"	6"
4"	8"
6"	10"
8"	12"

SLEEVING NOTES:

- VEHICULAR CROSSINGS ARE SHOWN AND SIZED ON THE PLANS.
- NON-VEHICULAR SLEEVES ARE SHOWN BUT NOT SIZED.
- SIZE ALL NON-VEHICULAR SLEEVES ACCORDING TO THE ABOVE CHART.
- MAINLINE CROSSINGS MUST ALSO INCLUDE A 2" CONDUIT SLEEVE FOR CONTROL WIRE.
- CONTRACTOR TO DUCT TAPE END OF SLEEVES TO KEEP SLEEVE CLEAN AND CLEAR.
- CONTRACTOR TO STAKE END OF EACH SLEEVE ABOVE GROUND AND PAINT FLUORESCENT ORANGE. LABEL EACH STAKE WITH THE WORD 'SLEEVE' AND ITS SIZE.
- CONTRACTOR TO PROVIDE A 3 FT MINIMUM DEPTH OF COVERAGE OVER ALL SLEEVES.

SLEEVE LABEL:
6"/3"/2" SLEEVES MEANS TO INSTALL ONE 6", ONE 3" AND ONE 2" SLEEVE.

LOCATION MAP



PIPING AND VALVE LOCATIONS ARE GRAPHIC AND MUST BE INSTALLED WITHIN PROPERTY LINES AND WITHIN A PERVIOUS/LANDSCAPED AREA WHERE POSSIBLE.



Consultants:



Revisions:

01/29/2025 60% Submittal

THE OAKS AT PALM AIRE
Pompano Beach, Florida

MORGUARD



ALWAYS CALL 811 TWO FULL BUSINESS DAYS BEFORE YOU DIG TO HAVE UNDERGROUND UTILITIES LOCATED AND MARKED.



Drawn By: JJ/JK
Drawing #: 1272
File Name: Palm Aire_IR.dwg
Date: 01/29/2025

IRRIGATION PLAN

SHEET #: IR.12