


[illegible]


ARCHITECT'S BUILDING CODE STATEMENT/
TO THE BEST OF THE ARCHITECT'S
KNOWLEDGE THE PLANS AND SPECIFICATIONS
COMPLY WITH THE FLORIDA BUILDING CODE
EIGHTH EDITION (2023) AND THE
APPLICABLE FIRE SAFETY STANDARDS AS
DETERMINED BY THE LOCAL AUTHORITY
AND CHAPTER 633 FLORIDA STATUTES.



MSA
ARCHITECTS
ARCHITECTURE & PLANNING

TITLE: LEVEL 5

SHEET:



EGRESS CAPACITY TABULATIONS		
GROUP R-2		
NEW APARTMENT = FFPC-101, CHAPTER 30		
STORAGE = FFPC-101, CHAPTER 42		
LEVEL EGRESS WITH REQUIRED	331	OCCUP.(0.2) = 66.2"
LEVEL EGRESS WIDTH PROVIDED	4 @ 34" = 136"	
R-2 OCCUPANCY		
STAIR EGRESS WITH REQUIRED	214	OCCUP.(0.3) = 64.2"
STAIR EGRESS WIDTH PROVIDED	3 @ 41" = 123"	
S-2 OCCUPANCY		
STAIR EGRESS WITH REQUIRED	117	OCCUP.(0.3) = 35.4"
STAIR EGRESS WIDTH PROVIDED	2 @ 41" = 82"	



08/27/2025