

ALL ELEVATIONS ARE REFERENCED
TO NAVD88 VERTICAL DATUM

LEGEND

	PROPOSED ASPHALT PAVEMENT		PROPOSED WATER METER
	PROPOSED CONC. PAVEMENT		EXISTING WATER METER
	PROPOSED CONC. WALKWAY		EXISTING WATER VALVE
	PROPOSED GRADE		PROPOSED BFP DEVICE
	EXISTING ELEVATION		EXIST. DRAINAGE MH
	PROPOSED CATCH BASIN		PROPOSED FIRE HYDRANT
	EXISTING CATCH BASIN		

REVISIONS

NO.	DATE	DESCRIPTION
1	1-18-24	DRC REVIEW COMMENTS
2	3-7-24	DRC REVIEW COMMENTS

ZEPHYR ENGINEERING

WILFORD ZEPHYR, P.E.
HOLLYWOOD, FL
(786) 302-7693
wzephyr@gmail.com
CA# 31158

ZE

PROPOSED 12 HOUSES

NW 10th STREET
POMPANO BEACH, FL 33060

P.E.#: 76036

DATE: 7/28/23

SCALE: 1"=30'

SHEET NO.:

CWS-1


5 OF 9

PROJECT NO.: 23-34

- WATER & SEWER NOTES:**
- SEWER MANHOLE TO BE SEWER COATED TO CITY SPECIFICATION.
 - ANY EXISTING WATER AND/OR SEWER LATERAL CONNECTION MUST BE RETIRED AT THE RESPECTIVE MAIN AS PER CITY SPECIFICATION.
 - NO TREES, SHRUBBERY OF OBSTRUCTION SHALL BE PLACED WITHIN A 3' RADIUS OF A CITY OWNED SEWER LATERAL CLEANOUT OR WATER AND/OR REUSE METER.

MIN. PIPE COVER NOTE:
30" MINIMUM COVER FOR DIP WATER & SEWER MAINS.
36" MINIMUM COVER FOR PVC WATER & SEWER MAINS

WILFORD ZEPHYR Digitally signed by
WILFORD ZEPHYR
Date: 2024.03.13
09:28:25 -04'00'



THIS ITEM HAS BEEN DIGITALLY SIGNED AND SEALED BY
WILFORD ZEPHYR ON THE DATE ADJACENT TO THE SEAL.
PRINTED COPIES OF THIS DOCUMENT ARE NOT CONSIDERED
SIGNED AND SEALED AND THE SIGNATURE MUST BE VERIFIED
ON ANY ELECTRONIC COPIES.

WATER & SEWER PLAN

SCALE: 1"=30'