

5W & 75W Full Cutoff Wall Pack - Factory LED Direct



Lumileds LED, high luminous efficiency and long working life.

High efficiency LED Driver, the wide range input voltage AC120-277V/AC 347V

Excellent optics design, greatly improve the light utilization and evenness.

Motion sensor control available (Optional)

1-10V Dimming.

Power: 45W-6756 Lumens & 75W-10500 Lumens

Input: AC 120-277V

CCT : 5000K

DRC

PZ23-12000036

09/04/2024



Cylinder 3000K LED 12.25" Wall Light

© 2021 Kichler Lighting LLC

SPECIFICATIONS

Certifications/Qualifications

Energy Star	Yes
Title 24 Compliant	Yes
	www.kichler.com/warranty

Dimensions

Base Backplate	5
Extension	6.50"
Weight	2.63 LBS
Height from center of Wall opening (Spec Sheet)	6.21"
Height	12.25"
Length	6.50"
Width	5.00"

Light Source

Delivered Lumens	925
Dimmable	Yes
Expected Life Span (Hours)	45000
Lamp Included	Integrated
Light Source	LED
Max or Nominal Watt	20W
Max Wattage/Range	20W

Mounting/Installation

Interior/Exterior	Exterior
Location Rating	Wet
Mounting Style	Wall Mount
Mounting Weight	3.50 LBS

Photometrics

Color Rendering Index	90
Kelvin Temperature	3000K

FIXTURE ATTRIBUTES


Housing

Primary Material	EPMM
------------------	------

Product/Ordering Information

SKU	11310BKTLED
Finish	Textured Black
Style	Other
UPC	783927545297

Finish Options

-  Textured Black



DRC