


# DRC


PZ23-1200045  
10/16/2024



NOTE:  
FOR USE ADJACENT TO CONCRETE OR FLEXIBLE PAVEMENT, CONCRETE SHOWN EXPANSION JOINT, PREFORMED JOINT FILLER AND JOINT SEAL ARE REQUIRED BETWEEN CURBS AND CONCRETE PAVEMENT ONLY.

CONCRETE CURB DETAIL

REVISIONS		ENGINEERING DIVISION	CONCRETE CURB	DATE	DWG. NO.
BY	DATE	CITY OF POMPANO BEACH		MAY 2022	300-2
S.S.	05-2024				
S.S.	08-2023				
S.S.	07-2019				




TYPICAL SIDEWALK SECTION

SIDEWALK DETAILS

REVISIONS		ENGINEERING DIVISION	SIDEWALK DETAILS	DATE	DWG. NO.
BY	DATE	CITY OF POMPANO BEACH		JUNE 2022	301-1
S.S.					
S.S.					
S.S.					


TABLE OF SIDEWALK JOINTS	
TYPE	LOCATION
"A"	JOINT SHALL BE PLACED AT P.C. AND P.T. OF CURVES, JUNCTION OF EXISTING SIDEWALKS, EVERY 60' ON NEW SIDEWALKS AND WHERE SIDEWALKS ABUT CONCRETE CURBS, DRIVEWAYS AND SIMILAR STRUCTURES.
"B"	JOINT SHALL BE PLACED 5'-0" CENTER
"C"	JOINT SHALL BE PLACED AT 20' INTERVALS



TYPE "B" JOINT

TYPE "C" JOINT

REVISIONS		ENGINEERING DIVISION	SIDEWALK DETAILS	DATE	DWG. NO.
BY	DATE	CITY OF POMPANO BEACH		JUNE 2022	301-2
S.S.					
S.S.					




PERPENDICULAR ROAD CROSSINGS (TYPE III)

STANDARD PARALLEL ROAD RESTORATION (TYPE IV)


SURFACE RESTORATION

REVISIONS		ENGINEERING DIVISION	SURFACE RESTORATION	DATE	DWG. NO.
BY	DATE	CITY OF POMPANO BEACH		MAY 2022	306-2
S.S.					
S.S.					




EXFILTRATION TRENCH DETAIL (CB)

NOTE:  
SURFACE WATER MANAGEMENT SYSTEM SHALL BE CLEANED/MAINTAINED AS NEEDED AND AT LEAST ONCE PER YEAR.




TYPICAL CATCH BASIN



BAFFLE DETAIL

BRACKET DETAIL

POLLUTION RETARDANT BAFFLE DETAIL



CONCRETE WHEELSTOP



This item has been digitally signed & sealed by Susan C. Holland, P.E. Printed copies of this document are not considered signed and sealed and the signature must be verified on any electronic copies.

Susan C. Holland  
Digitally signed by Susan C. Holland  
Date: 2024.09.11 15:38:47 -04'00'

REVISIONS		DESCRIPTION		CITY COMMENTS	
NO.	DATE	BY	CHK'D	HS	SCH
2	9/10/24	HS	SCH		

NO. OF SHEETS:	7
SHEET NO.:	C-6
CAD FILE NO.:	23-16

FINAL APPROVAL	
SCALE:	N.T.S.
DESIGNED BY:	SCH
CHECKED BY:	SCH
DATE:	02/29/24
FIELD BOOK:	N/A

HOLLAND ENGINEERING SOLUTIONS 301 SW 7th Street Fort Lauderdale, Florida 33315 Phone: 954.387.0371 Certificate of Authorization 7925	SUSAN C. HOLLAND STATE OF FLORIDA PROFESSIONAL ENGINEER LICENSE No. 41831
--	---

CONDO HOTEL 872 E. MCNAB ROAD POMPANO BEACH, FLORIDA 33060
--

J:\CAD\23-16\CAD\_Files\23-16\_DETAILS.dwg - 9/11/2024 2:23 PM