



- EGRESS LEGEND**
- 105'-6" TRAVEL DISTANCE
 - EGRESS PATH OF TRAVEL
 - 105'-6" COMMON PATH DISTANCE
 - COMMON PATH OF TRAVEL
 - LED EXIT SIGN WITH BATTERY PACK, WALL MOUNT
 - LED EXIT SIGN WITH BATTERY PACK, CEILING MOUNT
 - EXIT SIGN DIRECTIONAL ARROWS
 - EXIT SIGN LIGHT DIRECTION
 - FEC SURFACE MOUNTED TYPE ABC FIRE EXTINGUISHER & CABINET EXTINGUISHERS SHALL BE CURRENTLY DATED AND TAGGED BY LICENSED FIRE EQUIPMENT COMPANY, AND LOCATED NOT FURTHER THAN 75 FEET OF TRAVEL DISTANCE TO AN EXTINGUISHER
 - FE SURFACE MOUNTED TYPE ABC FIRE EXTINGUISHER INSTALLED ON SUPPLIED BRACKET. EXTINGUISHERS SHALL BE CURRENTLY DATED AND TAGGED BY LICENSED FIRE EQUIPMENT COMPANY, AND LOCATED NOT FURTHER THAN 75 FEET OF TRAVEL DISTANCE TO AN EXTINGUISHER
- EGRESS NOTES**
- COORDINATE FIRE ALARM DEVICES AND PANELS WITH ELECTRICAL DRAWINGS
 - REFER TO FIRE PROTECTION DRAWINGS FOR SPRINKLER HEAD LOCATIONS
 - REFER TO ELECTRICAL DRAWINGS FOR FIRE ALARM DEVICE LOCATIONS
 - REFER TO ELECTRICAL DRAWINGS FOR EMERGENCY LIGHT LOCATIONS
 - ORDINARY HAZARD OF CONTENTS (NFPA 38.1.5.1)
 - A FACTOR OF 0.2 INCHES OF WIDTH PER OCCUPANT HAS BEEN USED TO CALCULATE MINIMUM DOOR AND CORRIDOR EGRESS CAPACITY
 - A FACTOR OF 3 INCHES OF WIDTH PER OCCUPANT HAS BEEN USED TO CALCULATE MINIMUM CLEAR WIDTH OF STAIRWAY EGRESS CAPACITY
- GENERAL FLOORPLAN NOTES**
- ALL PARKING SPACES WILL BE DOUBLE STRIPED PER (155.5102.C.4)
- GROUND FLOOR PARKING**
- 1 STANDARD SPACE
1 ADA SPACE
2 SPACES TOTAL
- MEETING ROOM OCCUPANT LOADS**
- COLLABORATION ROOM - 355 SF**
BUSINESS (SMALL COLLABORATION)
- TABLES & CHAIRS - 1 OCC. / 15 SF = 24 OCCUPANTS
ROWS OF CHAIRS - 1 OCC. / 5 SF = 71 OCCUPANTS

FSM
ARCHITECTS + PLANNERS
FALKANGER SNYDER MARTINEAU YATES

888 SOUTH ANDREWS AVE. SUITE 300
FORT LAUDERDALE, FLORIDA 33316
PH: (954) 764-6575 FAX: (954) 764-8622

JEFF FALKANGER, DOUG SNYDER
LARRY MARTINEAU, JIRO YATES

COPYRIGHT 2021
FALKANGER, SNYDER, MARTINEAU, & YATES ALL RIGHTS RESERVED. THIS DOCUMENT OR PARTS THEREOF MAY NOT BE REPRODUCED IN ANY FORM WITHOUT PERMISSION.

CA # AAC000447

DESIGNED	DRAWN	CHECKED
NH	NH	JY

REVISIONS

DATE:	COMM:
02.28.2024	23008

POMPAHO HOTEL

101 S. OCEAN BLVD
POMPAHO BEACH, FL 33062

Digitally signed
by Jiro Yates
Date:
2024.02.28
09:50:57-05'00'

GROUND FLOOR PLAN

DRC SET

AR-101