

Development, and Construction) shall be followed regarding necessary tree protection.

21. Protective barriers shall be placed at the dripline of each tree to be relocated (Tree Protection Zone), and in no case less than fifteen (15) feet from the trunk of the tree unless an ISA Certified Arborist determines that a lesser or greater distance is required.

22. Tree Protection barriers should be a minimum of four feet high and should be constructed of continuous chain link fence with metal posts at 8-foot spacing, or of two-by-four-inch posts with three equally spaced two-by-four-inch rails.

23. Once installed no alterations or removals of the tree protection barriers are permissible without written authorization from the City.

24. Signage (2 signs minimum) to be placed at the boundary of all tree protection fencing specifying the following:

- a. Tree Protection Zone
- b. No storage of construction equipment, materials, buildings, or debris.
- c. No disposal of hazardous wastes, liquids etc.
- d. No construction equipment operation.
- e. No changes to existing grade.
- f. No temporary barrier removals.
- g. No trenching.
- h. No vehicles allowed.
- i. Onsite Contact Information # _____.


25. Physical root barrier panels are suggested for installation like those provided by **Deep Root** and others, in all areas where trees are to be relocated and installation of sidewalks, curbing, asphalt or concrete is to be reinstalled as a secondary preventative measure to restrict future root intrusion.

Post-Construction Monitoring:

1. An ISA Certified Arborist should periodically monitor the site (at least 3-4 times depending on overall project length) before root pruning, during root pruning, and after tree relocation, to verify tree health, note any significant changes, verify irrigation function, tree protection barrier presence, bracing and provide an updated assessment report.

Jeremy T Chancey, Consulting Arborist
1323 Southeast 17th Street, #201
Fort Lauderdale, Florida 33316
c 954 612 2500
jeremytchancey@gmail.com

End Plan



Mark C. Williams
ASCA Registered Consulting Arborist #580
ASCA Tree Plant Appraisal Qualified
ISA Certified Arborist Municipal Specialist FL 5221-AM
ISA Tree Risk Assessment Qualified
LIAF Certified Landscape Inspector #2007-0083

Jeremy T Chancey, Consulting Arborist
1323 Southeast 17th Street, #201
Fort Lauderdale, Florida 33316
c 954 612 2500
jeremytchancey@gmail.com

PZ21-12000052

project:
fiberbuilt
2201 west atlantic blvd
pompano beach, fl.

Digitally signed
by Dave J Bodker
Date: 2022.06.14 11:33:27 -04'00'

dave bodker
landscape architecture/planning inc.

601 n. congress ave., suite 106-a
delray beach, florida 33445
561-276-6311

#LA0000999

sheet title:
arborist report

project number:
6221
date: 09/01/2021
scale: n.t.s.
drawn by: lmb

revisions:
Δ 6/14/22-comments
Δ
Δ
Δ
Δ

DRC
sheet:
11

PZ21-12000052
8/17/2022
12 sheets