

TYPE "D" CURB

NOTE

FOR USE ADJACENT TO CONCRETE OR FLEXIBLE PAVEMENT, CONCRETE SHOWN. EXPANSION JOINT, PREFORMED JOINT FILLER AND JOINT SEAL ARE REQUIRED BETWEEN CURBS AND CONCRETE PAVEMENT ONLY.

CONCRETE CURB DETAIL

ENGINEERING STANDARDS 2022

REVISIONS		ENGINEERING DIVISION CITY OF POMPANO BEACH	CONCRETE CURB
BY	DATE		
S.S.	01-2014		
S.S.	08-2015		
S.S.	07-2016	SCALE: N.T.S.	DATE: MAY 2022 DWG. NO. 300-2



PLAN

TYPICAL SIDEWALK SECTION

SIDEWALK DETAILS

ENGINEERING STANDARDS 2022

REVISIONS		ENGINEERING DIVISION CITY OF POMPANO BEACH	SIDEWALK DETAILS
BY	DATE		
		SCALE: N.T.S.	DATE: JUNE 2022 DWG. NO. 301-1

TABLE OF SIDEWALK JOINTS	
TYPE	LOCATION
"A"	JOINT SHALL BE PLACED AT P.C. AND P.T. OF CURVES, JUNCTION OF EXISTING SIDEWALKS, EVERY 60' ON NEW SIDEWALKS AND WHERE SIDEWALKS ABUT CONCRETE CURBS, DRIVEWAYS AND SIMILAR STRUCTURES.
"B"	JOINT SHALL BE PLACED 5'-0" CENTER
"C"	JOINT SHALL BE PLACED AT 20' INTERVALS



TYPE "A" JOINT



TYPE "B" JOINT



TYPE "C" JOINT

NOTE: SIDEWALK SHALL BE 4" THICK EXCEPT IN DRIVEWAYS WHERE THE THICKNESS SHALL BE 6".

SIDEWALK DETAILS

ENGINEERING STANDARDS 2022

REVISIONS		ENGINEERING DIVISION CITY OF POMPANO BEACH	SIDEWALK DETAILS
BY	DATE		
		SCALE: N.T.S.	DATE: JUNE 2022 DWG. NO. 301-2



GUARD POST

ENGINEERING STANDARDS 2022

REVISIONS		ENGINEERING DIVISION CITY OF POMPANO BEACH	GUARD POST
BY	DATE		
		SCALE: N.T.S.	DATE: MAY 2022 DWG. NO. 304-1



1 SAWCUT
N.T.S.



2 ASPHALTIC CONCRETE PAVEMENT SECTION
N.T.S.



3 MILLING AND RESURFACING
N.T.S.



SECTION A-A



PROFILE VIEW

SPEED HUMP

ENGINEERING STANDARDS 2022

REVISIONS		ENGINEERING DIVISION CITY OF POMPANO BEACH	SPEED HUMP
BY	DATE		
T.L.G.	1/30/02		
S.S.	7/13/06	SCALE: N.T.S.	DATE: MAY 2022 DWG. NO. 309-1



4 PAVEMENT MATCHING DETAIL
N.T.S.



PLAN



SECTION

TYPE "C" INLET

RECOMMENDED MAXIMUM PIPE SIZE
2'-0" WALL-18" PIPE
3'-1" WALL-24" PIPE

ENGINEERING STANDARDS 2022

REVISIONS		ENGINEERING DIVISION CITY OF POMPANO BEACH	TYPE "C" INLET
BY	DATE		
S.S.	09-11	SCALE: N.T.S.	DATE: JUNE 2022 DWG. NO. 400-1



TYPE H



TYPE E



TYPE C

CAST IRON GRATES

ENGINEERING STANDARDS 2022

REVISIONS		ENGINEERING DIVISION CITY OF POMPANO BEACH	CAST IRON GRATES
BY	DATE		
		SCALE: N.T.S.	DATE: JUNE 2022 DWG. NO. 410-1

George Balaban
Digitally signed by George Balaban
Date: 2023.06.22 18:09:36 -04'00'

GEORGE BALABAN, STATE OF FLORIDA, PROFESSIONAL ENGINEER, LICENSE NO. 74543

THIS ITEM HAS BEEN DIGITALLY SIGNED AND SEALED BY GEORGE BALABAN, P.E. ON THE DATE INDICATED HERE.

PRINTED COPIES OF THE DOCUMENT ARE NOT CONSIDERED SIGNED AND SEALED AND THE SIGNATURE MUST BE VERIFIED ON ANY ELECTRONIC COPIES.

PLANS ARE IN NAVD 1988 DATUM CONVERSION EQUATION IS BELOW: (NAVD 1988) + 1.58' = (NGVD 1929)

THE PRESENCE OF GROUNDWATER SHOULD BE ANTICIPATED. CONTRACTOR'S BID SHALL INCLUDE CONSIDERATION FOR ADDRESSING THIS ISSUE AND OBTAINING ALL NECESSARY PERMITS.

Always call 811 two full business days before you dig to have underground utilities located and marked

Sunshine811.com

DRC
P223-120000023.10
09/20/2023

No.	REVISIONS	DATE	BY

Kimley»Horn
© 2023 KIMLEY-HORN AND ASSOCIATES, INC.
8201 PETERS ROAD, SUITE 2200, PLANTATION, FL 33324
PHONE: 954-535-5100 FAX: 954-739-2247
WWW.KIMLEY-HORN.COM REGISTRY No. 35106

LICENSED PROFESSIONAL
GEORGE BALABAN, P.E.
FL LICENSE NUMBER 74543
DATE:

KHA PROJECT 044203010
DATE JUNE 2023
SCALE AS SHOWN
DESIGNED BY TVC
DRAWN BY TVC
CHECKED BY GB

PAVING, GRADING & DRAINAGE DETAILS

BREW FISH BREWERY
PREPARED FOR
CITY OF POMPANO BEACH FL

SHEET NUMBER

Posted By:Vilarin, Teresa Sheet Set:BREWFISH BREWERY Layout:C3.10 PAVING GRADING & DRAINAGE DETAILS June 20, 2023 08:40:26pm K:\FTL_Civil\044 Jobs\044203010-Cypress Nook\CAD\Planset - Brew Fish Brewery\C3.11 PAVING GRADING & DRAINAGE DETAILS.dwg
This document, together with the concepts and designs presented herein, as an instrument of service, is intended only for the specific purpose and client for which it was prepared. Reuse of and improper reliance on this document without written authorization and adaptation by Kimley-Horn and Associates, Inc. shall be without liability to Kimley-Horn and Associates, Inc