



LEGEND		ABBREVIATIONS	
	EXISTING/PROPOSED ASPHALT	PB	PLAT BOOK
	EXISTING/PROPOSED CONCRETE	PG	PAGE
	TYPE "D" CURB	R/W	RIGHT-OF-WAY
	TYPE "F" CURB & GUTTER	FFE	FINISHED FLOOR ELEVATION
	EDGE OF WATER	NAVD	NORTH AMERICAN VERTICAL DATUM
	PROPERTY LINE	BCR	BROWARD COUNTY RECORDS
	RIGHT-OF-WAY/ PARCEL LINE	DIP	DUCTILE IRON PIPE
	EASEMENT LINE	RCF	REINFORCED CONCRETE PIPE
	CENTER LINE	FH	FIRE HYDRANT
	PROPOSED DRAINAGE	PVC	POLYVINYL CHLORIDE
	DRAINAGE INLET	WM	WATER MAIN
	DRAINAGE MAN-HOLE	FDC	FIRE DEPARTMENT CONNECTION
	PROPOSED GRADE	DDCV	DOUBLE DETECTOR CHECK VALVE
	MEET EXISTING GRADE	SMH	SANITARY MANHOLE
	DIRECTION OF OVERLAND FLOW	PL	PROPERTY LINE
	HIGH POINT/RIGIDE		
	PROPOSED WATER MAIN		
	PROPOSED SANITARY SEWER		
	PAVEMENT SLOPE & DIRECTION		
	LIGHT POLE		
	EXISTING UNDERGROUND UTILITIES		
	EXISTING INLET		
	TEMPORARY SILT FENCING		
	CONSTRUCTION FENCING		
	INLET PROTECTION DEVICE		

- NOTES FOR TEMPORARY CONSTRUCTION FENCES**
- SILT FENCE TO BE INSTALLED ALONG INTERIOR OF TEMPORARY CONSTRUCTION FENCE.
 - TEMPORARY CONSTRUCTION FENCING TO BE CHAINLINK WITH SCREENING TO REDUCE WIND EROSION.
 - SHOP DRAWINGS FOR TEMPORARY CONSTRUCTION FENCING AND GATES SHALL BE PROVIDED TO ENGINEER OF RECORD, CLIENT, AND CITY OF PEMBROKE PINES FOR APPROVAL PRIOR TO INSTALLATION.
 - TEMPORARY CONSTRUCTION FENCING SHALL BE REMOVED AND STORED IN A SHELTERED/ENCLOSED AREA PRIOR TO AN SEVERE STORM EVENT, AND REINSTALLED IN A TIMELY MANNER ONCE THE STORM EVENT HAS PASSED AND THE SITE IS DEEMED SAFE TO COMMENCE WORK AGAIN.
 - TEMPORARY CONSTRUCTION FENCING SHALL BE POST DRIVEN INTO THE GROUND AND INSTALLED AS TO WHICH WILL MEET F.B.C. AND O.S.H.A. LATEST CRITERIA AND STANDARDS.
 - CONSTRUCTION FENCE AND SCREENING WILL NOT HAVE ANY ADVERTISING OR GRAPHICS.
 - ALL STORM DRAINAGE STRUCTURES SHALL HAVE FILTER FABRIC INSTALLED FOR INLET PROTECTION.
 - ALL ELEVATIONS REFER TO NATIONAL VERTICAL DATUM OF 1988 (N.A.V.D. 88).
 - ALL PROPOSED INLETS SHALL BE PROTECTED BY FILTER FABRIC UNTIL FINAL PAVEMENT AND SOD IS COMPLETED.

Digitally signed by
Bealinda M Pell
DN: c=US,
o=Florida,
dnQualifier=A014
10D0000017FB6C
8143E00037A12,
cn=Bealinda M
Pell
Date: 2023.08.22
18:57:52 -04'00'

TEMPORARY POLLUTION PREVENTION
PLAN

PALM AIRE TENNIS CENTER

RW EXISTING AND PROPOSED

WINNINGHAM RADLEY
ENGINEERS & SURVEYORS
11 N.E. 4th Street, Suite 200, Oakland Park, FL 33334
(954) 771-7440 • (954) 771-7388 • E-MAIL: info@winninghamradley.com

DESIGNED: BMP DATE: 01/2023 PROJECT NUMBER: 22036 SHEET: 1 OF 3
DRAWN: AMF DATE: 01/2023
CHECKED: BMP DATE: 01/2023