

- ESC NOTES:

1. THIS PLAN REFLECTS THE ENGINEER'S SUGGESTION FOR EROSION AND SEDIMENT CONTROL. SITE OPERATOR TO MODIFY PLAN AS NEEDED TO MAINTAIN "BEST MANAGEMENT PRACTICES" DURING CONSTRUCTION.
2. AT ALL TIMES DURING CONSTRUCTION, ALL STORMWATER MUST REMAIN ON-SITE. NO DISCHARGE INTO THE PUBLIC RIGHT OF WAY OR ADJOINING PROPERTIES IS ALLOWED.
3. DRAINAGE STRUCTURES INSTALLED TO BE PROTECTED WITH FILTER FABRIC AND/OR PERIMETER SILT FENCE.
4. PROVIDE FILTER FABRIC OR OTHER METHOD OF SEDIMENT PROTECTION FOR ANY EXISTING CATCH BASIN/INLET WITHIN 100 FEET OF THE PROJECT AREA.
5. ANY SEDIMENT THAT IS TRACKED ONTO ROADS MUST BE SWEEPED UP IMMEDIATELY.
6. SEDIMENT SHALL NOT BE REMOVED BY WASHING/FLUSHING WITH WATER AT THE RIGHT OF WAY.
7. PRIOR TO START OF CONSTRUCTION, AN ENGINEERING ROUGH INSPECTION MUST BE SCHEDULED TO VERIFY EROSION AND SEDIMENTATION CONTROL IS SETUP PROPERLY AND SO INSPECTION CAN MONITOR SITE FOR CONSTRUCTION MITIGATION. TO REQUEST AN INSPECTION.

This document has been digitally
signed and sealed by
Blake M. Kidwell on 03/11/2025.


Printed copies of this document are not considered signed and sealed.

NPDES

ALL PROJECTS THAT WILL RESULT IN THE
DISTURBANCE OF 1 OR MORE ACRES OF LAND
CONTRACTORS ARE REQUIRED TO SUBMIT A STORM
WATER NOTICE OF INTENT (DEP FORM
62-621.300(4)(b)) 48 HOURS PRIOR TO THE
COMMENCEMENT OF CONSTRUCTION TO THE FLORIDA
DEPARTMENT OF ENVIRONMENTAL PROTECTION, NPDES
STORMWATER PROGRAM, 2600 BLAIR STONE ROAD
MAIL STATION 2510, TALLAHASSEE, FL 32399-2400.
ADDITIONAL DETAILS ARE AVAILABLE AT
WWW.DEP.STATE.FL.US/WATER/STORMWATER/NPDES

**VERTICAL DATUM
CONVERSION**
GRADING SHOWN UTILIZES N.A.V.D. 88


N.G.V.D. 29



N.A.V.D. 88

N.A.V.D. 88 = N.G.V.D. 29 - 1.51'

N.G.V.D. 29 = N.A.V.D. 88 + 1.51'



**VERTICAL DATUM
CONVERSION**
GRADING SHOWN UTILIZES N.A.V.D. 88



Revisions		
1		
2		
3		
4		
5		
6		
7		
8		

Phase:
PERMIT
DOCUMENTS



Scale: 1"=20'	Date 12/18/24
Job No. 24-1832.00	Plot Date 03/11/25
Drawn by BMK	Sheet No. ESC
Proj. Mgr. BMK	
Appr. by BMK	4 of -