




## 1 ASPHALT PAVEMENT DETAIL




## 2 HEAVY DUTY ASPHALT PAVEMENT DETAIL



### 3 CONCRETE PAVEMENT DETAIL



4 TYPE "D" CURB DETAIL  
PER FDOT INDEX No. 520-001




5 DROP CURB DETAIL  
PER FDOT INDEX No. 520-001

5


SPACING OF REQUIRED ROADWAY, PARKING AREA, AND UTILITY TRENCH TESTS										
	Proctor Maximum Density		L.B.R.				DENSITY / Per Lift		THICKNESS	
	MAX. SPACING		MAX. SPACING				MAX. SPACING		MAX. SPACING	
	LIN. FEET	SQ. FEET	LIN. FEET	SQ. FEET	LIN. FEET	SQ. FEET	LIN. FEET	SQ. FEET		
COMPACTED OR STABILIZED SUBGRADE	1000	12,000	1000	12,000	500	6,000	200	2,400		
LIMEROCK BASE	4000	24,000	--	--	500	6,000	200	2,400		
ASPHALT	--	--	--	--	1500	18000	Every 200 Tons			
UTILITY TRENCH	One per Soil Type		--	--	500	6,000	--	--		
Embankment / Backfill	One per Soil Type		--	--	500	6,000	--	--		

ALL TESTING SHALL BE TAKEN IN A STAGGERED SAMPLING PATTERN FROM A POINT 12" INSIDE THE LEFT EDGE OF THE ITEM TESTED TO THE CENTER, TO A POINT 12" INSIDE THE RIGHT EDGE. A MINIMUM OF 2 TESTS SHALL BE TAKEN INCLUDING UTILITY TRENCHES AND ROADWAY RESTORATION. SEE FDOT STANDARD SPECIFICATIONS FOR FURTHER DETAILS AND REQUIREMENTS.


## 6 COMPACTION TEST SCHEDULE




7 TYPE "F" CURB DETAIL  
PER FDOT INDEX No. 520-001




## 8 SAWCUT WIDENING DETAIL




## CONCRETE PAVEMENT & SIDEWALK JOINTS




## SIDEWALK PLAN



9 THICKENED EDGE  
SIDEWALK DETAIL



10 SIDEWALK DETAIL



# CURB & GUTTER FLARED AND STRAIGHT ENDS



**KEITH**  
 301 East Atlantic Blvd.  
 Pompano Beach, FL 33060  
 PH: (954) 788-3400

Florida Engineering Business License: CA7928  
Florida Surveyor and Mapper Business License: LB6860  
Florida Landscape Architecture Business License: LC2600045

[illegible]

**RESPONSIBILITY FOR THE USE OF THESE  
PLANS PRIOR TO OBTAINING PERMITS FROM  
ALL AGENCIES HAVING JURISDICTION OVER  
THE PROJECT WILL FALL SOLELY UPON THE  
USER.**

ISSUE DATE:	08/27/2025
-------------	------------

DESIGNED BY: BB

DRAWN BY: JS

CHECKED BY: NW

**BID-CONTRACT:**

THOMAS F. DONAHUE, P.E.  
FLORIDA REG. NO. 60529  
(FOR THE FIRM)

CLIENT

**FIRST  
INDUSTRIAL**

PROJECT

**FIRST 95 DISTRIBUTION  
CENTER- PHASE II  
1000-1041 NW 12th Ter.  
Pompano Beach, FL**

**SHEET TITLE**

## PAVING, GRADING, AND DRAINAGE DETAILS

**DRC**

SHEET NUMBER	CP-501
PROJECT NUMBER	10607.14

Drawing name: Q:\10607.14 - First Industrial\Engineering\Cadd\10607.14-CP-5XX.dwg

STATISTICS: DBE1 IMINAPV			
--------------------------	--	--	--