


REVISIONS	BY
07-06-2022, REVISED IRRIG. PLAN	COB
08-10-2022, REVISED IRRIG. PLAN	COB
08-10-2022, REVISED IRRIG. PLAN	COB
10-12-2022, REVISED IRRIG. PLAN	COB

SPRINKLER HEAD SCHEDULE :

SYMBOL	MODEL NO.(OR EQUAL)	DESCRIPTION	PSI.	GPM.	RAD.
⊙	570Z-4P-80	POP-UP SPRAY (4")	30-40	.22	8'
⊙	570Z-4P-8T	POP-UP SPRAY (4")	30-40	.29	8'
⊙	570Z-4P-8H	POP-UP SPRAY (4")	30-40	.44	8'
⊙	570Z-4P-8TT	POP-UP SPRAY (4")	30-40	.59	8'
⊙	570Z-4P-8F	POP-UP SPRAY (4")	30-40	.85	8'
⊙	570Z-4P-12Q	POP-UP SPRAY (4")	30-40	.48	12'
⊙	570Z-4P-12T	POP-UP SPRAY (4")	30-40	.64	12'
⊙	570Z-4P-12H	POP-UP SPRAY (4")	30-40	.96	12'
⊙	570Z-4P-12TT	POP-UP SPRAY (4")	30-40	1.28	12'
⊙	570Z-4P-12F	POP-UP SPRAY (4")	30-40	1.92	12'
▽	570Z-4P-4EST	POP-UP SPRAY (4")	30-40	.43	4'x15'
□	570Z-4P-4SST	POP-UP SPRAY (4")	30-40	.88	4'x30'
■	570Z-4P-4SSST	POP-UP SPRAY (4")	30-40	.50	4'x18'

SYMBOL LEGEND :

SYMBOL	MODEL NO.(OR EQUAL)	MANUF.	DESCRIPTION
⊞	GK212-04-0D	TORO MODEL (OR EQUAL)	CONTROLLER - WALL MOUNT
○	MINI-CLIK II	HUNTER (OR EQUAL)	RAIN SWITCH SENSOR
⊞	P220-26-06	TORO MODEL (OR EQUAL)	1 1/2" SOLENOID VALVE & BOX
IRRIG. PIPING			
—	MAIN - SDR.26, CLASS 160, PVC. PIPE		
----	SLEEVES - SCHEDULE 40 PVC. (SEE PLAN)		
----	LATERALS - SDR.26, CLASS 160, PVC. PIPE		
—	PVC FITTINGS		
—	#14AWG., TYPE U.F., DIRECT BURIAL IRRIG. WIRE		



**SITE IMPROVEMENT PLANS FOR
POMPANO BEACH AIR PARK - PARCEL Y**


Charles O. Buckalew
 Consulting Engineering Services, Inc.
 801 South Ocean Drive, Suite 201
 Hollywood, Florida 33019
 C.O.A. Number: 6255
 Tel.: (954) 558-1188 Fax: (954) 929-8988



DATE	2022.10.17
SCALE	1"=30'-0"
C.W.	
PROJECT NO.	2285

Charles Buckalew Digitally signed by Charles Buckalew
 Date: 2022.10.17 12:23:46 -04'00'

020 IRRIGATION PLAN



This item has been Digitally Signed and Sealed by Charles O. Buckalew, FL. PE. # 24842 on October 17, 2022. Printed copies of this document are not considered signed and sealed and the signature must be verified on any electronic copies.

