

Luminaire Schedule								
Symbol	Qty	Label	Arrangement	Description	LLF	Luminaire Lumens	Luminaire Watts	Total Watts
	3	G	Single	Xtra Light VTH2-52-AMB-DIM-FCP-STD	0.900	3634	51.2	153.6
	8	GE	Single	Xtra Light VTH2-52-AMB-DIM-FCP-STD-EM	0.900	3634	51.2	409.6
	1	SA	Single	Xtra Light VNTLEDL032353MNDIMA20XXBZWS	0.900	7346	235	235

Calculation Summary								
Label	CalcType	Units	Avg	Max	Min	Avg/Min	Max/Min	
Drive Lane	Illuminance	Fc	3.53	8.7	0.6	5.88	14.50	
Parking Garage Floor	Illuminance	Fc	3.82	5.7	1.4	2.73	4.07	

TYPE	MANUFACTURER	CATALOG NUMBER	DESCRIPTION	LAMPS		VOLTS	MOUNTING	REMARKS	INPUT WATTS
				Qty	Type				
SA	XTRALIGHT	VNTLEDL032353MNDIMA20XXBXXWS	TURTLE AMBER LED SITE LUMINAIRE	1	LED INCLUDED	XX	POLE		235W
GE	XTRALIGHT	VTH2-52-AMB-DIM-FCP-STD-EM	TURTLE AMBER LED GARGE LUMINAIRE	1	LED INCLUDED	XX	XX		52W


GROUND FLOOR PHOTOMETRIC PLAN
SCALE: 3/32" = 1'-0"

DESIGNED	DRAWN	CHECKED
JY	JJ	JY

R E V I S I O N S	
DATE	COMM
01/12/24	22019

580 BRINY AVE.

580 BRINY AVE.
POMPANO BEACH, FL



GROUND LEVEL
PHOTOMETRIC PLAN
SITE PLAN APPROVAL

A-501