




1 TURF SPRAY MARLEX ASSEMBLY
3" = 1'-0"
32 8403.13-01




2 SHRUB SPRAY HIGHPOP MARLEX ASSEMBLY
3" = 1'-0"
32 8403.29-10




3 SHRUB SPRAY KBI FIXED RISER
3" = 1'-0"
32 8403.23-01




4 POPUP BUBBLER AT PLANT PIT
3" = 1'-0"
32 8403.53-04




5 ROTOR SPRAYHEAD
1 1/2" = 1'-0"
32 8406.13-01




6 ELECTRIC REMOTE CONTROL VALVE
1 1/2" = 1'-0"
32 8406.13-01




7 BRASS ISOLATION VALVE
1 1/2" = 1'-0"
32 8406.33-01




8 REDUCED PRESSURE BACKFLOW DEVICE
1" = 1'-0"
FX-IR-FX-CONT-09




9 WIRE BUNDLE JUNCTION BOX
1 1/2" = 1'-0"
32 8409.79-01



10 MAINLINE WITH SAND BEDDING
1 1/2" = 1'-0"
FX-IR-FX-AUXEQ-13



11 BRASS ISOLATION VALVE
1 1/2" = 1'-0"
32 8406.33-01



12 REDUCED PRESSURE BACKFLOW DEVICE
1" = 1'-0"
FX-IR-FX-CONT-09



13 WIRE BUNDLE JUNCTION BOX
1 1/2" = 1'-0"
32 8409.79-01

Notes:
1- All threaded connection points between Sch. 40 PVC and Sch. 80 PVC fitting shall be installed using teflon tape.
2- Contractor shall compact soil around rotor and riser prior to planting, plugging, seeding, or laying of sod.

Notes:
1- See irrigation legend for mainline and lateral line pipe size and type.
2- Direct burial control wires shall be installed in Sch. 40 PVC electrical conduit if required.
3- 2-wire irrigation wire shall be installed in Sch. 40 PVC electrical conduit.
4- Detectable locator tape shall be located six inches (6") above the entire mainline run.

Notes:
1- See irrigation legend for mainline size and type.
2- All sleeves shall be Sch. 40 PVC pipe.
3- All sleeves shall extend 12" beyond the edge of pavement.
4- End of sleeves shall be located with a wooden stake or PVC pipe. Locators shall run continuously from the end of the sleeve to finished grade.

14 IRRIGATION TRENCHING
1 1/2" = 1'-0"
FX-IR-FX-AUXEQ-05

15 PIPE BENEATH PAVEMENT
1 1/2" = 1'-0"
FX-IR-FX-AUXEQ-05

16 PIPE BENEATH PAVEMENT
1 1/2" = 1'-0"
FX-IR-FX-AUXEQ-05

FOLIAGE EXPRESSIONS
8801 SW 192nd Terrace,
Cutler Bay, FL 33157

Digitally signed by
James B. Euell
Date: 2023.10.30 15:18:55 -04'00'

PROPOSED 12 HOUSES
PROJECT NAME & LOCATION:
NW 10TH STREET
POMPANO BEACH, FL 33060

DISTRIBUTION:	DATE:

DRAWING NAME:
IRRIGATION DETAILS

DRC
DRAWING NUMBER:
12-305
PZ23-12000051
12/20/2023