

ALL ELEVATIONS ARE REFERENCED
TO NAVD88 VERTICAL DATUM



BEFORE CONSTRUCTION STARTUP, CONTRACTOR
TO INSTALL AND MAINTAIN A SILT FENCE ALONG
PERIMETER OF THE PROPERTY AS SHOWN

CONTRACTOR TO PROVIDE
GRAVEL ENTRANCE DURING
CONSTRUCTION

LEGEND

- | | | | |
|--|---------------------------|--|-----------------------|
| | PROPOSED ASPHALT PAVEMENT | | PROPOSED WATER METER |
| | PROPOSED CONC. PAVEMENT | | EXISTING WATER METER |
| | PROPOSED CONC. WALKWAY | | EXISTING WATER VALVE |
| | PROPOSED GRADE | | PROPOSED BFP DEVICE |
| | EXISTING ELEVATION | | EXIST. DRAINAGE MH |
| | PROPOSED CATCH BASIN | | PROPOSED FIRE HYDRANT |
| | EXISTING CATCH BASIN | | |

EROSION & SEDIMENT CONTROL PLAN

SCALE: 1"=20'

J:\City-STANDARDS\2019 Standard Details\Reuse Water 5-2.dwg, 11/2/2018 1:22:12 PM

ELEVATION OF STAKE AND
FABRIC ORIENTATION

DETAIL A

PERSPECTIVE VIEW

SPECIFIC APPLICATION


THIS METHOD OF INLET PROTECTION IS APPLICABLE WHERE THE INLET DRAINS A RELATIVELY FLAT AREA (SLOPE NO GREATER THAN 5%) WHERE THE INLET SHEET OR OVERLAND FLOWS (NOT EXCEEDING 1 C.F.S.) ARE TYPICAL. THE METHOD SHALL NOT APPLY TO INLETS RECEIVING CONCENTRATED FLOWS, SUCH AS IN STREET OR HIGHWAY MEDIANS.

FILTER FABRIC DROP INLET SEDIMENT FILTER

ENGINEERING STANDARDS 2019			
REVISIONS		FILTER FABRIC DROP INLET SEDIMENT FILTER	
BY	DATE	ENGINEERING DIVISION CITY OF POMPAÑO BEACH	DATE: MAY 2007 DWG. NO. 508-1
SCALE: N.T.S.			

WILFORD ZEPHYR
Digitally signed by
WILFORD ZEPHYR
Date: 2023.11.13
17:08:13 -05'00'

THIS ITEM HAS BEEN DIGITALLY SIGNED AND SEALED BY
WILFORD ZEPHYR ON THE DATE ADJACENT TO THE SEAL.
PRINTED COPIES OF THIS DOCUMENT ARE NOT CONSIDERED
SIGNED AND SEALED AND THE SIGNATURE MUST BE VERIFIED
ON ANY ELECTRONIC COPIES.



PZ23-12000051
12/20/2023

REVISIONS

NO.	DATE	DESCRIPTION

ZEPHYR ENGINEERING

WILFORD ZEPHYR, P.E.
HOLLYWOOD, FL
(786) 302-7693
wzephyr@gmail.com
CA# 31158

ZE

PROPOSED 12 HOUSES

NW 10th STREET
POMPAÑO BEACH, FL 33060

P.E.#: 76036

DATE: 7/28/23

SCALE: 1"=20'

SHEET NO.: 23-2

OF 2

PROJECT NO.: 23-34