




- NOTES:**
1. ALL SOD AND LANDSCAPE TO RECEIVE 100% COVERAGE WITH 100" OVERLAP FROM AN AUTOMATIC IRRIGATION SYSTEM USING AN APPROVED WATER SOURCE.
 2. A RAIN SENSOR MUST BE INSTALLED TO OVER-RIDE THE CONTROLLER.
 3. BUBBLERS TO BE PROVIDED FOR NEW AND RELOCATED TREES AND PALMS.
 4. CONTRACTOR IS RESPONSIBLE FOR ALL CONDITIONS AND IRRIGATION SPECIFICATION ATTACHED TO THIS PLAN. PLAN AND SPECIFICATIONS SHALL BE CONSIDERED CONTRACT DOCUMENTS.
 5. INVESTIGATE TO DETERMINE AND VERIFY THE LOCATION OF UNDERGROUND UTILITIES BEFORE EXCAVATION.
 6. REFER TO SHEET LI-501 FOR ADDITIONAL IRRIGATION SPECIFICATIONS AND DETAILS.
 7. NOZZLE SELECTION BASED ON COVERAGE REQUIREMENTS.



GRAPHIC SCALE

30



SCALE: 1" = 30'

NOTE: PRINTED DRAWING SIZE
MAY HAVE CHANGED FROM
ORIGINAL. VERIFY SCALE USING
BAR SCALE ABOVE.

PZB

SHEET NUMBER	LI-
PROJECT NUMBER	106

PZ25-12000030
01/28/2026

Drawing name: Q:\10607.14 - First 95 Distribution Center - PH 2 - First Industrial\Architecture\CAD\10607.14 - LI-1XX.dwg

STATUS: PRELIMINARY



LI-103

PZ25-12000030
01/28/2026