



LOCATION MAP

NTS

LEGEND:	
	PROPOSED ELEVATION (NAVD)
	EXISTING ELEVATION (NAVD)
	PROPOSED CATCH BASIN
	PROPOSED PLUG
	PROPOSED MANHOLE
	WATER MAIN
	SANITARY FORCE MAIN
	VALVE
	FIRE HYDRANT
	SIAMESE CONNECTION
	CLEANOUT
	EDGE OF PROPOSED PAVEMENT (ASPHALT)
	DIRECTION OF SURFACE DRAINAGE
	SAMPLE POINT
	EXIST. WATER MAIN
	EXIST. UTILITY LINE TO BE ABANDONED IN PLACE

FLOOD ZONE "AE" ELEV (7.0) NAVD
ON FIRM MAP #1201100378 J, DATED DECEMBER 31, 2019
BROWARD COUNTY FUTURE 100 YEAR
3 DAY CONTOUR= ELEV. (5.5) NAVD
DESIGN FLOOD ELEVATION 100 YEAR 3 DAY STORM= ELEV. (X.XX) NAVD
AVERAGE WET SEASON WATER LEVEL= ELEV. (2.5) NAVD

GRADING AND DRAINAGE NOTES:

- ALL CONSTRUCTION SHALL CONFORM TO THE STANDARDS AND SPECIFICATIONS OF THE CITY OF FORT LAUDERDALE.
- PRIOR TO CONSTRUCTION, THE CONTRACTOR SHALL GIVE TIMELY NOTIFICATION TO ALL UTILITY COMPANIES WITH FACILITIES IN THE AREA.
- THE CONTRACTOR SHALL TAKE ALL NECESSARY PRECAUTIONS TO SAFEGUARD ALL EXISTING STRUCTURES, UTILITIES, AND SURVEY MARKERS.
- ALL STORM DRAINAGE LINE FROM THE BLDG SHALL BE LAID @ 1.0% MINIMUM SLOPE UNLESS NOTED OTHERWISE ON PLANS.
- CLEANOUTS ON STORM DRAINAGE LINES ARE TO BE ADJUSTED TO BE FLUSH W/FINISHED GRADE.
- CONTRACTOR SHALL PROVIDE FITTINGS (WYES, TEE, REDUCERS, ETC.) AS REQUIRED TO FURNISH A COMPLETE WORKING SYSTEM BASED ON THE LAYOUT SHOWN ON THESE PLANS.
- LANDSCAPED AREAS SHALL BE GRADED TO DRAIN TO THE CATCH BASIN INLETS. FIELD ADJUST GRADING AS REQUIRED.
- SITE UTILITY CONTRACTOR SHALL COORDINATE WITH THE BUILDING PLUMBING CONTRACTOR FOR EXACT LOCATION OF CONNECTION POINTS BETWEEN THE BUILDING AND SITE WATER, SEWER AND DRAINAGE LINES (VERTICALLY AND HORIZONTALLY).
- RECTANGULAR CATCH BASIN AND YARD DRAIN GRATES SHALL BE INSTALLED SUCH THAT THE LONG AXIS OF GRATE PARALLELS THE CLOSEST ADJACENT WALK, BLDG., DRIVE WAY, PROPERTY LINE, OR ROADWAY.
- COORDINATE LOCATION IN FIELD OF ALL CATCH BASINS & YARD DRAINS WITH LANDSCAPE CONTRACTOR TO AVOID CONFLICTS.
- CENTERLINE OF YARD DRAINS @ BASE OF DOWN SPOUTS MUST ALIGN WITH CENTERLINE OF DOWN SPOUT PRIOR TO FINAL ACCEPTANCE BY OWNER. REFERENCE ARCH. PLANS FOR EXACT LOCATION OF DOWN SPOUTS.
- SLOPE ON SIDEWALKS SHALL NOT EXCEED 5% SLOPE IN DIRECTION OF TRAVEL OR 2% CROSS SLOPE. NOTIFY ENGINEER PRIOR TO CONSTRUCTION OF ANY GRADING THAT DOES NOT COMPLY WITH THIS REQUIREMENT.
- SLOPE IN HANDICAP PARKING AND ACCESS AISLES SHALL NOT EXCEED 2% CROSS SLOPE. NOTIFY ENGINEER PRIOR TO CONSTRUCTION OF ANY GRADING THAT DOES NOT COMPLY WITH THIS REQUIREMENT.
- SLOPE IN CROSSWALKS SHALL NOT EXCEED 2% CROSS SLOPE. NOTIFY ENGINEER PRIOR TO CONSTRUCTION OF ANY GRADING THAT DOES NOT COMPLY WITH THIS REQUIREMENT.
- SURVEY INFORMATION BASED ON PULICE LAND SURVEYORS, INC. DATED JUNE 22, 2024.
- ELEVATIONS SHOWN ARE NAVD88.
- FINAL RIM ELEVATIONS SHALL BE FIELD ADJUSTED TO MATCH SLOPE OF PROPOSED PAVEMENT.
- FINAL RIM ELEVATIONS FOR THE DRAINAGE STRUCTURES WITHIN THE GARAGE TO BE BASED ON ARCHITECT'S GRADING PLAN.
- DRAINAGE WELLS TO BE DRILLED IN THE ORDER THAT THEY ARE NUMBERED ON PLANS UNTIL TOTAL CAPACITY OF EACH GPM IS MET. WELL CAPACITY TO BE CONFIRMED WITH ENGINEER AFTER DRILLING EACH DRAINAGE WELL. CONTRACTOR RESPONSIBLE FOR ALLOWING ACCESS AND CLEARANCE FOR DRILLING OF ALL DRAINAGE WELLS UNTIL CAPACITY IS MET.

DRAINAGE LAMPING TO BE PERFORMED AND WITNESSED BY CITY INSPECTOR AND ENGINEER OF RECORD.

CALL 48 HOURS BEFORE YOU DIG IN FLORIDA

IT'S THE LAW
811
SUNSHINE STATE ONE CALL OF FLORIDA, INC.

VERTICAL DATUM CONVERSION

GRADING SHOWN UTILIZES N.A.V.D. 88

N.G.V.D. 29

N.A.V.D. 88

N.A.V.D. 88 = N.G.V.D. 29 - 1.51'

N.G.V.D. 29 = N.A.V.D. 88 + 1.51'

This document has been digitally signed and sealed by Blake M. Kidwell on 05/27/2025.

Printed copies of this document are not considered signed and sealed.

FLYNN ENGINEERING

241 COMMERCIAL BLVD., LAUDERDALE-BY-SEA, FL 33308
PHONE (954) 522-1004 | WWW.FLYNNENGINEERING.COM
EFL 6578

CONCEPTUAL
PAVING, GRADING, &
DRAINAGE PLAN

1600 S FEDERAL HIGHWAY
(MIXED-USE PROJECT)

1600 S FEDERAL HIGHWAY
POMPANO BEACH, FLORIDA 33062

NORTH

Revisions

Blake M. Kidwell
No 91488
STATE OF FLORIDA
PROFESSIONAL ENGINEER

Scale: 1"=20'

Job No. 24-1832.00

Drawn by BMK

Proj. Mgr. BMK

Appr. by BMK

Date 12/18/24

Plot Date 05/23/25

Sheet No. C2

2 of -