



ROOF LEVEL - FLOOR PLAN  
SCALE: 1/8" = 1'-0"

EGRESS PLAN  
LEGEND

1-HOUR RATED WALL

2-HOUR RATED WALL

TRAVEL DISTANCE

EXIT SIGN WITH BATTERY PACK

SURFACE MOUNTED TYPE ABC FIRE EXTINGUISHER & CABINET. EXTINGUISHERS SHALL BE CURRENTLY DATED AND TAGGED BY LICENSED FIRE EQUIPMENT COMPANY, AND LOCATED NOT FURTHER THAN 75 FEET OF TRAVEL DISTANCE TO AN EXTINGUISHER

SURFACE MOUNTED TYPE ABC FIRE EXTINGUISHER INSTALLED ON SUPPLIED BRACKET. EXTINGUISHERS SHALL BE CURRENTLY DATED AND TAGGED BY LICENSED FIRE EQUIPMENT COMPANY, AND LOCATED NOT FURTHER THAN 75 FEET OF TRAVEL DISTANCE TO AN EXTINGUISHER

EGRESS NOTES

1. COORDINATE FIRE ALARM DEVICES AND PANELS WITH ELECTRICAL DRAWINGS

2. REFER TO FIRE PROTECTION DRAWINGS FOR SPRINKLER HEAD LOCATIONS

3. REFER TO ELECTRICAL DRAWINGS FOR FIRE ALARM DEVICE LOCATIONS

4. REFER TO ELECTRICAL DRAWINGS FOR EMERGENCY LIGHT LOCATIONS

5. ORDINARY HAZARD OF CONTENTS (NFPA 38.1.5.1)

6. A FACTOR OF 0.2 INCHES OF WIDTH PER OCCUPANT HAS BEEN USED TO CALCULATE MINIMUM DOOR AND CORRIDOR EGRESS CAPACITY

7. A FACTOR OF .3 INCHES OF WIDTH PER OCCUPANT HAS BEEN USED TO CALCULATE MINIMUM CLEAR WIDTH OF STAIRWAY EGRESS CAPACITY

FSM

ARCHITECTS + PLANNERS

888 SOUTH ANDREWS AVE. SUITE 300  
FORT LAUDERDALE, FLORIDA 33316  
PH:(954)764-6575 FAX:(954)764-8622

COPYRIGHT 2020  
FSM ALL RIGHTS RESERVED.  
THIS DOCUMENT OR PARTS THEREOF MAY NOT  
BE REPRODUCED IN ANY FORM WITHOUT PERMISSION  
CA # AAC000447

DESIGNED  
JY

DRAWN  
JJ

CHECKED  
JY

REVISIONS

DATE: 01/12/24

COMM: 22019

580 BRINY AVE.

580 BRINY AVE.  
POMPAHO BEACH, FL

STATE OF FLORIDA  
JIRO YATES  
AR 91408  
REGISTERED ARCHITECT

Digitally signed  
by Jiro Yates  
Date:  
2024.04.09  
11:47:36-04'00'

DATE: 04.03.2024  
TIME: 10:00:00  
FILE: A-108  
Z24-12000003  
05/15/2024