




STRUCTURAL INFORMATION FOR ALL 3 BUILDINGS: A, B, C

TENANT ID - WALL SIGN

STOREFRONT TYPICAL MOUNTING DETAIL



CHANNEL LETTER SIGN COMPONENTS



NOTE: ALL BOLTS, CONNECTORS, SLEEVES, ELECTRICAL CONDUITS, ETC. TO BE NON FERROUS. ALL PENETRATIONS THROUGH WALL SYSTEM TO BE WATER TIGHT. LEDs ARE NOT TO BE VISIBLE ON SIGN. ALL ILLUMINATION TO BE EVEN LIGHTING WITHOUT ANY HOT-SPOT ON SURFACES. GROUNDING AND BINDING AS PER NEC 250.

UL SHUT OFF SWITCH AND RUBBER BOOT IN BEHIND WALL, WITH PROPER ELECTRICAL ACCESS AS REQUIRED

EXISTING PRIMARY #12 MIN. THHN THWN ELECTRICAL SIGNAGE HOOKUP

PER NEC 600-32A(1) 120V-20A

REMOTE LOCATION 120/12 V LED TRANSFORMER

20 AMP DISCONNECT SWITCH AS PER NEC 600-6 LOCKOUT TIME CLOCK TO MATCH MALL HOURS



AAC
PZ23-30000003
05/07/2024