


CROSS-SECTION

1. WOVEN WIRE FENCE TO BE FASTENED SECURELY TO FENCE POSTS WITH WIRE TIES OR STAPLES.
2. FILTER CLOTH TO BE FASTENED SECURELY TO WOVEN WIRE FENCE WITH TIES SPACED EVERY 24\"/>


SEDIMENTATION/SILT FENCE WITH WIRE SUPPORT

N.T.S.



ATTACHING TWO SILT FENCES

N.T.S.



FILTER SACK GEOTEXTILE BAG
INLET PROTECTION DETAIL


N.T.S.

LIST TO DETERMINE FLOW GENERATING FENCE SPECIFICATION TABLE		
PROPERTIES	TEST METHOD	UNITS
ONE TONNLE STRENGTH	ASTM D-4252	300 LBS
ONE TONNLE ELONGATION	ASTM D-4252	25 %
PURCHASE	ASTM D-4252	100 LBS
WALL HEIGHT	ASTM D-4252	400 FT
INVERTED TON	ASTM D-4252	100 LBS
BY RESISTANCE	ASTM D-4252	40 FT
APPROXIMATE OPENING SIZE	ASTM D-4252	40 TO 50 INCH
FLAP RISE	ASTM D-4252	40 TO 50 INCH
PERMEABILITY	ASTM D-4252	1.5 SEC - 1

MINIMUM TO MAX FLOW GENERATING FENCE SPECIFICATION TABLE		
PROPERTIES	TEST METHOD	UNITS
ONE TONNLE STRENGTH	ASTM D-4252	300 LBS
ONE TONNLE ELONGATION	ASTM D-4252	25 %
PURCHASE	ASTM D-4252	100 LBS
WALL HEIGHT	ASTM D-4252	400 FT
INVERTED TON	ASTM D-4252	100 LBS
BY RESISTANCE	ASTM D-4252	40 FT
APPROXIMATE OPENING SIZE	ASTM D-4252	40 TO 50 INCH
FLAP RISE	ASTM D-4252	40 TO 50 INCH
PERMEABILITY	ASTM D-4252	1.5 SEC - 1



666 N.E. 125th STREET,
SUITE 247
NORTH MIAMI, FL 33161
Phone: 305.720.2079
C.O.A. 33221



This item has been digitally signed and sealed by Christopher P. Collins, P.E. on the date adjacent to the seal.

Printed copies of this document are not considered signed and sealed and the signature must be verified on any electronics copies.

Revision Date
Comment

Revision Date
Comment

Revision Date
Comment

Revision Date
Comment

Revision Date
Comment

Revision Date
Comment

Designed by: C.P.C.
Drawn by: A.T.S.

Checked by: C.P.C.
Approved by: C.P.C.

Scale: N.T.S.
Date: 05/25/2022

Job No.: 1002
© 2025

Plans for
**FESTIVAL
MARKETPLACE**
2900 W SAMPLE ROAD
POMPANO BEACH,
FLORIDA

**EROSION
CONTROL
DETAILS**

Sheet No.

C-4.0

Sunshine811
Call 811 or visit sunshine811.com two full business days before digging to have buried facilities located and marked.
Check positive response codes before you dig!