

FLSS (553.5041)(5)(a) All spaces must be located on an accessible route no less than 44 inches wide so that users will not be compelled to walk or wheel behind parked cars except behind his or her own vehicle. (See FLSS 553.5041(5)(e)(1) relating to existing parking facilities)

Recommended Accessible Parking Space(s) Design for Double Line Requirements

N.T.S.

THIS TECHNICAL ASSISTANCE DOCUMENT IS INTENDED TO PROVIDE INFORMAL GUIDANCE AND DOES NOT CONSTITUTE A LEGAL INTERPRETATION OF STATUTORY OR REGULATORY CRITERIA.

ENGINEERING STANDARDS 2022

REVISIONS BY	DATE	ENGINEERING DIVISION CITY OF POMPANO BEACH	ACCESSIBLE PARKING SPACES
		SCALE: N.T.S.	DATE: MAY 2022 DWG. NO. 300-4



ACCESSIBLE PARKING SPACE SIGN

N.T.S.

SIGN NOTE

ACCESSIBLE PARKING SPACES SHALL BE POSTED WITH A FIXED PARKING SIGN NO LESS THAN 60" Min. TO THE BOTTOM OF THE SIGN AND WHICH BEARS THE INTERNATIONAL SYMBOL OF ACCESSIBILITY MEETING THE REQUIREMENTS OF THE STANDARDS AND THE CAPTION "PARKING BY DISABLED PERMIT ONLY," AND MUST INDICATE THE PENALTY FOR ILLEGAL USE OF THE SPACE.

ENGINEERING STANDARDS 2022

REVISIONS BY	DATE	ENGINEERING DIVISION CITY OF POMPANO BEACH	ACCESSIBLE SPACE SIGN
		SCALE: N.T.S.	DATE: MAY 2022 DWG. NO. 300-5



PLAN



TYPICAL SIDEWALK SECTION

SIDEWALK DETAILS

ENGINEERING STANDARDS 2022

REVISIONS BY	DATE	ENGINEERING DIVISION CITY OF POMPANO BEACH	SIDEWALK DETAILS
		SCALE: N.T.S.	DATE: JUNE 2022 DWG. NO. 301-1

TABLE OF SIDEWALK JOINTS	
TYPE	LOCATION
"A"	JOINT SHALL BE PLACED AT P.C. AND P.T. OF CURVES, JUNCTION OF EXISTING SIDEWALKS, EVERY 60' ON NEW SIDEWALKS AND WHERE SIDEWALKS ABUT CONCRETE CURBS, DRIVEWAYS AND SIMILAR STRUCTURES.
"B"	JOINT SHALL BE PLACED 5'-0" CENTER
"C"	JOINT SHALL BE PLACED AT 20' INTERVALS



TYPE "A" JOINT



TYPE "B" JOINT TYPE "C" JOINT

NOTE: SIDEWALK SHALL BE 4" THICK EXCEPT IN DRIVEWAYS WHERE THE THICKNESS SHALL BE 6".

SIDEWALK DETAILS

ENGINEERING STANDARDS 2022

REVISIONS BY	DATE	ENGINEERING DIVISION CITY OF POMPANO BEACH	SIDEWALK DETAILS
		SCALE: N.T.S.	DATE: JUNE 2022 DWG. NO. 301-2



PLAN

SIDEWALK OBSTRUCTION

* IF 6' DISTANCE CANNOT BE OBTAINED PROVIDE CURBING.

ENGINEERING STANDARDS 2022

REVISIONS BY	DATE	ENGINEERING DIVISION CITY OF POMPANO BEACH	SIDEWALK OBSTRUCTION
T.W.	1-2008	SCALE: N.T.S.	DATE: JUNE 2022 DWG. NO. 301-3



PROFILE

END VIEW

* 4" WIDE x DEPTH TO PROVIDE MINIMUM 1" CLEARANCE BELL PIPE TO CASING. LENGTH TO BE 2'-0" SHORTER THAN EACH LENGTH OF PIPE.

UNDERCROSSING DETAIL

ENGINEERING STANDARDS 2022

REVISIONS BY	DATE	ENGINEERING DIVISION CITY OF POMPANO BEACH	UNDERCROSSING DETAILS
S.S.	JUNE 2005	SCALE: N.T.S.	DATE: JUNE 2022 DWG. NO. 302-1



DOUBLE LEAF GATE

CHAIN LINK FENCE INSTALLATION DETAILS

NOTE:
ALL FENCE POST INSTALATIONS MUST MEET ALL FLORIDA BUILDING CODES

ENGINEERING STANDARDS 2022

REVISIONS BY	DATE	ENGINEERING DIVISION CITY OF POMPANO BEACH	CHAIN LINK FENCE
		SCALE: N.T.S.	DATE: MAY 2022 DWG. NO. 303-1



TYPICAL FENCE POST TYPICAL FENCE

CHAIN LINK FENCE INSTALLATION DETAILS

NOTE:
ALL FENCE POST INSTALATIONS MUST MEET ALL FLORIDA BUILDING CODES

ENGINEERING STANDARDS 2022

REVISIONS BY	DATE	ENGINEERING DIVISION CITY OF POMPANO BEACH	CHAIN LINK FENCE
		SCALE: N.T.S.	DATE: MAY 2022 DWG. NO. 303-2

DRC
PZ23-12000017
11/20/2024

REVISIONS BY	DATE

FILE NAME: 10326ENG.dwg

CAULFIELD & WHEELER, INC.
CIVIL ENGINEERING - LAND PLANNING
LANDSCAPE ARCHITECTURE - SURVEYING
7900 GLADES ROAD - SUITE 100
BOCA RATON, FLORIDA 33434
PHONE (561) 392-1991 / FAX (561) 750-1452

OAKS @ PALM AIRE
PAVING, GRADING, & DRAINAGE DETAILS
POMPANO BEACH, FLORIDA

DATE 12/27/2023
DRAWN BY RHT
F.B./ PG. N/A
SCALE N.T.S.

RYAN D. WHEELER
PROFESSIONAL ENGINEER
LICENSE NO. 71477
STATE OF FLORIDA
— FOR THE FIRM —
DATE

JOB #10326
SHT.NO.
PD.05
OF 7 SHEETS

Drawing: P:\10326-OS-2021\drawings\engr\details\10326_ENG01A1.DGN by_DETAILS.dwg 1/25