




- NOTE:
1. MAIN LINE LOCATION IS SCHEMATIC ONLY.
  2. ALL CONTROL WIRE HAS TO BE IN CONDUIT IN ALL AREAS AND SLEEVED UNDER PAVING AND CONCRETE.
  3. ALL VALVES AND MAINLINE HAS TO BE INSTALLED IN LANDSCAPE AREA.
  4. PROVIDE 100% COVERAGE WITH 100% OVERLAP FOR ALL IRRIGATED AREAS.
  5. CONTRACTOR MUST RECEIVE THE WATER LEVEL AND CONDITION (IRON AND OTHER SUBSTANCES) FROM THE WELL DRILLER OR LAKE PRIOR TO ORDERING THE PUMP STATION AND VERIFYING ALL ITEMS NEEDED WITH THE MANUFACTURER.
  6. IRRIGATION/SPRINKLER SYSTEMS AND RISERS FOR SPRAY HEADS SHALL NOT BE INSTALLED WITHIN 1 FOOT (305 MM) OF THE BUILDING SIDEWALL.

- SLEEVING:
1. ALL MAINLINE, LATERAL LINE PIPING AND CONTROL CONDUIT UNDER PAVING AND CONCRETE SHALL BE INSTALLED IN SEPARATE SLEEVES.
  2. ALL SLEEVES SHALL BE A MINIMUM OF TWICE (2X) THE DIAMETER OF THE PIPE TO BE SLEEVED. NO SLEEVE SHALL BE SMALLER THAN 2"

IRRIGATION SCHEDULE

SYMBOL	DESCRIPTION	QTY	PRECIP	PSI	GPM
	Clubhouse Shrubs	25,868 s.f.	2 in/h	35	538
	Shrub Spray Areas	76,856 s.f.	2 in/h	35	1,597

SYMBOL	MANUFACTURER/MODEL/DESCRIPTION	QTY
	Point of Connection 4"	2
	Retention Pond	
	Irrigation Mainline: PVC Schedule 40	4,896 l.f.



Consultants:

Revisions:  
06/12/2023

**THE OAKS**  
Palm Aire Country Club  
Pompano Beach, Florida

**Brian Terry LA**  
6666978  
Digitally signed by Brian Terry LA 6666978  
Date: 2023.06.19 17:57:32 -04'00'

**Sunshine811.com**  
Drawn By: APS/AG  
Drawn #: 1272  
File Name: 1272.dwg  
Date: 04/05/2023

**DRC**  
PZ23-1200013  
07/19/2023  
11.01