



Label	Arrangement	Description	LLF	Luminaire Lumens	Luminaire Watts	Total Watts
SA	Back-Back	Xtra Light VNTM-15000L-40K-DIM-5S-N-XX-XX, 2@180°	0.900	15887	108	648
SB	Single	Xtra Light VNTM-30000L-40K-DIM-4M-N-XX-XX-HSS	0.900	20773	217	1736

Calculation Summary						
Label	CalcType	Units	Avg	Max	Min	Avg/Min
Parking Lot	Illuminance	Fc	4.09	10.3	1.0	4.09
Property Line	Illuminance	Fc	0.66	2.8	0.0	N.A.

 **SITE LIGHTING PHOTOMETRIC**
SCALE: 1/16"= 1'-0"



ARCHITECTS
Associates, Inc. AA26001933

ARCHITECTURE | PLANNING | INTERIOR DESIGN

14125 NW 80th Avenue Suite 303
Miami Lakes - Florida -33016
info@dtiarchitect.com
www.dtiarchitect.com

Revisions:

OWNER / DEVELOPER:

**RED LINK MANAGEMENT
CORP**

2750 NE 185TH ST. #304
AVENTURA, FLORIDA 33180

PROJECT:

**FOLIO 4942-03-27-0012
PROPOSED SHELL BLDG @
2100 WEST ATLANTIC BLDG**

2100 W ATLANTIC BLVD
POMPANO BEACH, FLORIDA 33069

Job Number: 24109.01
File name:
Issued Date: 05-14-2025
Drawn by: A.S
Checked by: T.R.

SHEET NAME

**SITE
LIGHTING
PHOTOMETRIC**

SHEET NUMBER

SP- 1.2