


- CITY NOTES:
1. Visibility and unobstructed working space must be maintained from fire apparatus access routes to fire protection and life safety appliances/equipment. These include but not limited to: fire hydrants, fire department connections (fdc), post indicating valves (piv), fire sprinkler risers, fire alarm control panels and electrical room locations require a minimum 36-inch clearance path to and on all sides. Fire hydrants require 36-inch clear space each side and rear with a 60-inch wide clear access from the fire apparatus access to fire hydrant. (nfpa 1-2015 ch. 18 sec. 18.5.7.)



PROPOSED SITE IMPROVEMENTS FOR:
AHERN SHOP BUILDING

Hugh Johnson
Digitally signed by
Hugh Johnson
Date: 2020.09.11
13:21:18 -0400

this document or parts thereof may not be reproduced in any form without permission copyrighted material ©		
DESIGNED	DRAWN	CHECKED
JPB	GRC	JPB
DATE:	DATE:	DATE:
01/08/19	180720	180720
REVISIONS		
REVISION 2	06-05-20	

LANDSCAPE PLAN

PERMIT SET

DRC
11/4/2020
PZ20-12000038

barrancogonzalez • architecture • planning • interior design
POMPAÑO BEACH, FLORIDA
1915 southeast 4th avenue fort lauderdale, fl 33316 phone: (954) 961-7675 fax: (954) 961-7665 mail: @barrancogonzalez.com
ib # 26001030