


DRC




PZ23-12000032
08/07/2024



LANDSCAPE ARCHITECTURE

101 SE 2nd Avenue, Second Floor
Delray Beach, Florida 33444
studio@kwddesignteam.com
Telephone: 561-243-1873

Krent L. Wieland, FL Reg LA 1039
Cert. of Authorization LC26000275



TREE RELOCATION PROCEDURAL SPECIFICATION

Tree, Palm, Shrub and other Plant Transplanting/Relocating Detail - Recommended Notes:

The American National Standard for Tree Care Operations - Tree, Shrub, and Other Woody Plant Maintenance - Standard Practices (Transplanting) ANSI A300 (Part 6)-2005 must be adhered to in its entirety for all relocating/transplanting of trees and shrubs. ANSI A300 (Part 6)-2005 includes the following:

60 - Transplanting Standards
61 - Normative References
62 - Definitions
63 - Transplanting Practices

The transplanting objectives shall be established prior to beginning the operation. These objectives may be presented in a report format for permitting purposes.

A feasibility and suitability assessment shall be conducted prior to recommending transplanting. Specifications for transplanting should be based on the assessment. See the Checklist in Annex A of ANSI A300 (Part 6)-2005. This assessment may be presented in a report format for permitting purposes.

- NOTES:
- 1) PER CITY ORDINANCE(S) 50-02(4)(4) AND 100-35(E), STREET TREES SHALL NOT BE PLACED ON TOP OF OR 5'-0" ON EITHER SIDE OF ANY CITY OWNED UTILITY INFRASTRUCTURE.
 - 2) NO TREES, SHRUBBERY OR OBSTRUCTION SHALL BE PLACED WITHIN A 3'-0" RADIUS OF A CITY OWNED SEWER LATERAL CLEANOUT OR WATER METER.
 - 3) A TREE CONSTRUCTION MEETING WITH CITY OF POMPAÑO BEACH, URBAN FORESTRY, IS REQUIRED BEFORE ANY PLANT MATERIAL IS INSTALLED ON SITE.
 - 4) ALL ROAD ROCK, CONCRETE, ASPHALT AND OTHER NOT NATURAL MATERIALS SHALL BE REMOVED FROM PLANTING AREAS PRIOR TO LANDSCAPE INSTALLATION.
 - 5) ALL TREE WORK WILL REQUIRE PERMITTING BY A REGISTERED BROWARD COUNTY TREE TRIMMER.
 - 6) ALL TREES DESIGNATED AS SINGLE TRUNK SHALL HAVE A SINGLE, RELATIVELY STRAIGHT, DOMINANT LEADER. PROPER STRUCTURAL BRANCHING AND EVEN BRANCH DISTRIBUTION. TREES WITH BARK INCLUSION, TIPPED BRANCHES, AND CO-DOMINANT TRUNKS WILL NOT BE ACCEPTED. TREES WITH GIRDLING, INTACT LEADER CIRCLING AND OR PLUNGING ROOTS WILL BE REJECTED.


Bonsal Turn Lane
1200 NW 18th St
Pompano Beach, FL 33069

Digitally signed by
Krent L. Wieland
Date: 2024.03.01
09:50:52
-05'00'



ISSUE HISTORY
PROJ NO: 23034A
PROJ MGR: DC
DRAWN BY: DC
CHECKED BY: KWD

DRAWING TITLE:
Proposed Landscape Plan
SHEET:
009.6 L-6



SUBMISSION
02/14/24

NOT FOR CONSTRUCTION

DRC

PZ23-12000032
04/17/2024

A G E

CAUTION: PLEASE NOTE

This drawing is a professional engineering drawing. It is the property of Krent L. Wieland Design, Inc. and shall not be reproduced in part or in whole without express written permission. Florida Registration LA 1039.

Copyright © 1984-2024 by Krent Wieland Design, Inc., d/b/a KWD Landscape Architecture.