

DRC

P223-12000037  
12/06/2023

DRC

P223-12000037  
10/04/2023

THIS DOCUMENT IS THE PROPERTY OF CHICK-FIL-A. IT IS TO BE USED ONLY FOR THE SPECIFIC PURPOSE AND CLIENT FOR WHICH IT WAS PREPARED. REUSE OF AND MODIFICATION OF THIS DOCUMENT WITHOUT WRITTEN AUTHORIZATION AND ADAPTATION BY BOWMAN CONSULTING SHALL BE WITHOUT LIABILITY TO BOWMAN CONSULTING.

2023-08-29 15:18:15-0400  
ANDRES MIZRAHI, P.E.  
FLORIDA REG. NO. 92421

**GENERAL NOTES:**

1. Work this Index with Index 425-001 and Index 425-002.
2. Drive grate with vane directed toward downstream flow.
3. Provide top minimum cover for inlet in slab (see alternate shown). Tops may be either cast-in-place or precast concrete.
4. Place top slab openings such that 2 edges of inlet frame will be located directly above bottom vanes or vane wall for drainage & equilibrium.
5. When used on a structure with dimensions larger than those detailed on Sheet 3 and frame will be fabric, connect the top and bottom frame details with the side opening adjusted to 24"OC. The "Special Top Slab" on Index 425-002 is not permitted.
6. Frame may be adjusted with one to six courses of 10's.
7. Vane grate with approximately equal openings that satisfy AASHTO H-40 loading are permitted. Provide repeatable depth or 10's grate.

**TABLE OF CONTENTS:**





Sheet	Description
1	General Notes and Contents
2	Frame and Grate Details
3	Top Slab Details

**CURB INLET TOP TYPE 9**

LAST REVISION: 11/01/20  
DESCRIPTION: Curb Inlet Top Type 9

FY 2021-22  
STANDARD PLANS

INDEX: 425-024  
SHEET: 1 of 3



Chick-fil-A

Chick-fil-A  
5200 Buffington Road  
Atlanta, Georgia 30349-2998

Bowman

Certificate of Authorization License No. 30482  
901 SE 17th St, Suite 300  
Fort Lauderdale, FL 33316  
Phone: (954) 714-8481  
www.bowman.com  
© 2021 Bowman Consulting Group Ltd

Seal

This item has been digitally signed and sealed by Andres Mizrahi, P.E. on the date adjacent to this seal.

Printed copies of this document are not considered signed and sealed and the signature must be verified on any electronic copies.

2023.08.29 15:18:15-0400  
ANDRES MIZRAHI, P.E.  
FLORIDA REG. NO. 92421

CHICK-FIL-A  
ATLANTIC & ATLANTIC  
POWERLINE  
2100 W ATLANTIC BLVD  
POMPANO BEACH, FL 33069

FSR#05557

BUILDING TYPE / SIZE: P14 LS BN

REVISION SCHEDULE

NO.	DATE	DESCRIPTION
-----	------	-------------

CONSULTANT PROJECT # 010014-01-208

PRINTED FOR PERMIT

DATE 8/24/2023

DRAWN BY STC

Information contained on this drawing and in all digital files produced for above named project may not be reproduced in any form without written consent of Chick-fil-A.

Chick-fil-A

CONSTRUCTION DETAILS

SHEET NUMBER

PERMIT

C-5.1