

LEGEND	
PROP. ASPHALT DRIVE	PROPERTY LINE
PROP. CONC. SIDEWALK	EX. CONCRETE SIDEWALK
PROP. CONC. PAVEMENT	EX. CONCRETE D CURB
PROP. TYPE "F" SPILLING CURB	EX. CONCRETE F CURB
PROP. TYPE "F" CATCHING CURB	EX. STORM MANHOLE
PROP. TYPE "D" CURB	EX. CATCH BASIN
PROP. PARKING STRIPE	EX. WATER VALVE
PROP. HANDICAP MARKING	EX. IRRIGATION VALVE
PROP. TYPE 9 CURB INLET	EX. FIRE HYDRANT
PROP. TYPE C INLET	EX. WATER METER
PROP. STORM MANHOLE	EX. BACKFLOW PREVENTER
PROP. GREASE TRAP	EX. SANITARY MANHOLE
PROP. WATER METER	EX. CLEANOUT
PROP. BACKFLOW PREVENTER	EX. LIGHTPOLE
PROP. WATER LINE	EX. SIGN
PROP. ELECTRIC LINE	EX. WATER LINE
PROP. DRAINAGE PIPE	EX. SEWER PIPE
PROP. SEWER PIPE	EX. STORM PIPE
PROP. GAS LINE	EX. GAS LINE
PROP. FIRE LANE	

STORMWATER STRUCTURE TABLE				
STRUCTURE ID	STRUCTURE TYPE	RIM ELEV.	PIPE INVERTS	PIPE INFORMATION
CO-1	STORM CLEANOUT	RIM = 10.83	IN (S) = 6.59 OUT (NE) = 6.59 IN (W) = 6.59	62 LF, 8" PVC @ 1.00% 40 LF, 8" PVC @ 1.00% 12 LF, 8" PVC @ 1.00%
CO-2	STORM CLEANOUT	RIM = 11.14	IN (S) = 7.21 OUT (N) = 7.21 IN (W) = 7.21	28 LF, 8" PVC @ 1.00% 62 LF, 8" PVC @ 1.00% 12 LF, 8" PVC @ 1.00%
CO-3	STORM CLEANOUT	RIM = 10.73	IN (W) = 7.49 OUT (N) = 7.49	11 LF, 8" PVC @ 1.00% 28 LF, 8" PVC @ 1.00%
DS-1	BUILDING DOWNSPOUT CONNECTION		OUT (E) = 6.71	12 LF, 8" PVC @ 1.00%
DS-2	BUILDING DOWNSPOUT CONNECTION		OUT (E) = 7.33	12 LF, 8" PVC @ 1.00%
DS-3	BUILDING DOWNSPOUT CONNECTION		OUT (E) = 7.60	11 LF, 8" PVC @ 1.00%
EX-1	EXISTING CATCH BASIN	RIM = 8.51	IN (W) = 3.83	23 LF, 18" HDPE @ 1.00%
I-1	TYPE 9 CURB INLET (4" I.D.) W/ PRB (E. INV.)	RIM = 10.21	OUT (W) = 5.06 IN (SW) = 6.19	188 LF, 18" HDPE @ 0.00% 40 LF, 8" PVC @ 1.00%
I-2	TYPE C INLET (4" I.D.) W/ PRB (W. INV.)	RIM = 9.69	IN (E) = 5.06 OUT (S) = 5.06	188 LF, 18" HDPE @ 0.00% 69 LF, 18" HDPE @ 0.00%
I-3	TYPE C INLET (4" I.D.)	RIM = 9.17	IN (N) = 5.06 OUT (S) = 5.06	69 LF, 18" HDPE @ 0.00% 19 LF, 18" HDPE @ 0.00%
I-4	TYPE C INLET (4" I.D.)	RIM = 9.33	IN (N) = 5.06 OUT (S) = 5.06	69 LF, 18" HDPE @ 0.00% 19 LF, 18" HDPE @ 0.00%
I-5	TYPE 9 CURB INLET (4" I.D.)	RIM = 9.86	IN (W) = 4.06 OUT (N) = 4.06	192 LF, 18" HDPE @ 0.00% 48 LF, 18" HDPE @ 0.00%
MH-1	STORM MANHOLE (4" I.D.)	RIM = 9.35	IN (N) = 5.06 OUT (E) = 4.06	19 LF, 18" HDPE @ 0.00%
MH-2	STORM MANHOLE (4" I.D.) W/ INVERTED BAFFLE ON EAST INVERT AT ELEVATION 8 FT	RIM = 10.27	IN (S) = 4.06 OUT (E) = 4.06	48 LF, 18" HDPE @ 0.00% 23 LF, 18" HDPE @ 1.00%

FLOOD ZONE NOTE

1. THE LANDS BOUND BY THIS SURVEY ARE LOCATED WITHIN AN AREA HAVING FLOOD ZONE DESIGNATIONS OF "X" BY THE FEDERAL EMERGENCY MANAGEMENT AGENCY (FEMA) ON FLOOD INSURANCE RATE MAP NUMBER 12011C0357H, DATED AUGUST 18, 2014.


DATUM NOTE

1. THE ELEVATIONS SHOWN HEREON ARE REFERENCED TO THE NORTH AMERICA VERTICAL DATUM OF 1988 (N.A.V.D. 88) AND ARE BASED UPON THE NATIONAL GEODETIC SURVEY (NGS) PUBLISHED BENCHMARK:

PD "DL2195"
STAMPING: Q 665 2006
STAINLESS STEEL ROD WITH SLEEVE ON THE SOUTH LINE OF POMPAO CANNEL, APPROXIMATELY 430' WEST OF SW 27TH AVENUE

ELEVATION: 10.61' (N.A.V.D. 88)

2. DATUM CONVERSION: N.G.V.D. 29 = N.A.V.D. 88 + 1.575'



Chick-fil-A
5200 Buffington Road
Atlanta, Georgia 30349-2998

Bowman
Certificate of Authorization License No. 30462
910 SE 17th St., Suite 300
Fort Lauderdale, FL 33316
Phone: (954) 214-4441
www.bowman.com
© 2021 Bowman Consulting Group Ltd

Seal
This item has been
digitally signed and
sealed by Andres
Mizrahi, P.E.
on the date
adjacent to this
seal

ANDRES MIZRAHI
LICENSE
No. 92421
STATE OF
FLORIDA
PROFESSIONAL ENGINEER
2023.10.31 16:33:38-04'00'
ANDRES MIZRAHI, P.E.
FLORIDA REG. NO. 92421

CHICK-FIL-A
ATLANTIC & ATLANTIC BLVD
POWERLINE
2100 W ATLANTIC BLVD
POMPAO BEACH, FL 33069

FSR#05557

BUILDING TYPE / SIZE: P14 LS BN

REVISION SCHEDULE
NO. DATE DESCRIPTION

CONSULTANT PROJECT # 010014-01-208
PRINTED FOR PERMIT
DATE 10/31/2023
DRAWN BY STC

Information contained on this drawing and in all digital files
produced for above named project may not be reproduced in
any manner without express written or verbal consent from
authorized project representatives.

SHEET
GRADING AND DRAINAGE
PLAN
SHEET NUMBER

PERMIT

C-3.0