


1. THIS PLAN REFLECTS THE ENGINEER'S SUGGESTION FOR EROSION AND SEDIMENT CONTROL. SITE OPERATOR TO MODIFY PLAN AS NEEDED TO MAINTAIN "BEST MANAGEMENT PRACTICES" DURING CONSTRUCTION.
2. AT ALL TIMES DURING CONSTRUCTION, ALL STORMWATER MUST REMAIN ON-SITE. OVERFLOW INTO THE PUBLIC RIGHT OF WAY OR ADJOINING PROPERTIES IS ALLOWED.
3. DRAINAGE STRUCTURES INSTALLED TO BE PROTECTED WITH FILTER FABRIC AND/OR PERMIETER SILT FENCE.
4. PROVIDE FILTER FABRIC OR OTHER METHOD OF SEDIMENT PROTECTION FOR ANY EXISTING CATCH BASIN/INLET WITHIN 100 FEET OF THE PROJECT AREA.
5. ANY SEDIMENT THAT IS TRACKED ONTO ROADS MUST BE SWEEP UP IMMEDIATELY.
6. SEDIMENT SHALL NOT BE REMOVED BY WASHING/FLUSHING WITH WATER AT THE RIGHT OF WAY.
7. PRIOR TO START OF CONSTRUCTION, AN ENGINEERING ROUGH INSPECTION MUST BE SCHEDULED TO VERIFY EROSION AND SEDIMENTATION CONTROL IS SETUP PROPERLY AND SO INSPECTOR CAN MONITOR SITE FOR CONSTRUCTION MITIGATION. TO REQUEST AN INSPECTION.

1600 S FEDERAL HIGHWAY
(MIXED-USE PROJECT)
1600 S FEDERAL HIGHWAY
POMPANO BEACH, FLORIDA 33062



Revisions		
1		
2		
3		
4		
5		
6		
7		
8		

Phase:
PERMIT
DOCUMENT:



Scale: 1"=20'	Date 12/18/24
Job No. 24-1832.00	Plot Date 01/19/26
Drawn by BMK	Sheet No. ESC
Proj. Mgr. BMK	
Appr. by BMK	

NPDES

ALL PROJECTS THAT WILL RESULT IN THE
DISTURBANCE OF 1 OR MORE ACRES OF LAND
CONTRACTORS ARE REQUIRED TO SUBMIT A STORM
WATER NOTICE OF INTENT (DEP FORM
62-621.300(4)(b)) 48 HOURS PRIOR TO THE
COMMENCEMENT OF CONSTRUCTION TO THE FLORIDA
DEPARTMENT OF ENVIRONMENTAL PROTECTION, NPDES
STORMWATER PROGRAM, 2600 BLAIRE STONE ROAD
MAIL STATION 2510, TALLAHASSEE, FL 32399-2400.
ADDITIONAL DETAILS ARE AVAILABLE AT
WWW.DEF.STATE.FL.US/WATER/STORMWATER/NPDES

**VERTICAL DATUM
CONVERSION**

GRADING SHOWN UTILIZES N.A.V.D. 88

N.G.V.D. 29

1.51'

N.A.V.D. 88

N.A.V.D. 88 = N.G.V.D. 29 - 1.51'
N.G.V.D. 29 = N.A.V.D. 88 + 1.51'