

DRC

PZ06-12000032

10/02/2024

Flow Test Readings - 9 N. Pompano 5/29/2024-5/30/2024

#	Time	P (PSI)
1.)	'05-29-2024 08:12:00.000'	76.86
2.)	'05-29-2024 08:13:00.000'	77.16
3.)	'05-29-2024 08:14:00.000'	77.25
4.)	'05-29-2024 08:15:00.000'	76.07
5.)	'05-29-2024 08:16:00.000'	77.82
6.)	'05-29-2024 08:17:00.000'	78.14
7.)	'05-29-2024 08:18:00.000'	78.2
8.)	'05-29-2024 08:19:00.000'	78.56
9.)	'05-29-2024 08:20:00.000'	77.52
10.)	'05-29-2024 08:21:00.000'	79.04
11.)	'05-29-2024 08:22:00.000'	77.29
12.)	'05-29-2024 08:23:00.000'	78.53
13.)	'05-29-2024 08:24:00.000'	74.95
14.)	'05-29-2024 08:25:00.000'	75.37
15.)	'05-29-2024 08:26:00.000'	75.59
16.)	'05-29-2024 08:27:00.000'	75.28
17.)	'05-29-2024 08:28:00.000'	75.46
18.)	'05-29-2024 08:29:00.000'	75.23
19.)	'05-29-2024 08:30:00.000'	75.65
20.)	'05-29-2024 08:31:00.000'	75.76
21.)	'05-29-2024 08:32:00.000'	76.28
22.)	'05-29-2024 08:33:00.000'	75.96
23.)	'05-29-2024 08:34:00.000'	77.96
24.)	'05-29-2024 08:35:00.000'	76.47
25.)	'05-29-2024 08:36:00.000'	76.18
26.)	'05-29-2024 08:37:00.000'	76.66
27.)	'05-29-2024 08:38:00.000'	75.73
28.)	'05-29-2024 08:39:00.000'	75.33
29.)	'05-29-2024 08:40:00.000'	75.77
30.)	'05-29-2024 08:41:00.000'	75.39
31.)	'05-29-2024 08:42:00.000'	75.64
32.)	'05-29-2024 08:43:00.000'	75.95
33.)	'05-29-2024 08:44:00.000'	75.72
34.)	'05-29-2024 08:45:00.000'	75.93
35.)	'05-29-2024 08:46:00.000'	75.58
36.)	'05-29-2024 08:47:00.000'	76.43
37.)	'05-29-2024 08:48:00.000'	74.86
38.)	'05-29-2024 08:49:00.000'	75.33
39.)	'05-29-2024 08:50:00.000'	76.1
40.)	'05-29-2024 08:51:00.000'	76.77
41.)	'05-29-2024 08:52:00.000'	76.18

DRC

PZ06-12000032

08/07/2024

DRC

PZ06-12000032

10/02/2024

42.)	'05-29-2024 08:53:00.000'	76.84
43.)	'05-29-2024 08:54:00.000'	76.26
44.)	'05-29-2024 08:55:00.000'	75.89
45.)	'05-29-2024 08:56:00.000'	74.51
46.)	'05-29-2024 08:57:00.000'	75.86
47.)	'05-29-2024 08:58:00.000'	75.71
48.)	'05-29-2024 08:59:00.000'	75.71
49.)	'05-29-2024 09:00:00.000'	75.18
50.)	'05-29-2024 09:01:00.000'	75.77
51.)	'05-29-2024 09:02:00.000'	75.79
52.)	'05-29-2024 09:03:00.000'	76.02
53.)	'05-29-2024 09:04:00.000'	75.94
54.)	'05-29-2024 09:05:00.000'	76.29
55.)	'05-29-2024 09:06:00.000'	76.45
56.)	'05-29-2024 09:07:00.000'	77.13
57.)	'05-29-2024 09:08:00.000'	75.52
58.)	'05-29-2024 09:09:00.000'	76.17
59.)	'05-29-2024 09:10:00.000'	76.22
60.)	'05-29-2024 09:11:00.000'	77.28
61.)	'05-29-2024 09:12:00.000'	74.55
62.)	'05-29-2024 09:13:00.000'	75.02
63.)	'05-29-2024 09:14:00.000'	75.7
64.)	'05-29-2024 09:15:00.000'	75.28
65.)	'05-29-2024 09:16:00.000'	74.37
66.)	'05-29-2024 09:17:00.000'	75.47
67.)	'05-29-2024 09:18:00.000'	74.9
68.)	'05-29-2024 09:19:00.000'	75.76
69.)	'05-29-2024 09:20:00.000'	76.21
70.)	'05-29-2024 09:21:00.000'	76.33
71.)	'05-29-2024 09:22:00.000'	75.75
72.)	'05-29-2024 09:23:00.000'	76.4
73.)	'05-29-2024 09:24:00.000'	77.12
74.)	'05-29-2024 09:25:00.000'	76.29
75.)	'05-29-2024 09:26:00.000'	76.06
76.)	'05-29-2024 09:27:00.000'	76.3
77.)	'05-29-2024 09:28:00.000'	76.44
78.)	'05-29-2024 09:29:00.000'	75.92
79.)	'05-29-2024 09:30:00.000'	75.83
80.)	'05-29-2024 09:31:00.000'	76.13
81.)	'05-29-2024 09:32:00.000'	76.3
82.)	'05-29-2024 09:33:00.000'	75.35
83.)	'05-29-2024 09:34:00.000'	75.9
84.)	'05-29-2024 09:35:00.000'	75.54
85.)	'05-29-2024 09:36:00.000'	74.86

DRC

PZ06-12000032

08/07/2024

DRC

PZ06-12000032

10/02/2024

86.)	'05-29-2024 09:37:00.000'	75.86
87.)	'05-29-2024 09:38:00.000'	75.31
88.)	'05-29-2024 09:39:00.000'	76.22
89.)	'05-29-2024 09:40:00.000'	75.33
90.)	'05-29-2024 09:41:00.000'	75.98
91.)	'05-29-2024 09:42:00.000'	75.37
92.)	'05-29-2024 09:43:00.000'	74.73
93.)	'05-29-2024 09:44:00.000'	75.46
94.)	'05-29-2024 09:45:00.000'	75.33
95.)	'05-29-2024 09:46:00.000'	76.12
96.)	'05-29-2024 09:47:00.000'	75.92
97.)	'05-29-2024 09:48:00.000'	76.13
98.)	'05-29-2024 09:49:00.000'	75.44
99.)	'05-29-2024 09:50:00.000'	74.96
100.)	'05-29-2024 09:51:00.000'	75.57
101.)	'05-29-2024 09:52:00.000'	74.28
102.)	'05-29-2024 09:53:00.000'	74.62
103.)	'05-29-2024 09:54:00.000'	74.73
104.)	'05-29-2024 09:55:00.000'	74.71
105.)	'05-29-2024 09:56:00.000'	74.7
106.)	'05-29-2024 09:57:00.000'	75.32
107.)	'05-29-2024 09:58:00.000'	75.84
108.)	'05-29-2024 09:59:00.000'	75.77
109.)	'05-29-2024 10:00:00.000'	75.65
110.)	'05-29-2024 10:01:00.000'	75.82
111.)	'05-29-2024 10:02:00.000'	75.74
112.)	'05-29-2024 10:03:00.000'	75.31
113.)	'05-29-2024 10:04:00.000'	76.18
114.)	'05-29-2024 10:05:00.000'	75.91
115.)	'05-29-2024 10:06:00.000'	75.58
116.)	'05-29-2024 10:07:00.000'	75.31
117.)	'05-29-2024 10:08:00.000'	77.4
118.)	'05-29-2024 10:09:00.000'	76.03
119.)	'05-29-2024 10:10:00.000'	76.17
120.)	'05-29-2024 10:11:00.000'	76.37
121.)	'05-29-2024 10:12:00.000'	76.53
122.)	'05-29-2024 10:13:00.000'	75.82
123.)	'05-29-2024 10:14:00.000'	75.44
124.)	'05-29-2024 10:15:00.000'	76.87
125.)	'05-29-2024 10:16:00.000'	76.52
126.)	'05-29-2024 10:17:00.000'	76.73
127.)	'05-29-2024 10:18:00.000'	77.41
128.)	'05-29-2024 10:19:00.000'	75.77
129.)	'05-29-2024 10:20:00.000'	76.86

DRC

PZ06-12000032

08/07/2024

DRC

PZ06-12000032

10/02/2024

130.)	'05-29-2024 10:21:00.000'	76.82
131.)	'05-29-2024 10:22:00.000'	76.42
132.)	'05-29-2024 10:23:00.000'	76.24
133.)	'05-29-2024 10:24:00.000'	75.56
134.)	'05-29-2024 10:25:00.000'	76.68
135.)	'05-29-2024 10:26:00.000'	75.55
136.)	'05-29-2024 10:27:00.000'	75.99
137.)	'05-29-2024 10:28:00.000'	75.8
138.)	'05-29-2024 10:29:00.000'	76.3
139.)	'05-29-2024 10:30:00.000'	77.29
140.)	'05-29-2024 10:31:00.000'	76.99
141.)	'05-29-2024 10:32:00.000'	76.95
142.)	'05-29-2024 10:33:00.000'	76.73
143.)	'05-29-2024 10:34:00.000'	76.72
144.)	'05-29-2024 10:35:00.000'	76.84
145.)	'05-29-2024 10:36:00.000'	77.61
146.)	'05-29-2024 10:37:00.000'	77.26
147.)	'05-29-2024 10:38:00.000'	77.71
148.)	'05-29-2024 10:39:00.000'	75.96
149.)	'05-29-2024 10:40:00.000'	75.79
150.)	'05-29-2024 10:41:00.000'	76.23
151.)	'05-29-2024 10:42:00.000'	77.11
152.)	'05-29-2024 10:43:00.000'	76.8
153.)	'05-29-2024 10:44:00.000'	77.53
154.)	'05-29-2024 10:45:00.000'	77.04
155.)	'05-29-2024 10:46:00.000'	74.91
156.)	'05-29-2024 10:47:00.000'	76.69
157.)	'05-29-2024 10:48:00.000'	76.45
158.)	'05-29-2024 10:49:00.000'	75.52
159.)	'05-29-2024 10:50:00.000'	76.43
160.)	'05-29-2024 10:51:00.000'	76.79
161.)	'05-29-2024 10:52:00.000'	77.04
162.)	'05-29-2024 10:53:00.000'	77.85
163.)	'05-29-2024 10:54:00.000'	77.05
164.)	'05-29-2024 10:55:00.000'	77.08
165.)	'05-29-2024 10:56:00.000'	76.54
166.)	'05-29-2024 10:57:00.000'	77
167.)	'05-29-2024 10:58:00.000'	76.28
168.)	'05-29-2024 10:59:00.000'	78.08
169.)	'05-29-2024 11:00:00.000'	76.89
170.)	'05-29-2024 11:01:00.000'	75.95
171.)	'05-29-2024 11:02:00.000'	75.02
172.)	'05-29-2024 11:03:00.000'	74.71
173.)	'05-29-2024 11:04:00.000'	75.35

DRC

PZ06-12000032

08/07/2024

DRC

PZ06-12000032

10/02/2024

174.)	'05-29-2024 11:05:00.000'	75.53
175.)	'05-29-2024 11:06:00.000'	75.65
176.)	'05-29-2024 11:07:00.000'	74.19
177.)	'05-29-2024 11:08:00.000'	74.93
178.)	'05-29-2024 11:09:00.000'	77
179.)	'05-29-2024 11:10:00.000'	76.67
180.)	'05-29-2024 11:11:00.000'	76.91
181.)	'05-29-2024 11:12:00.000'	77.16
182.)	'05-29-2024 11:13:00.000'	75.55
183.)	'05-29-2024 11:14:00.000'	76.68
184.)	'05-29-2024 11:15:00.000'	77.25
185.)	'05-29-2024 11:16:00.000'	77.76
186.)	'05-29-2024 11:17:00.000'	77.3
187.)	'05-29-2024 11:18:00.000'	78.6
188.)	'05-29-2024 11:19:00.000'	77.39
189.)	'05-29-2024 11:20:00.000'	78.61
190.)	'05-29-2024 11:21:00.000'	77.42
191.)	'05-29-2024 11:22:00.000'	77.27
192.)	'05-29-2024 11:23:00.000'	78.16
193.)	'05-29-2024 11:24:00.000'	77.76
194.)	'05-29-2024 11:25:00.000'	76.88
195.)	'05-29-2024 11:26:00.000'	77.37
196.)	'05-29-2024 11:27:00.000'	77.34
197.)	'05-29-2024 11:28:00.000'	77.48
198.)	'05-29-2024 11:29:00.000'	78.48
199.)	'05-29-2024 11:30:00.000'	76.96
200.)	'05-29-2024 11:31:00.000'	78.09
201.)	'05-29-2024 11:32:00.000'	76.97
202.)	'05-29-2024 11:33:00.000'	77.73
203.)	'05-29-2024 11:34:00.000'	77.79
204.)	'05-29-2024 11:35:00.000'	76.68
205.)	'05-29-2024 11:36:00.000'	77.05
206.)	'05-29-2024 11:37:00.000'	77.26
207.)	'05-29-2024 11:38:00.000'	76.04
208.)	'05-29-2024 11:39:00.000'	77.91
209.)	'05-29-2024 11:40:00.000'	78.52
210.)	'05-29-2024 11:41:00.000'	77.77
211.)	'05-29-2024 11:42:00.000'	77.93
212.)	'05-29-2024 11:43:00.000'	77.41
213.)	'05-29-2024 11:44:00.000'	77.27
214.)	'05-29-2024 11:45:00.000'	77.75
215.)	'05-29-2024 11:46:00.000'	77.9
216.)	'05-29-2024 11:47:00.000'	76.86
217.)	'05-29-2024 11:48:00.000'	76.82

DRC

PZ06-12000032

08/07/2024

DRC

PZ06-12000032

10/02/2024

218.)	'05-29-2024 11:49:00.000'	77.55
219.)	'05-29-2024 11:50:00.000'	77.8
220.)	'05-29-2024 11:51:00.000'	77.47
221.)	'05-29-2024 11:52:00.000'	76.84
222.)	'05-29-2024 11:53:00.000'	77.29
223.)	'05-29-2024 11:54:00.000'	77.69
224.)	'05-29-2024 11:55:00.000'	76.98
225.)	'05-29-2024 11:56:00.000'	76.36
226.)	'05-29-2024 11:57:00.000'	77.7
227.)	'05-29-2024 11:58:00.000'	77.29
228.)	'05-29-2024 11:59:00.000'	76.67
229.)	'05-29-2024 12:00:00.000'	76.41
230.)	'05-29-2024 12:01:00.000'	77.11
231.)	'05-29-2024 12:02:00.000'	75.79
232.)	'05-29-2024 12:03:00.000'	77.11
233.)	'05-29-2024 12:04:00.000'	77.66
234.)	'05-29-2024 12:05:00.000'	77.54
235.)	'05-29-2024 12:06:00.000'	78.14
236.)	'05-29-2024 12:07:00.000'	76.27
237.)	'05-29-2024 12:08:00.000'	77.8
238.)	'05-29-2024 12:09:00.000'	77.54
239.)	'05-29-2024 12:10:00.000'	77.48
240.)	'05-29-2024 12:11:00.000'	77.16
241.)	'05-29-2024 12:12:00.000'	77.97
242.)	'05-29-2024 12:13:00.000'	77.82
243.)	'05-29-2024 12:14:00.000'	77.4
244.)	'05-29-2024 12:15:00.000'	77.09
245.)	'05-29-2024 12:16:00.000'	77.6
246.)	'05-29-2024 12:17:00.000'	78.15
247.)	'05-29-2024 12:18:00.000'	77.19
248.)	'05-29-2024 12:19:00.000'	77.98
249.)	'05-29-2024 12:20:00.000'	78.9
250.)	'05-29-2024 12:21:00.000'	77.82
251.)	'05-29-2024 12:22:00.000'	77.52
252.)	'05-29-2024 12:23:00.000'	77.9
253.)	'05-29-2024 12:24:00.000'	77.88
254.)	'05-29-2024 12:25:00.000'	77.72
255.)	'05-29-2024 12:26:00.000'	77.3
256.)	'05-29-2024 12:27:00.000'	77.3
257.)	'05-29-2024 12:28:00.000'	77.32
258.)	'05-29-2024 12:29:00.000'	77.79
259.)	'05-29-2024 12:30:00.000'	76.57
260.)	'05-29-2024 12:31:00.000'	77.16
261.)	'05-29-2024 12:32:00.000'	77.11

DRC

PZ06-12000032

08/07/2024

DRC

PZ06-12000032

10/02/2024

262.)	'05-29-2024 12:33:00.000'	77.73
263.)	'05-29-2024 12:34:00.000'	78.04
264.)	'05-29-2024 12:35:00.000'	77.67
265.)	'05-29-2024 12:36:00.000'	77.62
266.)	'05-29-2024 12:37:00.000'	77.91
267.)	'05-29-2024 12:38:00.000'	78.32
268.)	'05-29-2024 12:39:00.000'	77.62
269.)	'05-29-2024 12:40:00.000'	77.08
270.)	'05-29-2024 12:41:00.000'	78
271.)	'05-29-2024 12:42:00.000'	77.92
272.)	'05-29-2024 12:43:00.000'	77.05
273.)	'05-29-2024 12:44:00.000'	78
274.)	'05-29-2024 12:45:00.000'	77.85
275.)	'05-29-2024 12:46:00.000'	77.51
276.)	'05-29-2024 12:47:00.000'	78.88
277.)	'05-29-2024 12:48:00.000'	77.29
278.)	'05-29-2024 12:49:00.000'	78.06
279.)	'05-29-2024 12:50:00.000'	77.98
280.)	'05-29-2024 12:51:00.000'	76.05
281.)	'05-29-2024 12:52:00.000'	78.3
282.)	'05-29-2024 12:53:00.000'	78.38
283.)	'05-29-2024 12:54:00.000'	77.52
284.)	'05-29-2024 12:55:00.000'	77.14
285.)	'05-29-2024 12:56:00.000'	78.38
286.)	'05-29-2024 12:57:00.000'	77.23
287.)	'05-29-2024 12:58:00.000'	77.96
288.)	'05-29-2024 12:59:00.000'	78.8
289.)	'05-29-2024 13:00:00.000'	77.32
290.)	'05-29-2024 13:01:00.000'	77.49
291.)	'05-29-2024 13:02:00.000'	77.55
292.)	'05-29-2024 13:03:00.000'	77.36
293.)	'05-29-2024 13:04:00.000'	77.48
294.)	'05-29-2024 13:05:00.000'	77.84
295.)	'05-29-2024 13:06:00.000'	77.82
296.)	'05-29-2024 13:07:00.000'	77.05
297.)	'05-29-2024 13:08:00.000'	77.9
298.)	'05-29-2024 13:09:00.000'	77.14
299.)	'05-29-2024 13:10:00.000'	77.95
300.)	'05-29-2024 13:11:00.000'	78.27
301.)	'05-29-2024 13:12:00.000'	77
302.)	'05-29-2024 13:13:00.000'	78.61
303.)	'05-29-2024 13:14:00.000'	76.96
304.)	'05-29-2024 13:15:00.000'	77.43
305.)	'05-29-2024 13:16:00.000'	78.75

DRC

PZ06-12000032

08/07/2024

DRC

PZ06-12000032

10/02/2024

306.)	'05-29-2024 13:17:00.000'	76.32
307.)	'05-29-2024 13:18:00.000'	77.41
308.)	'05-29-2024 13:19:00.000'	78.48
309.)	'05-29-2024 13:20:00.000'	78.24
310.)	'05-29-2024 13:21:00.000'	77.26
311.)	'05-29-2024 13:22:00.000'	77.35
312.)	'05-29-2024 13:23:00.000'	78.63
313.)	'05-29-2024 13:24:00.000'	78.35
314.)	'05-29-2024 13:25:00.000'	78.5
315.)	'05-29-2024 13:26:00.000'	77.58
316.)	'05-29-2024 13:27:00.000'	78.82
317.)	'05-29-2024 13:28:00.000'	78.37
318.)	'05-29-2024 13:29:00.000'	78.2
319.)	'05-29-2024 13:30:00.000'	78.73
320.)	'05-29-2024 13:31:00.000'	79.08
321.)	'05-29-2024 13:32:00.000'	78.93
322.)	'05-29-2024 13:33:00.000'	78.35
323.)	'05-29-2024 13:34:00.000'	79.33
324.)	'05-29-2024 13:35:00.000'	79.4
325.)	'05-29-2024 13:36:00.000'	79.08
326.)	'05-29-2024 13:37:00.000'	78.47
327.)	'05-29-2024 13:38:00.000'	78.99
328.)	'05-29-2024 13:39:00.000'	78.57
329.)	'05-29-2024 13:40:00.000'	77.12
330.)	'05-29-2024 13:41:00.000'	78.07
331.)	'05-29-2024 13:42:00.000'	79.2
332.)	'05-29-2024 13:43:00.000'	79
333.)	'05-29-2024 13:44:00.000'	78.94
334.)	'05-29-2024 13:45:00.000'	78.91
335.)	'05-29-2024 13:46:00.000'	78.66
336.)	'05-29-2024 13:47:00.000'	78
337.)	'05-29-2024 13:48:00.000'	78.34
338.)	'05-29-2024 13:49:00.000'	78.42
339.)	'05-29-2024 13:50:00.000'	79.2
340.)	'05-29-2024 13:51:00.000'	79.8
341.)	'05-29-2024 13:52:00.000'	78.09
342.)	'05-29-2024 13:53:00.000'	79.62
343.)	'05-29-2024 13:54:00.000'	78.54
344.)	'05-29-2024 13:55:00.000'	77.41
345.)	'05-29-2024 13:56:00.000'	77.34
346.)	'05-29-2024 13:57:00.000'	79.15
347.)	'05-29-2024 13:58:00.000'	78.83
348.)	'05-29-2024 13:59:00.000'	78.8
349.)	'05-29-2024 14:00:00.000'	77.03

DRC

PZ06-12000032

08/07/2024

DRC

PZ06-12000032

10/02/2024

350.)	'05-29-2024 14:01:00.000'	78.59
351.)	'05-29-2024 14:02:00.000'	77.97
352.)	'05-29-2024 14:03:00.000'	76.89
353.)	'05-29-2024 14:04:00.000'	78.72
354.)	'05-29-2024 14:05:00.000'	78.13
355.)	'05-29-2024 14:06:00.000'	79.05
356.)	'05-29-2024 14:07:00.000'	77.04
357.)	'05-29-2024 14:08:00.000'	77.8
358.)	'05-29-2024 14:09:00.000'	78.16
359.)	'05-29-2024 14:10:00.000'	78.99
360.)	'05-29-2024 14:11:00.000'	78.54
361.)	'05-29-2024 14:12:00.000'	78.65
362.)	'05-29-2024 14:13:00.000'	78.89
363.)	'05-29-2024 14:14:00.000'	79.14
364.)	'05-29-2024 14:15:00.000'	78.63
365.)	'05-29-2024 14:16:00.000'	77.38
366.)	'05-29-2024 14:17:00.000'	78.53
367.)	'05-29-2024 14:18:00.000'	79.06
368.)	'05-29-2024 14:19:00.000'	78.28
369.)	'05-29-2024 14:20:00.000'	77.5
370.)	'05-29-2024 14:21:00.000'	79.47
371.)	'05-29-2024 14:22:00.000'	78.52
372.)	'05-29-2024 14:23:00.000'	78.28
373.)	'05-29-2024 14:24:00.000'	78.73
374.)	'05-29-2024 14:25:00.000'	78.07
375.)	'05-29-2024 14:26:00.000'	78.09
376.)	'05-29-2024 14:27:00.000'	78.21
377.)	'05-29-2024 14:28:00.000'	77.85
378.)	'05-29-2024 14:29:00.000'	78.77
379.)	'05-29-2024 14:30:00.000'	79.69
380.)	'05-29-2024 14:31:00.000'	78.75
381.)	'05-29-2024 14:32:00.000'	78.63
382.)	'05-29-2024 14:33:00.000'	78.08
383.)	'05-29-2024 14:34:00.000'	78.3
384.)	'05-29-2024 14:35:00.000'	77.88
385.)	'05-29-2024 14:36:00.000'	78.89
386.)	'05-29-2024 14:37:00.000'	79.43
387.)	'05-29-2024 14:38:00.000'	78.5
388.)	'05-29-2024 14:39:00.000'	79.75
389.)	'05-29-2024 14:40:00.000'	78.36
390.)	'05-29-2024 14:41:00.000'	79.34
391.)	'05-29-2024 14:42:00.000'	79.39
392.)	'05-29-2024 14:43:00.000'	79.28
393.)	'05-29-2024 14:44:00.000'	78.42

DRC

PZ06-12000032

08/07/2024

DRC

PZ06-12000032

10/02/2024

394.)	'05-29-2024 14:45:00.000'	78.77
395.)	'05-29-2024 14:46:00.000'	77.84
396.)	'05-29-2024 14:47:00.000'	78.31
397.)	'05-29-2024 14:48:00.000'	78.15
398.)	'05-29-2024 14:49:00.000'	78.73
399.)	'05-29-2024 14:50:00.000'	78.27
400.)	'05-29-2024 14:51:00.000'	78.16
401.)	'05-29-2024 14:52:00.000'	77.71
402.)	'05-29-2024 14:53:00.000'	78.28
403.)	'05-29-2024 14:54:00.000'	78.07
404.)	'05-29-2024 14:55:00.000'	77.38
405.)	'05-29-2024 14:56:00.000'	77.92
406.)	'05-29-2024 14:57:00.000'	78.27
407.)	'05-29-2024 14:58:00.000'	78.48
408.)	'05-29-2024 14:59:00.000'	78.96
409.)	'05-29-2024 15:00:00.000'	78.12
410.)	'05-29-2024 15:01:00.000'	77.97
411.)	'05-29-2024 15:02:00.000'	78.81
412.)	'05-29-2024 15:03:00.000'	77.21
413.)	'05-29-2024 15:04:00.000'	79
414.)	'05-29-2024 15:05:00.000'	77.94
415.)	'05-29-2024 15:06:00.000'	78.91
416.)	'05-29-2024 15:07:00.000'	78.26
417.)	'05-29-2024 15:08:00.000'	78.18
418.)	'05-29-2024 15:09:00.000'	78.31
419.)	'05-29-2024 15:10:00.000'	78.59
420.)	'05-29-2024 15:11:00.000'	77.76
421.)	'05-29-2024 15:12:00.000'	78.27
422.)	'05-29-2024 15:13:00.000'	78.03
423.)	'05-29-2024 15:14:00.000'	79.09
424.)	'05-29-2024 15:15:00.000'	77.26
425.)	'05-29-2024 15:16:00.000'	78.71
426.)	'05-29-2024 15:17:00.000'	78.5
427.)	'05-29-2024 15:18:00.000'	78.33
428.)	'05-29-2024 15:19:00.000'	78.28
429.)	'05-29-2024 15:20:00.000'	78.5
430.)	'05-29-2024 15:21:00.000'	78.68
431.)	'05-29-2024 15:22:00.000'	79.24
432.)	'05-29-2024 15:23:00.000'	79.16
433.)	'05-29-2024 15:24:00.000'	78.75
434.)	'05-29-2024 15:25:00.000'	78.73
435.)	'05-29-2024 15:26:00.000'	78.37
436.)	'05-29-2024 15:27:00.000'	78.85
437.)	'05-29-2024 15:28:00.000'	78.93

DRC

PZ06-12000032

08/07/2024

DRC

PZ06-12000032

10/02/2024

438.)	'05-29-2024 15:29:00.000'	79.1
439.)	'05-29-2024 15:30:00.000'	78.86
440.)	'05-29-2024 15:31:00.000'	79.12
441.)	'05-29-2024 15:32:00.000'	78.22
442.)	'05-29-2024 15:33:00.000'	78.96
443.)	'05-29-2024 15:34:00.000'	79.45
444.)	'05-29-2024 15:35:00.000'	79.01
445.)	'05-29-2024 15:36:00.000'	78.96
446.)	'05-29-2024 15:37:00.000'	78.69
447.)	'05-29-2024 15:38:00.000'	79.14
448.)	'05-29-2024 15:39:00.000'	79.1
449.)	'05-29-2024 15:40:00.000'	79.21
450.)	'05-29-2024 15:41:00.000'	78.93
451.)	'05-29-2024 15:42:00.000'	79.43
452.)	'05-29-2024 15:43:00.000'	79.62
453.)	'05-29-2024 15:44:00.000'	78.44
454.)	'05-29-2024 15:45:00.000'	79.13
455.)	'05-29-2024 15:46:00.000'	78.32
456.)	'05-29-2024 15:47:00.000'	78.8
457.)	'05-29-2024 15:48:00.000'	78.96
458.)	'05-29-2024 15:49:00.000'	78.3
459.)	'05-29-2024 15:50:00.000'	78.86
460.)	'05-29-2024 15:51:00.000'	79.33
461.)	'05-29-2024 15:52:00.000'	78.91
462.)	'05-29-2024 15:53:00.000'	78.71
463.)	'05-29-2024 15:54:00.000'	78.46
464.)	'05-29-2024 15:55:00.000'	78.5
465.)	'05-29-2024 15:56:00.000'	78.54
466.)	'05-29-2024 15:57:00.000'	78.43
467.)	'05-29-2024 15:58:00.000'	78.69
468.)	'05-29-2024 15:59:00.000'	79.24
469.)	'05-29-2024 16:00:00.000'	78.75
470.)	'05-29-2024 16:01:00.000'	78.3
471.)	'05-29-2024 16:02:00.000'	78.21
472.)	'05-29-2024 16:03:00.000'	78.41
473.)	'05-29-2024 16:04:00.000'	79.46
474.)	'05-29-2024 16:05:00.000'	78.95
475.)	'05-29-2024 16:06:00.000'	79.67
476.)	'05-29-2024 16:07:00.000'	89.17
477.)	'05-29-2024 16:08:00.000'	77.75
478.)	'05-29-2024 16:09:00.000'	83.75
479.)	'05-29-2024 16:10:00.000'	81.78
480.)	'05-29-2024 16:11:00.000'	76.8
481.)	'05-29-2024 16:12:00.000'	75.58

DRC

PZ06-12000032

08/07/2024

DRC

PZ06-12000032

10/02/2024

482.)	'05-29-2024 16:13:00.000'	76.77
483.)	'05-29-2024 16:14:00.000'	76.84
484.)	'05-29-2024 16:15:00.000'	77.01
485.)	'05-29-2024 16:16:00.000'	77.23
486.)	'05-29-2024 16:17:00.000'	76.21
487.)	'05-29-2024 16:18:00.000'	77.66
488.)	'05-29-2024 16:19:00.000'	76.66
489.)	'05-29-2024 16:20:00.000'	76.52
490.)	'05-29-2024 16:21:00.000'	76.43
491.)	'05-29-2024 16:22:00.000'	76.18
492.)	'05-29-2024 16:23:00.000'	76.23
493.)	'05-29-2024 16:24:00.000'	77.02
494.)	'05-29-2024 16:25:00.000'	77.57
495.)	'05-29-2024 16:26:00.000'	76.68
496.)	'05-29-2024 16:27:00.000'	77.23
497.)	'05-29-2024 16:28:00.000'	77.35
498.)	'05-29-2024 16:29:00.000'	77.71
499.)	'05-29-2024 16:30:00.000'	77.6
500.)	'05-29-2024 16:31:00.000'	76.36
501.)	'05-29-2024 16:32:00.000'	76.7
502.)	'05-29-2024 16:33:00.000'	77.33
503.)	'05-29-2024 16:34:00.000'	77.05
504.)	'05-29-2024 16:35:00.000'	76.89
505.)	'05-29-2024 16:36:00.000'	76.38
506.)	'05-29-2024 16:37:00.000'	76.99
507.)	'05-29-2024 16:38:00.000'	77.61
508.)	'05-29-2024 16:39:00.000'	76.46
509.)	'05-29-2024 16:40:00.000'	76.04
510.)	'05-29-2024 16:41:00.000'	76.79
511.)	'05-29-2024 16:42:00.000'	77
512.)	'05-29-2024 16:43:00.000'	77.03
513.)	'05-29-2024 16:44:00.000'	77.25
514.)	'05-29-2024 16:45:00.000'	77.11
515.)	'05-29-2024 16:46:00.000'	76.68
516.)	'05-29-2024 16:47:00.000'	76.6
517.)	'05-29-2024 16:48:00.000'	76.68
518.)	'05-29-2024 16:49:00.000'	76.74
519.)	'05-29-2024 16:50:00.000'	76.77
520.)	'05-29-2024 16:51:00.000'	77.46
521.)	'05-29-2024 16:52:00.000'	76.86
522.)	'05-29-2024 16:53:00.000'	77.54
523.)	'05-29-2024 16:54:00.000'	76.98
524.)	'05-29-2024 16:55:00.000'	77.89
525.)	'05-29-2024 16:56:00.000'	78.04

DRC

PZ06-12000032

08/07/2024

DRC

PZ06-12000032

10/02/2024

526.)	'05-29-2024 16:57:00.000'	76.65
527.)	'05-29-2024 16:58:00.000'	76.52
528.)	'05-29-2024 16:59:00.000'	76.45
529.)	'05-29-2024 17:00:00.000'	76.94
530.)	'05-29-2024 17:01:00.000'	76.94
531.)	'05-29-2024 17:02:00.000'	77.04
532.)	'05-29-2024 17:03:00.000'	76.27
533.)	'05-29-2024 17:04:00.000'	76.73
534.)	'05-29-2024 17:05:00.000'	76.95
535.)	'05-29-2024 17:06:00.000'	77.43
536.)	'05-29-2024 17:07:00.000'	76.81
537.)	'05-29-2024 17:08:00.000'	76.04
538.)	'05-29-2024 17:09:00.000'	77.09
539.)	'05-29-2024 17:10:00.000'	77.69
540.)	'05-29-2024 17:11:00.000'	77
541.)	'05-29-2024 17:12:00.000'	76.22
542.)	'05-29-2024 17:13:00.000'	76.65
543.)	'05-29-2024 17:14:00.000'	76.76
544.)	'05-29-2024 17:15:00.000'	77.95
545.)	'05-29-2024 17:16:00.000'	77.65
546.)	'05-29-2024 17:17:00.000'	75.97
547.)	'05-29-2024 17:18:00.000'	75.66
548.)	'05-29-2024 17:19:00.000'	77.37
549.)	'05-29-2024 17:20:00.000'	75.66
550.)	'05-29-2024 17:21:00.000'	76.57
551.)	'05-29-2024 17:22:00.000'	75.92
552.)	'05-29-2024 17:23:00.000'	76.14
553.)	'05-29-2024 17:24:00.000'	76.52
554.)	'05-29-2024 17:25:00.000'	76.47
555.)	'05-29-2024 17:26:00.000'	76.42
556.)	'05-29-2024 17:27:00.000'	76.33
557.)	'05-29-2024 17:28:00.000'	76.64
558.)	'05-29-2024 17:29:00.000'	75.8
559.)	'05-29-2024 17:30:00.000'	75.72
560.)	'05-29-2024 17:31:00.000'	74.78
561.)	'05-29-2024 17:32:00.000'	75.75
562.)	'05-29-2024 17:33:00.000'	76.25
563.)	'05-29-2024 17:34:00.000'	76.17
564.)	'05-29-2024 17:35:00.000'	74.09
565.)	'05-29-2024 17:36:00.000'	76.93
566.)	'05-29-2024 17:37:00.000'	77.21
567.)	'05-29-2024 17:38:00.000'	75.82
568.)	'05-29-2024 17:39:00.000'	76.67
569.)	'05-29-2024 17:40:00.000'	76.55

DRC

PZ06-12000032

08/07/2024

DRC

PZ06-12000032

10/02/2024

570.)	'05-29-2024 17:41:00.000'	76.71
571.)	'05-29-2024 17:42:00.000'	76.45
572.)	'05-29-2024 17:43:00.000'	76.13
573.)	'05-29-2024 17:44:00.000'	76.25
574.)	'05-29-2024 17:45:00.000'	75.87
575.)	'05-29-2024 17:46:00.000'	75.45
576.)	'05-29-2024 17:47:00.000'	76.65
577.)	'05-29-2024 17:48:00.000'	77.13
578.)	'05-29-2024 17:49:00.000'	75.77
579.)	'05-29-2024 17:50:00.000'	75.58
580.)	'05-29-2024 17:51:00.000'	75.14
581.)	'05-29-2024 17:52:00.000'	77.07
582.)	'05-29-2024 17:53:00.000'	75.96
583.)	'05-29-2024 17:54:00.000'	75.9
584.)	'05-29-2024 17:55:00.000'	75.43
585.)	'05-29-2024 17:56:00.000'	76.3
586.)	'05-29-2024 17:57:00.000'	75.97
587.)	'05-29-2024 17:58:00.000'	76.46
588.)	'05-29-2024 17:59:00.000'	76.97
589.)	'05-29-2024 18:00:00.000'	77.77
590.)	'05-29-2024 18:01:00.000'	76.49
591.)	'05-29-2024 18:02:00.000'	76.53
592.)	'05-29-2024 18:03:00.000'	75.14
593.)	'05-29-2024 18:04:00.000'	76.38
594.)	'05-29-2024 18:05:00.000'	75.66
595.)	'05-29-2024 18:06:00.000'	76.83
596.)	'05-29-2024 18:07:00.000'	78.53
597.)	'05-29-2024 18:08:00.000'	75.84
598.)	'05-29-2024 18:09:00.000'	75.79
599.)	'05-29-2024 18:10:00.000'	74.73
600.)	'05-29-2024 18:11:00.000'	75.37
601.)	'05-29-2024 18:12:00.000'	76.26
602.)	'05-29-2024 18:13:00.000'	76.01
603.)	'05-29-2024 18:14:00.000'	76.61
604.)	'05-29-2024 18:15:00.000'	76.38
605.)	'05-29-2024 18:16:00.000'	77.45
606.)	'05-29-2024 18:17:00.000'	75.91
607.)	'05-29-2024 18:18:00.000'	75.59
608.)	'05-29-2024 18:19:00.000'	76.31
609.)	'05-29-2024 18:20:00.000'	75.63
610.)	'05-29-2024 18:21:00.000'	75.67
611.)	'05-29-2024 18:22:00.000'	76.07
612.)	'05-29-2024 18:23:00.000'	76.95
613.)	'05-29-2024 18:24:00.000'	76.21

DRC

PZ06-12000032

08/07/2024

DRC

PZ06-12000032

10/02/2024

614.)	'05-29-2024 18:25:00.000'	75.59
615.)	'05-29-2024 18:26:00.000'	76.52
616.)	'05-29-2024 18:27:00.000'	76.29
617.)	'05-29-2024 18:28:00.000'	77
618.)	'05-29-2024 18:29:00.000'	77.49
619.)	'05-29-2024 18:30:00.000'	76.78
620.)	'05-29-2024 18:31:00.000'	76.96
621.)	'05-29-2024 18:32:00.000'	76.73
622.)	'05-29-2024 18:33:00.000'	76.25
623.)	'05-29-2024 18:34:00.000'	76.14
624.)	'05-29-2024 18:35:00.000'	75.09
625.)	'05-29-2024 18:36:00.000'	75.47
626.)	'05-29-2024 18:37:00.000'	75.63
627.)	'05-29-2024 18:38:00.000'	76.9
628.)	'05-29-2024 18:39:00.000'	75.88
629.)	'05-29-2024 18:40:00.000'	74.84
630.)	'05-29-2024 18:41:00.000'	76.1
631.)	'05-29-2024 18:42:00.000'	75.96
632.)	'05-29-2024 18:43:00.000'	75.5
633.)	'05-29-2024 18:44:00.000'	76.29
634.)	'05-29-2024 18:45:00.000'	75.85
635.)	'05-29-2024 18:46:00.000'	76.49
636.)	'05-29-2024 18:47:00.000'	76.45
637.)	'05-29-2024 18:48:00.000'	77.44
638.)	'05-29-2024 18:49:00.000'	76.05
639.)	'05-29-2024 18:50:00.000'	75.86
640.)	'05-29-2024 18:51:00.000'	77.11
641.)	'05-29-2024 18:52:00.000'	76.93
642.)	'05-29-2024 18:53:00.000'	76.07
643.)	'05-29-2024 18:54:00.000'	75.78
644.)	'05-29-2024 18:55:00.000'	76.16
645.)	'05-29-2024 18:56:00.000'	75.87
646.)	'05-29-2024 18:57:00.000'	76.37
647.)	'05-29-2024 18:58:00.000'	76.66
648.)	'05-29-2024 18:59:00.000'	75.42
649.)	'05-29-2024 19:00:00.000'	76.14
650.)	'05-29-2024 19:01:00.000'	76.79
651.)	'05-29-2024 19:02:00.000'	76.23
652.)	'05-29-2024 19:03:00.000'	76.87
653.)	'05-29-2024 19:04:00.000'	76.43
654.)	'05-29-2024 19:05:00.000'	76.15
655.)	'05-29-2024 19:06:00.000'	76.14
656.)	'05-29-2024 19:07:00.000'	76.4
657.)	'05-29-2024 19:08:00.000'	76.45

DRC

PZ06-12000032

08/07/2024

DRC

PZ06-12000032

10/02/2024

658.)	'05-29-2024 19:09:00.000'	75.98
659.)	'05-29-2024 19:10:00.000'	76.74
660.)	'05-29-2024 19:11:00.000'	76.31
661.)	'05-29-2024 19:12:00.000'	75.91
662.)	'05-29-2024 19:13:00.000'	75.88
663.)	'05-29-2024 19:14:00.000'	76.14
664.)	'05-29-2024 19:15:00.000'	76.4
665.)	'05-29-2024 19:16:00.000'	75.71
666.)	'05-29-2024 19:17:00.000'	75.89
667.)	'05-29-2024 19:18:00.000'	74.72
668.)	'05-29-2024 19:19:00.000'	74.97
669.)	'05-29-2024 19:20:00.000'	76.03
670.)	'05-29-2024 19:21:00.000'	75.75
671.)	'05-29-2024 19:22:00.000'	74.58
672.)	'05-29-2024 19:23:00.000'	75.94
673.)	'05-29-2024 19:24:00.000'	75.82
674.)	'05-29-2024 19:25:00.000'	74.93
675.)	'05-29-2024 19:26:00.000'	75.55
676.)	'05-29-2024 19:27:00.000'	75.25
677.)	'05-29-2024 19:28:00.000'	75.53
678.)	'05-29-2024 19:29:00.000'	75.91
679.)	'05-29-2024 19:30:00.000'	76.01
680.)	'05-29-2024 19:31:00.000'	75.8
681.)	'05-29-2024 19:32:00.000'	74.61
682.)	'05-29-2024 19:33:00.000'	74.26
683.)	'05-29-2024 19:34:00.000'	75.46
684.)	'05-29-2024 19:35:00.000'	75.35
685.)	'05-29-2024 19:36:00.000'	75.77
686.)	'05-29-2024 19:37:00.000'	75.8
687.)	'05-29-2024 19:38:00.000'	75.13
688.)	'05-29-2024 19:39:00.000'	75.57
689.)	'05-29-2024 19:40:00.000'	75.3
690.)	'05-29-2024 19:41:00.000'	77.78
691.)	'05-29-2024 19:42:00.000'	75.71
692.)	'05-29-2024 19:43:00.000'	76.38
693.)	'05-29-2024 19:44:00.000'	74.95
694.)	'05-29-2024 19:45:00.000'	75.81
695.)	'05-29-2024 19:46:00.000'	75.5
696.)	'05-29-2024 19:47:00.000'	73.95
697.)	'05-29-2024 19:48:00.000'	75.91
698.)	'05-29-2024 19:49:00.000'	75.52
699.)	'05-29-2024 19:50:00.000'	76.71
700.)	'05-29-2024 19:51:00.000'	75.09
701.)	'05-29-2024 19:52:00.000'	76.9

DRC

PZ06-12000032

08/07/2024

DRC

PZ06-12000032

10/02/2024

702.)	'05-29-2024 19:53:00.000'	74.81
703.)	'05-29-2024 19:54:00.000'	76.72
704.)	'05-29-2024 19:55:00.000'	76.06
705.)	'05-29-2024 19:56:00.000'	76.27
706.)	'05-29-2024 19:57:00.000'	75.61
707.)	'05-29-2024 19:58:00.000'	76.13
708.)	'05-29-2024 19:59:00.000'	75.91
709.)	'05-29-2024 20:00:00.000'	76.36
710.)	'05-29-2024 20:01:00.000'	75.24
711.)	'05-29-2024 20:02:00.000'	75.45
712.)	'05-29-2024 20:03:00.000'	76.85
713.)	'05-29-2024 20:04:00.000'	76.33
714.)	'05-29-2024 20:05:00.000'	76.86
715.)	'05-29-2024 20:06:00.000'	77.09
716.)	'05-29-2024 20:07:00.000'	75.08
717.)	'05-29-2024 20:08:00.000'	76.37
718.)	'05-29-2024 20:09:00.000'	76.07
719.)	'05-29-2024 20:10:00.000'	74.41
720.)	'05-29-2024 20:11:00.000'	75.46
721.)	'05-29-2024 20:12:00.000'	76.58
722.)	'05-29-2024 20:13:00.000'	75.41
723.)	'05-29-2024 20:14:00.000'	76.12
724.)	'05-29-2024 20:15:00.000'	76.45
725.)	'05-29-2024 20:16:00.000'	75.41
726.)	'05-29-2024 20:17:00.000'	75.86
727.)	'05-29-2024 20:18:00.000'	75.01
728.)	'05-29-2024 20:19:00.000'	73.32
729.)	'05-29-2024 20:20:00.000'	76.2
730.)	'05-29-2024 20:21:00.000'	75.48
731.)	'05-29-2024 20:22:00.000'	75.82
732.)	'05-29-2024 20:23:00.000'	75.37
733.)	'05-29-2024 20:24:00.000'	76.06
734.)	'05-29-2024 20:25:00.000'	75.46
735.)	'05-29-2024 20:26:00.000'	74.8
736.)	'05-29-2024 20:27:00.000'	76.03
737.)	'05-29-2024 20:28:00.000'	76.08
738.)	'05-29-2024 20:29:00.000'	75.45
739.)	'05-29-2024 20:30:00.000'	75.83
740.)	'05-29-2024 20:31:00.000'	77.02
741.)	'05-29-2024 20:32:00.000'	76.38
742.)	'05-29-2024 20:33:00.000'	76.23
743.)	'05-29-2024 20:34:00.000'	75.92
744.)	'05-29-2024 20:35:00.000'	76.95
745.)	'05-29-2024 20:36:00.000'	77.13

DRC

PZ06-12000032

08/07/2024

DRC

PZ06-12000032

10/02/2024

746.)	'05-29-2024 20:37:00.000'	77.5
747.)	'05-29-2024 20:38:00.000'	75.45
748.)	'05-29-2024 20:39:00.000'	76.22
749.)	'05-29-2024 20:40:00.000'	76.71
750.)	'05-29-2024 20:41:00.000'	76.62
751.)	'05-29-2024 20:42:00.000'	76.68
752.)	'05-29-2024 20:43:00.000'	77.03
753.)	'05-29-2024 20:44:00.000'	75.85
754.)	'05-29-2024 20:45:00.000'	77.48
755.)	'05-29-2024 20:46:00.000'	76.69
756.)	'05-29-2024 20:47:00.000'	75.8
757.)	'05-29-2024 20:48:00.000'	75.94
758.)	'05-29-2024 20:49:00.000'	75.73
759.)	'05-29-2024 20:50:00.000'	76.17
760.)	'05-29-2024 20:51:00.000'	76.57
761.)	'05-29-2024 20:52:00.000'	76.8
762.)	'05-29-2024 20:53:00.000'	75.73
763.)	'05-29-2024 20:54:00.000'	76.95
764.)	'05-29-2024 20:55:00.000'	75.9
765.)	'05-29-2024 20:56:00.000'	76.61
766.)	'05-29-2024 20:57:00.000'	77.29
767.)	'05-29-2024 20:58:00.000'	76.29
768.)	'05-29-2024 20:59:00.000'	76.96
769.)	'05-29-2024 21:00:00.000'	77.37
770.)	'05-29-2024 21:01:00.000'	76.11
771.)	'05-29-2024 21:02:00.000'	76.82
772.)	'05-29-2024 21:03:00.000'	76.89
773.)	'05-29-2024 21:04:00.000'	76.47
774.)	'05-29-2024 21:05:00.000'	75.48
775.)	'05-29-2024 21:06:00.000'	75.57
776.)	'05-29-2024 21:07:00.000'	76.69
777.)	'05-29-2024 21:08:00.000'	76.74
778.)	'05-29-2024 21:09:00.000'	76.05
779.)	'05-29-2024 21:10:00.000'	76.6
780.)	'05-29-2024 21:11:00.000'	76.39
781.)	'05-29-2024 21:12:00.000'	76.94
782.)	'05-29-2024 21:13:00.000'	76.98
783.)	'05-29-2024 21:14:00.000'	75.35
784.)	'05-29-2024 21:15:00.000'	75.41
785.)	'05-29-2024 21:16:00.000'	77.14
786.)	'05-29-2024 21:17:00.000'	77.3
787.)	'05-29-2024 21:18:00.000'	77.08
788.)	'05-29-2024 21:19:00.000'	76.88
789.)	'05-29-2024 21:20:00.000'	75.73

DRC

PZ06-12000032

08/07/2024

DRC

PZ06-12000032

10/02/2024

790.)	'05-29-2024 21:21:00.000'	76.91
791.)	'05-29-2024 21:22:00.000'	76.85
792.)	'05-29-2024 21:23:00.000'	77.49
793.)	'05-29-2024 21:24:00.000'	76.61
794.)	'05-29-2024 21:25:00.000'	76.55
795.)	'05-29-2024 21:26:00.000'	77.51
796.)	'05-29-2024 21:27:00.000'	77.82
797.)	'05-29-2024 21:28:00.000'	77.7
798.)	'05-29-2024 21:29:00.000'	77.6
799.)	'05-29-2024 21:30:00.000'	77.02
800.)	'05-29-2024 21:31:00.000'	75.76
801.)	'05-29-2024 21:32:00.000'	77.13
802.)	'05-29-2024 21:33:00.000'	77.26
803.)	'05-29-2024 21:34:00.000'	76.75
804.)	'05-29-2024 21:35:00.000'	77.53
805.)	'05-29-2024 21:36:00.000'	77.2
806.)	'05-29-2024 21:37:00.000'	76.11
807.)	'05-29-2024 21:38:00.000'	76.82
808.)	'05-29-2024 21:39:00.000'	76.28
809.)	'05-29-2024 21:40:00.000'	76.7
810.)	'05-29-2024 21:41:00.000'	76.95
811.)	'05-29-2024 21:42:00.000'	77.07
812.)	'05-29-2024 21:43:00.000'	77.45
813.)	'05-29-2024 21:44:00.000'	77.89
814.)	'05-29-2024 21:45:00.000'	77.7
815.)	'05-29-2024 21:46:00.000'	78.56
816.)	'05-29-2024 21:47:00.000'	77.79
817.)	'05-29-2024 21:48:00.000'	77.87
818.)	'05-29-2024 21:49:00.000'	78.1
819.)	'05-29-2024 21:50:00.000'	77.75
820.)	'05-29-2024 21:51:00.000'	78.12
821.)	'05-29-2024 21:52:00.000'	77.94
822.)	'05-29-2024 21:53:00.000'	78.05
823.)	'05-29-2024 21:54:00.000'	77.51
824.)	'05-29-2024 21:55:00.000'	77.86
825.)	'05-29-2024 21:56:00.000'	77.72
826.)	'05-29-2024 21:57:00.000'	76.51
827.)	'05-29-2024 21:58:00.000'	77.25
828.)	'05-29-2024 21:59:00.000'	77.07
829.)	'05-29-2024 22:00:00.000'	77.21
830.)	'05-29-2024 22:01:00.000'	77.16
831.)	'05-29-2024 22:02:00.000'	77.71
832.)	'05-29-2024 22:03:00.000'	78.9
833.)	'05-29-2024 22:04:00.000'	75.11

DRC

PZ06-12000032

08/07/2024

DRC

PZ06-12000032

10/02/2024

834.)	'05-29-2024 22:05:00.000'	75.34
835.)	'05-29-2024 22:06:00.000'	75.5
836.)	'05-29-2024 22:07:00.000'	75.4
837.)	'05-29-2024 22:08:00.000'	75.04
838.)	'05-29-2024 22:09:00.000'	74.93
839.)	'05-29-2024 22:10:00.000'	75.15
840.)	'05-29-2024 22:11:00.000'	74.73
841.)	'05-29-2024 22:12:00.000'	74.92
842.)	'05-29-2024 22:13:00.000'	75.08
843.)	'05-29-2024 22:14:00.000'	75.31
844.)	'05-29-2024 22:15:00.000'	74.86
845.)	'05-29-2024 22:16:00.000'	73.75
846.)	'05-29-2024 22:17:00.000'	74.97
847.)	'05-29-2024 22:18:00.000'	75.85
848.)	'05-29-2024 22:19:00.000'	75.72
849.)	'05-29-2024 22:20:00.000'	75.78
850.)	'05-29-2024 22:21:00.000'	75.51
851.)	'05-29-2024 22:22:00.000'	75.95
852.)	'05-29-2024 22:23:00.000'	75.76
853.)	'05-29-2024 22:24:00.000'	74.92
854.)	'05-29-2024 22:25:00.000'	74.81
855.)	'05-29-2024 22:26:00.000'	75.54
856.)	'05-29-2024 22:27:00.000'	75.51
857.)	'05-29-2024 22:28:00.000'	75.22
858.)	'05-29-2024 22:29:00.000'	74.31
859.)	'05-29-2024 22:30:00.000'	74.9
860.)	'05-29-2024 22:31:00.000'	74.51
861.)	'05-29-2024 22:32:00.000'	74.97
862.)	'05-29-2024 22:33:00.000'	75.77
863.)	'05-29-2024 22:34:00.000'	75.63
864.)	'05-29-2024 22:35:00.000'	75.51
865.)	'05-29-2024 22:36:00.000'	75.12
866.)	'05-29-2024 22:37:00.000'	75.36
867.)	'05-29-2024 22:38:00.000'	76.12
868.)	'05-29-2024 22:39:00.000'	75.63
869.)	'05-29-2024 22:40:00.000'	75.36
870.)	'05-29-2024 22:41:00.000'	75.39
871.)	'05-29-2024 22:42:00.000'	76.2
872.)	'05-29-2024 22:43:00.000'	75.54
873.)	'05-29-2024 22:44:00.000'	74.81
874.)	'05-29-2024 22:45:00.000'	75.57
875.)	'05-29-2024 22:46:00.000'	76.09
876.)	'05-29-2024 22:47:00.000'	75.69
877.)	'05-29-2024 22:48:00.000'	75.52

DRC

PZ06-12000032

08/07/2024

DRC

PZ06-12000032

10/02/2024

878.)	'05-29-2024 22:49:00.000'	75.71
879.)	'05-29-2024 22:50:00.000'	75.36
880.)	'05-29-2024 22:51:00.000'	75.6
881.)	'05-29-2024 22:52:00.000'	75.7
882.)	'05-29-2024 22:53:00.000'	76.33
883.)	'05-29-2024 22:54:00.000'	76.32
884.)	'05-29-2024 22:55:00.000'	75.9
885.)	'05-29-2024 22:56:00.000'	75.07
886.)	'05-29-2024 22:57:00.000'	74.77
887.)	'05-29-2024 22:58:00.000'	75.07
888.)	'05-29-2024 22:59:00.000'	74.8
889.)	'05-29-2024 23:00:00.000'	75.37
890.)	'05-29-2024 23:01:00.000'	75.19
891.)	'05-29-2024 23:02:00.000'	74.94
892.)	'05-29-2024 23:03:00.000'	75.45
893.)	'05-29-2024 23:04:00.000'	74.55
894.)	'05-29-2024 23:05:00.000'	75.24
895.)	'05-29-2024 23:06:00.000'	75.65
896.)	'05-29-2024 23:07:00.000'	74.62
897.)	'05-29-2024 23:08:00.000'	74.9
898.)	'05-29-2024 23:09:00.000'	75.25
899.)	'05-29-2024 23:10:00.000'	74.63
900.)	'05-29-2024 23:11:00.000'	75.23
901.)	'05-29-2024 23:12:00.000'	74.99
902.)	'05-29-2024 23:13:00.000'	75.1
903.)	'05-29-2024 23:14:00.000'	75.06
904.)	'05-29-2024 23:15:00.000'	75.36
905.)	'05-29-2024 23:16:00.000'	74.71
906.)	'05-29-2024 23:17:00.000'	74.57
907.)	'05-29-2024 23:18:00.000'	75.33
908.)	'05-29-2024 23:19:00.000'	75.15
909.)	'05-29-2024 23:20:00.000'	75.49
910.)	'05-29-2024 23:21:00.000'	74.99
911.)	'05-29-2024 23:22:00.000'	75.38
912.)	'05-29-2024 23:23:00.000'	74.9
913.)	'05-29-2024 23:24:00.000'	75.09
914.)	'05-29-2024 23:25:00.000'	76.12
915.)	'05-29-2024 23:26:00.000'	75.68
916.)	'05-29-2024 23:27:00.000'	75.73
917.)	'05-29-2024 23:28:00.000'	75.34
918.)	'05-29-2024 23:29:00.000'	75.8
919.)	'05-29-2024 23:30:00.000'	75.86
920.)	'05-29-2024 23:31:00.000'	75.47
921.)	'05-29-2024 23:32:00.000'	75.56

DRC

PZ06-12000032

08/07/2024

DRC

PZ06-12000032

10/02/2024

922.)	'05-29-2024 23:33:00.000'	75.47
923.)	'05-29-2024 23:34:00.000'	75.54
924.)	'05-29-2024 23:35:00.000'	75.72
925.)	'05-29-2024 23:36:00.000'	75
926.)	'05-29-2024 23:37:00.000'	75.42
927.)	'05-29-2024 23:38:00.000'	75.46
928.)	'05-29-2024 23:39:00.000'	75.15
929.)	'05-29-2024 23:40:00.000'	75.5
930.)	'05-29-2024 23:41:00.000'	75.96
931.)	'05-29-2024 23:42:00.000'	75.32
932.)	'05-29-2024 23:43:00.000'	75.21
933.)	'05-29-2024 23:44:00.000'	75.13
934.)	'05-29-2024 23:45:00.000'	75.45
935.)	'05-29-2024 23:46:00.000'	75.94
936.)	'05-29-2024 23:47:00.000'	75.16
937.)	'05-29-2024 23:48:00.000'	74.77
938.)	'05-29-2024 23:49:00.000'	75.13
939.)	'05-29-2024 23:50:00.000'	74.36
940.)	'05-29-2024 23:51:00.000'	74.3
941.)	'05-29-2024 23:52:00.000'	75.03
942.)	'05-29-2024 23:53:00.000'	75.19
943.)	'05-29-2024 23:54:00.000'	75.36
944.)	'05-29-2024 23:55:00.000'	74.62
945.)	'05-29-2024 23:56:00.000'	75.21
946.)	'05-29-2024 23:57:00.000'	75.16
947.)	'05-29-2024 23:58:00.000'	75.25
948.)	'05-29-2024 23:59:00.000'	75.32
949.)	'05-30-2024 00:00:00.000'	74.34
950.)	'05-30-2024 00:01:00.000'	74.27
951.)	'05-30-2024 00:02:00.000'	73.79
952.)	'05-30-2024 00:03:00.000'	74.23
953.)	'05-30-2024 00:04:00.000'	73.8
954.)	'05-30-2024 00:05:00.000'	74.46
955.)	'05-30-2024 00:06:00.000'	74.19
956.)	'05-30-2024 00:07:00.000'	74.07
957.)	'05-30-2024 00:08:00.000'	74.07
958.)	'05-30-2024 00:09:00.000'	73.38
959.)	'05-30-2024 00:10:00.000'	73.03
960.)	'05-30-2024 00:11:00.000'	72.99
961.)	'05-30-2024 00:12:00.000'	73.2
962.)	'05-30-2024 00:13:00.000'	73.72
963.)	'05-30-2024 00:14:00.000'	73.84
964.)	'05-30-2024 00:15:00.000'	74.52
965.)	'05-30-2024 00:16:00.000'	74.21

DRC

PZ06-12000032

08/07/2024

DRC

PZ06-12000032

10/02/2024

966.)	'05-30-2024 00:17:00.000'	73.7
967.)	'05-30-2024 00:18:00.000'	73.64
968.)	'05-30-2024 00:19:00.000'	73.69
969.)	'05-30-2024 00:20:00.000'	73.81
970.)	'05-30-2024 00:21:00.000'	73.96
971.)	'05-30-2024 00:22:00.000'	74.4
972.)	'05-30-2024 00:23:00.000'	74.29
973.)	'05-30-2024 00:24:00.000'	73.82
974.)	'05-30-2024 00:25:00.000'	74.11
975.)	'05-30-2024 00:26:00.000'	73.89
976.)	'05-30-2024 00:27:00.000'	74.27
977.)	'05-30-2024 00:28:00.000'	74.22
978.)	'05-30-2024 00:29:00.000'	74.02
979.)	'05-30-2024 00:30:00.000'	73.77
980.)	'05-30-2024 00:31:00.000'	74
981.)	'05-30-2024 00:32:00.000'	73.49
982.)	'05-30-2024 00:33:00.000'	73.56
983.)	'05-30-2024 00:34:00.000'	73.58
984.)	'05-30-2024 00:35:00.000'	74.03
985.)	'05-30-2024 00:36:00.000'	74.4
986.)	'05-30-2024 00:37:00.000'	74.32
987.)	'05-30-2024 00:38:00.000'	74.01
988.)	'05-30-2024 00:39:00.000'	74.25
989.)	'05-30-2024 00:40:00.000'	74.25
990.)	'05-30-2024 00:41:00.000'	74.55
991.)	'05-30-2024 00:42:00.000'	74.6
992.)	'05-30-2024 00:43:00.000'	74
993.)	'05-30-2024 00:44:00.000'	74.44
994.)	'05-30-2024 00:45:00.000'	73.86
995.)	'05-30-2024 00:46:00.000'	74.39
996.)	'05-30-2024 00:47:00.000'	74.2
997.)	'05-30-2024 00:48:00.000'	74.63
998.)	'05-30-2024 00:49:00.000'	73.94
999.)	'05-30-2024 00:50:00.000'	74.43
1000.)	'05-30-2024 00:51:00.000'	74.52
1001.)	'05-30-2024 00:52:00.000'	74.11
1002.)	'05-30-2024 00:53:00.000'	74.39
1003.)	'05-30-2024 00:54:00.000'	74.63
1004.)	'05-30-2024 00:55:00.000'	74.46
1005.)	'05-30-2024 00:56:00.000'	75.14
1006.)	'05-30-2024 00:57:00.000'	74.2
1007.)	'05-30-2024 00:58:00.000'	74.21
1008.)	'05-30-2024 00:59:00.000'	74.41
1009.)	'05-30-2024 01:00:00.000'	73.63

DRC

PZ06-12000032

08/07/2024

DRC

PZ06-12000032

10/02/2024

1010.)	'05-30-2024 01:01:00.000'	73.25
1011.)	'05-30-2024 01:02:00.000'	73.36
1012.)	'05-30-2024 01:03:00.000'	73.84
1013.)	'05-30-2024 01:04:00.000'	73.29
1014.)	'05-30-2024 01:05:00.000'	73.11
1015.)	'05-30-2024 01:06:00.000'	73.74
1016.)	'05-30-2024 01:07:00.000'	73.92
1017.)	'05-30-2024 01:08:00.000'	72.88
1018.)	'05-30-2024 01:09:00.000'	73.33
1019.)	'05-30-2024 01:10:00.000'	73.35
1020.)	'05-30-2024 01:11:00.000'	74.07
1021.)	'05-30-2024 01:12:00.000'	73.48
1022.)	'05-30-2024 01:13:00.000'	73.86
1023.)	'05-30-2024 01:14:00.000'	73.7
1024.)	'05-30-2024 01:15:00.000'	73.57
1025.)	'05-30-2024 01:16:00.000'	73.12
1026.)	'05-30-2024 01:17:00.000'	72.32
1027.)	'05-30-2024 01:18:00.000'	72.66
1028.)	'05-30-2024 01:19:00.000'	72.6
1029.)	'05-30-2024 01:20:00.000'	72.43
1030.)	'05-30-2024 01:21:00.000'	72.79
1031.)	'05-30-2024 01:22:00.000'	72.84
1032.)	'05-30-2024 01:23:00.000'	72.89
1033.)	'05-30-2024 01:24:00.000'	72.41
1034.)	'05-30-2024 01:25:00.000'	71.93
1035.)	'05-30-2024 01:26:00.000'	72.23
1036.)	'05-30-2024 01:27:00.000'	72.18
1037.)	'05-30-2024 01:28:00.000'	72.26
1038.)	'05-30-2024 01:29:00.000'	73.27
1039.)	'05-30-2024 01:30:00.000'	72.57
1040.)	'05-30-2024 01:31:00.000'	80.08
1041.)	'05-30-2024 01:32:00.000'	73.76
1042.)	'05-30-2024 01:33:00.000'	73.37
1043.)	'05-30-2024 01:34:00.000'	73.53
1044.)	'05-30-2024 01:35:00.000'	73.86
1045.)	'05-30-2024 01:36:00.000'	73.92
1046.)	'05-30-2024 01:37:00.000'	73.75
1047.)	'05-30-2024 01:38:00.000'	73.7
1048.)	'05-30-2024 01:39:00.000'	74.02
1049.)	'05-30-2024 01:40:00.000'	74.07
1050.)	'05-30-2024 01:41:00.000'	74.16
1051.)	'05-30-2024 01:42:00.000'	74.09
1052.)	'05-30-2024 01:43:00.000'	74.03
1053.)	'05-30-2024 01:44:00.000'	73.71

DRC

PZ06-12000032

08/07/2024

DRC

PZ06-12000032

10/02/2024

1054.)	'05-30-2024 01:45:00.000'	73.19
1055.)	'05-30-2024 01:46:00.000'	74.55
1056.)	'05-30-2024 01:47:00.000'	73.92
1057.)	'05-30-2024 01:48:00.000'	74.46
1058.)	'05-30-2024 01:49:00.000'	73.65
1059.)	'05-30-2024 01:50:00.000'	73.36
1060.)	'05-30-2024 01:51:00.000'	74.13
1061.)	'05-30-2024 01:52:00.000'	73.3
1062.)	'05-30-2024 01:53:00.000'	74.14
1063.)	'05-30-2024 01:54:00.000'	74.16
1064.)	'05-30-2024 01:55:00.000'	74.59
1065.)	'05-30-2024 01:56:00.000'	74.06
1066.)	'05-30-2024 01:57:00.000'	73.59
1067.)	'05-30-2024 01:58:00.000'	73
1068.)	'05-30-2024 01:59:00.000'	73.12
1069.)	'05-30-2024 02:00:00.000'	72.79
1070.)	'05-30-2024 02:01:00.000'	71.48
1071.)	'05-30-2024 02:02:00.000'	72.54
1072.)	'05-30-2024 02:03:00.000'	72.61
1073.)	'05-30-2024 02:04:00.000'	72.06
1074.)	'05-30-2024 02:05:00.000'	72.72
1075.)	'05-30-2024 02:06:00.000'	72.45
1076.)	'05-30-2024 02:07:00.000'	72.57
1077.)	'05-30-2024 02:08:00.000'	73.15
1078.)	'05-30-2024 02:09:00.000'	71.8
1079.)	'05-30-2024 02:10:00.000'	72.45
1080.)	'05-30-2024 02:11:00.000'	71.98
1081.)	'05-30-2024 02:12:00.000'	71.96
1082.)	'05-30-2024 02:13:00.000'	71.49
1083.)	'05-30-2024 02:14:00.000'	71.68
1084.)	'05-30-2024 02:15:00.000'	71.44
1085.)	'05-30-2024 02:16:00.000'	72.02
1086.)	'05-30-2024 02:17:00.000'	71.94
1087.)	'05-30-2024 02:18:00.000'	71.57
1088.)	'05-30-2024 02:19:00.000'	71.75
1089.)	'05-30-2024 02:20:00.000'	71.39
1090.)	'05-30-2024 02:21:00.000'	71.54
1091.)	'05-30-2024 02:22:00.000'	71.47
1092.)	'05-30-2024 02:23:00.000'	71.48
1093.)	'05-30-2024 02:24:00.000'	71.55
1094.)	'05-30-2024 02:25:00.000'	71.72
1095.)	'05-30-2024 02:26:00.000'	72.64
1096.)	'05-30-2024 02:27:00.000'	72.62
1097.)	'05-30-2024 02:28:00.000'	72.8

DRC

PZ06-12000032

08/07/2024

DRC

PZ06-12000032

10/02/2024

1098.)	'05-30-2024 02:29:00.000'	72.45
1099.)	'05-30-2024 02:30:00.000'	72.29
1100.)	'05-30-2024 02:31:00.000'	72.27
1101.)	'05-30-2024 02:32:00.000'	71.89
1102.)	'05-30-2024 02:33:00.000'	71.73
1103.)	'05-30-2024 02:34:00.000'	72.18
1104.)	'05-30-2024 02:35:00.000'	72.47
1105.)	'05-30-2024 02:36:00.000'	72.5
1106.)	'05-30-2024 02:37:00.000'	72.54
1107.)	'05-30-2024 02:38:00.000'	72.73
1108.)	'05-30-2024 02:39:00.000'	72.73
1109.)	'05-30-2024 02:40:00.000'	72.39
1110.)	'05-30-2024 02:41:00.000'	72.76
1111.)	'05-30-2024 02:42:00.000'	72.69
1112.)	'05-30-2024 02:43:00.000'	72.56
1113.)	'05-30-2024 02:44:00.000'	72.4
1114.)	'05-30-2024 02:45:00.000'	71.88
1115.)	'05-30-2024 02:46:00.000'	72.26
1116.)	'05-30-2024 02:47:00.000'	72.24
1117.)	'05-30-2024 02:48:00.000'	72.38
1118.)	'05-30-2024 02:49:00.000'	72.29
1119.)	'05-30-2024 02:50:00.000'	71.92
1120.)	'05-30-2024 02:51:00.000'	71.88
1121.)	'05-30-2024 02:52:00.000'	71.58
1122.)	'05-30-2024 02:53:00.000'	72.33
1123.)	'05-30-2024 02:54:00.000'	72.07
1124.)	'05-30-2024 02:55:00.000'	71.71
1125.)	'05-30-2024 02:56:00.000'	71.28
1126.)	'05-30-2024 02:57:00.000'	72.16
1127.)	'05-30-2024 02:58:00.000'	71.96
1128.)	'05-30-2024 02:59:00.000'	72.05
1129.)	'05-30-2024 03:00:00.000'	71.4
1130.)	'05-30-2024 03:01:00.000'	70.83
1131.)	'05-30-2024 03:02:00.000'	70.71
1132.)	'05-30-2024 03:03:00.000'	70.85
1133.)	'05-30-2024 03:04:00.000'	70.99
1134.)	'05-30-2024 03:05:00.000'	71.23
1135.)	'05-30-2024 03:06:00.000'	71.1
1136.)	'05-30-2024 03:07:00.000'	71.4
1137.)	'05-30-2024 03:08:00.000'	71.35
1138.)	'05-30-2024 03:09:00.000'	70.57
1139.)	'05-30-2024 03:10:00.000'	71.01
1140.)	'05-30-2024 03:11:00.000'	70.86
1141.)	'05-30-2024 03:12:00.000'	78.48

DRC

PZ06-12000032

08/07/2024

DRC

PZ06-12000032

10/02/2024

1142.)	'05-30-2024 03:13:00.000'	76.28
1143.)	'05-30-2024 03:14:00.000'	74.82
1144.)	'05-30-2024 03:15:00.000'	74.35
1145.)	'05-30-2024 03:16:00.000'	74.71
1146.)	'05-30-2024 03:17:00.000'	74.83
1147.)	'05-30-2024 03:18:00.000'	74.65
1148.)	'05-30-2024 03:19:00.000'	74.89
1149.)	'05-30-2024 03:20:00.000'	75.22
1150.)	'05-30-2024 03:21:00.000'	75.2
1151.)	'05-30-2024 03:22:00.000'	74.98
1152.)	'05-30-2024 03:23:00.000'	75.47
1153.)	'05-30-2024 03:24:00.000'	74.83
1154.)	'05-30-2024 03:25:00.000'	74.66
1155.)	'05-30-2024 03:26:00.000'	74.72
1156.)	'05-30-2024 03:27:00.000'	74.64
1157.)	'05-30-2024 03:28:00.000'	74.66
1158.)	'05-30-2024 03:29:00.000'	74.9
1159.)	'05-30-2024 03:30:00.000'	74.22
1160.)	'05-30-2024 03:31:00.000'	73.83
1161.)	'05-30-2024 03:32:00.000'	74.27
1162.)	'05-30-2024 03:33:00.000'	74
1163.)	'05-30-2024 03:34:00.000'	74.54
1164.)	'05-30-2024 03:35:00.000'	74.4
1165.)	'05-30-2024 03:36:00.000'	74.13
1166.)	'05-30-2024 03:37:00.000'	74.47
1167.)	'05-30-2024 03:38:00.000'	74.2
1168.)	'05-30-2024 03:39:00.000'	73.95
1169.)	'05-30-2024 03:40:00.000'	74.08
1170.)	'05-30-2024 03:41:00.000'	74.62
1171.)	'05-30-2024 03:42:00.000'	74.96
1172.)	'05-30-2024 03:43:00.000'	74.64
1173.)	'05-30-2024 03:44:00.000'	74.88
1174.)	'05-30-2024 03:45:00.000'	73.89
1175.)	'05-30-2024 03:46:00.000'	74.21
1176.)	'05-30-2024 03:47:00.000'	74.63
1177.)	'05-30-2024 03:48:00.000'	73.78
1178.)	'05-30-2024 03:49:00.000'	74.36
1179.)	'05-30-2024 03:50:00.000'	75.3
1180.)	'05-30-2024 03:51:00.000'	74.1
1181.)	'05-30-2024 03:52:00.000'	74.68
1182.)	'05-30-2024 03:53:00.000'	74.42
1183.)	'05-30-2024 03:54:00.000'	74.36
1184.)	'05-30-2024 03:55:00.000'	74.23
1185.)	'05-30-2024 03:56:00.000'	73.29

DRC

PZ06-12000032

08/07/2024

DRC

PZ06-12000032

10/02/2024

1186.)	'05-30-2024 03:57:00.000'	73.64
1187.)	'05-30-2024 03:58:00.000'	73.56
1188.)	'05-30-2024 03:59:00.000'	73.91
1189.)	'05-30-2024 04:00:00.000'	72.93
1190.)	'05-30-2024 04:01:00.000'	72.08
1191.)	'05-30-2024 04:02:00.000'	72.3
1192.)	'05-30-2024 04:03:00.000'	71.9
1193.)	'05-30-2024 04:04:00.000'	71.97
1194.)	'05-30-2024 04:05:00.000'	70.47
1195.)	'05-30-2024 04:06:00.000'	70.94
1196.)	'05-30-2024 04:07:00.000'	70.61
1197.)	'05-30-2024 04:08:00.000'	70.28
1198.)	'05-30-2024 04:09:00.000'	70.24
1199.)	'05-30-2024 04:10:00.000'	70.57
1200.)	'05-30-2024 04:11:00.000'	70.68
1201.)	'05-30-2024 04:12:00.000'	70.02
1202.)	'05-30-2024 04:13:00.000'	70.21
1203.)	'05-30-2024 04:14:00.000'	70.07
1204.)	'05-30-2024 04:15:00.000'	69.5
1205.)	'05-30-2024 04:16:00.000'	70.64
1206.)	'05-30-2024 04:17:00.000'	70.42
1207.)	'05-30-2024 04:18:00.000'	70.32
1208.)	'05-30-2024 04:19:00.000'	70.3
1209.)	'05-30-2024 04:20:00.000'	69.91
1210.)	'05-30-2024 04:21:00.000'	70.93
1211.)	'05-30-2024 04:22:00.000'	70.72
1212.)	'05-30-2024 04:23:00.000'	69.79
1213.)	'05-30-2024 04:24:00.000'	69.81
1214.)	'05-30-2024 04:25:00.000'	70.25
1215.)	'05-30-2024 04:26:00.000'	70.59
1216.)	'05-30-2024 04:27:00.000'	69.98
1217.)	'05-30-2024 04:28:00.000'	70.68
1218.)	'05-30-2024 04:29:00.000'	70.71
1219.)	'05-30-2024 04:30:00.000'	70
1220.)	'05-30-2024 04:31:00.000'	69.72
1221.)	'05-30-2024 04:32:00.000'	69.71
1222.)	'05-30-2024 04:33:00.000'	69.31
1223.)	'05-30-2024 04:34:00.000'	70.23
1224.)	'05-30-2024 04:35:00.000'	70.21
1225.)	'05-30-2024 04:36:00.000'	69.5
1226.)	'05-30-2024 04:37:00.000'	69.98
1227.)	'05-30-2024 04:38:00.000'	69.05
1228.)	'05-30-2024 04:39:00.000'	70
1229.)	'05-30-2024 04:40:00.000'	70.45

DRC

PZ06-12000032

08/07/2024

DRC

PZ06-12000032

10/02/2024

1230.)	'05-30-2024 04:41:00.000'	69.71
1231.)	'05-30-2024 04:42:00.000'	70.44
1232.)	'05-30-2024 04:43:00.000'	69.47
1233.)	'05-30-2024 04:44:00.000'	69.48
1234.)	'05-30-2024 04:45:00.000'	69.41
1235.)	'05-30-2024 04:46:00.000'	69.88
1236.)	'05-30-2024 04:47:00.000'	69.76
1237.)	'05-30-2024 04:48:00.000'	69.04
1238.)	'05-30-2024 04:49:00.000'	69.86
1239.)	'05-30-2024 04:50:00.000'	69.16
1240.)	'05-30-2024 04:51:00.000'	70.4
1241.)	'05-30-2024 04:52:00.000'	70.03
1242.)	'05-30-2024 04:53:00.000'	69.95
1243.)	'05-30-2024 04:54:00.000'	69.62
1244.)	'05-30-2024 04:55:00.000'	69.35
1245.)	'05-30-2024 04:56:00.000'	69.87
1246.)	'05-30-2024 04:57:00.000'	69.98
1247.)	'05-30-2024 04:58:00.000'	70.66
1248.)	'05-30-2024 04:59:00.000'	69.84
1249.)	'05-30-2024 05:00:00.000'	69.74
1250.)	'05-30-2024 05:01:00.000'	67.92
1251.)	'05-30-2024 05:02:00.000'	68.94
1252.)	'05-30-2024 05:03:00.000'	68.32
1253.)	'05-30-2024 05:04:00.000'	71.93
1254.)	'05-30-2024 05:05:00.000'	69.83
1255.)	'05-30-2024 05:06:00.000'	68.32
1256.)	'05-30-2024 05:07:00.000'	68.92
1257.)	'05-30-2024 05:08:00.000'	68.64
1258.)	'05-30-2024 05:09:00.000'	68.92
1259.)	'05-30-2024 05:10:00.000'	68.95
1260.)	'05-30-2024 05:11:00.000'	68.24
1261.)	'05-30-2024 05:12:00.000'	68.63
1262.)	'05-30-2024 05:13:00.000'	68.72
1263.)	'05-30-2024 05:14:00.000'	69.31
1264.)	'05-30-2024 05:15:00.000'	69.32
1265.)	'05-30-2024 05:16:00.000'	69.29
1266.)	'05-30-2024 05:17:00.000'	69.21
1267.)	'05-30-2024 05:18:00.000'	68.7
1268.)	'05-30-2024 05:19:00.000'	68.63
1269.)	'05-30-2024 05:20:00.000'	68.67
1270.)	'05-30-2024 05:21:00.000'	69.4
1271.)	'05-30-2024 05:22:00.000'	69.61
1272.)	'05-30-2024 05:23:00.000'	69.6
1273.)	'05-30-2024 05:24:00.000'	68.58

DRC

PZ06-12000032

08/07/2024

DRC

PZ06-12000032

10/02/2024

1274.)	'05-30-2024 05:25:00.000'	68.57
1275.)	'05-30-2024 05:26:00.000'	68.97
1276.)	'05-30-2024 05:27:00.000'	68.43
1277.)	'05-30-2024 05:28:00.000'	69.17
1278.)	'05-30-2024 05:29:00.000'	69.44
1279.)	'05-30-2024 05:30:00.000'	69.73
1280.)	'05-30-2024 05:31:00.000'	69.36
1281.)	'05-30-2024 05:32:00.000'	68.89
1282.)	'05-30-2024 05:33:00.000'	68.5
1283.)	'05-30-2024 05:34:00.000'	68.67
1284.)	'05-30-2024 05:35:00.000'	69.14
1285.)	'05-30-2024 05:36:00.000'	68.62
1286.)	'05-30-2024 05:37:00.000'	69.53
1287.)	'05-30-2024 05:38:00.000'	69.29
1288.)	'05-30-2024 05:39:00.000'	69.41
1289.)	'05-30-2024 05:40:00.000'	69.41
1290.)	'05-30-2024 05:41:00.000'	69.88
1291.)	'05-30-2024 05:42:00.000'	69.61
1292.)	'05-30-2024 05:43:00.000'	69.41
1293.)	'05-30-2024 05:44:00.000'	69.72
1294.)	'05-30-2024 05:45:00.000'	69.38
1295.)	'05-30-2024 05:46:00.000'	69.97
1296.)	'05-30-2024 05:47:00.000'	70.19
1297.)	'05-30-2024 05:48:00.000'	70.29
1298.)	'05-30-2024 05:49:00.000'	69.86
1299.)	'05-30-2024 05:50:00.000'	70.3
1300.)	'05-30-2024 05:51:00.000'	70.61
1301.)	'05-30-2024 05:52:00.000'	71.04
1302.)	'05-30-2024 05:53:00.000'	70.75
1303.)	'05-30-2024 05:54:00.000'	70.46
1304.)	'05-30-2024 05:55:00.000'	70.3
1305.)	'05-30-2024 05:56:00.000'	70.32
1306.)	'05-30-2024 05:57:00.000'	70.23
1307.)	'05-30-2024 05:58:00.000'	70.6
1308.)	'05-30-2024 05:59:00.000'	71.01
1309.)	'05-30-2024 06:00:00.000'	70.37
1310.)	'05-30-2024 06:01:00.000'	69.93
1311.)	'05-30-2024 06:02:00.000'	70.23
1312.)	'05-30-2024 06:03:00.000'	70.06
1313.)	'05-30-2024 06:04:00.000'	70.23
1314.)	'05-30-2024 06:05:00.000'	70.19
1315.)	'05-30-2024 06:06:00.000'	69.69
1316.)	'05-30-2024 06:07:00.000'	70.2
1317.)	'05-30-2024 06:08:00.000'	69.95

DRC

PZ06-12000032

08/07/2024

DRC

PZ06-12000032

10/02/2024

1318.)	'05-30-2024 06:09:00.000'	70.07
1319.)	'05-30-2024 06:10:00.000'	69.93
1320.)	'05-30-2024 06:11:00.000'	69.52
1321.)	'05-30-2024 06:12:00.000'	69.63
1322.)	'05-30-2024 06:13:00.000'	68.97
1323.)	'05-30-2024 06:14:00.000'	69.34
1324.)	'05-30-2024 06:15:00.000'	69.81
1325.)	'05-30-2024 06:16:00.000'	70.68
1326.)	'05-30-2024 06:17:00.000'	70.36
1327.)	'05-30-2024 06:18:00.000'	69.9
1328.)	'05-30-2024 06:19:00.000'	70.3
1329.)	'05-30-2024 06:20:00.000'	69.86
1330.)	'05-30-2024 06:21:00.000'	70.02
1331.)	'05-30-2024 06:22:00.000'	70.77
1332.)	'05-30-2024 06:23:00.000'	71.39
1333.)	'05-30-2024 06:24:00.000'	70.96
1334.)	'05-30-2024 06:25:00.000'	70.66
1335.)	'05-30-2024 06:26:00.000'	70.71
1336.)	'05-30-2024 06:27:00.000'	71.45
1337.)	'05-30-2024 06:28:00.000'	71.73
1338.)	'05-30-2024 06:29:00.000'	71.78
1339.)	'05-30-2024 06:30:00.000'	71.16
1340.)	'05-30-2024 06:31:00.000'	71.8
1341.)	'05-30-2024 06:32:00.000'	71.63
1342.)	'05-30-2024 06:33:00.000'	72.18
1343.)	'05-30-2024 06:34:00.000'	72.38
1344.)	'05-30-2024 06:35:00.000'	73.18
1345.)	'05-30-2024 06:36:00.000'	72.41
1346.)	'05-30-2024 06:37:00.000'	72.24
1347.)	'05-30-2024 06:38:00.000'	72.68
1348.)	'05-30-2024 06:39:00.000'	72.99
1349.)	'05-30-2024 06:40:00.000'	73.18
1350.)	'05-30-2024 06:41:00.000'	72.42
1351.)	'05-30-2024 06:42:00.000'	73.01
1352.)	'05-30-2024 06:43:00.000'	72.63
1353.)	'05-30-2024 06:44:00.000'	72.64
1354.)	'05-30-2024 06:45:00.000'	72.33
1355.)	'05-30-2024 06:46:00.000'	73.54
1356.)	'05-30-2024 06:47:00.000'	73.42
1357.)	'05-30-2024 06:48:00.000'	73.79
1358.)	'05-30-2024 06:49:00.000'	73.71
1359.)	'05-30-2024 06:50:00.000'	73.54
1360.)	'05-30-2024 06:51:00.000'	73.35
1361.)	'05-30-2024 06:52:00.000'	73.5

DRC

PZ06-12000032

08/07/2024

DRC

PZ06-12000032

10/02/2024

1362.)	'05-30-2024 06:53:00.000'	73.63
1363.)	'05-30-2024 06:54:00.000'	72.67
1364.)	'05-30-2024 06:55:00.000'	73.59
1365.)	'05-30-2024 06:56:00.000'	73.82
1366.)	'05-30-2024 06:57:00.000'	73.47
1367.)	'05-30-2024 06:58:00.000'	73.4
1368.)	'05-30-2024 06:59:00.000'	72.96
1369.)	'05-30-2024 07:00:00.000'	73.78
1370.)	'05-30-2024 07:01:00.000'	73.84
1371.)	'05-30-2024 07:02:00.000'	72.77
1372.)	'05-30-2024 07:03:00.000'	72.77
1373.)	'05-30-2024 07:04:00.000'	72.51
1374.)	'05-30-2024 07:05:00.000'	73.18
1375.)	'05-30-2024 07:06:00.000'	73.62
1376.)	'05-30-2024 07:07:00.000'	72.99
1377.)	'05-30-2024 07:08:00.000'	73.03
1378.)	'05-30-2024 07:09:00.000'	73.3
1379.)	'05-30-2024 07:10:00.000'	73.02
1380.)	'05-30-2024 07:11:00.000'	73.25
1381.)	'05-30-2024 07:12:00.000'	72.38
1382.)	'05-30-2024 07:13:00.000'	72.94
1383.)	'05-30-2024 07:14:00.000'	73.33
1384.)	'05-30-2024 07:15:00.000'	72.81
1385.)	'05-30-2024 07:16:00.000'	73.32
1386.)	'05-30-2024 07:17:00.000'	73.36
1387.)	'05-30-2024 07:18:00.000'	73.74
1388.)	'05-30-2024 07:19:00.000'	73.91
1389.)	'05-30-2024 07:20:00.000'	74.35
1390.)	'05-30-2024 07:21:00.000'	74.38
1391.)	'05-30-2024 07:22:00.000'	74.36
1392.)	'05-30-2024 07:23:00.000'	73.85
1393.)	'05-30-2024 07:24:00.000'	74.27
1394.)	'05-30-2024 07:25:00.000'	74.36
1395.)	'05-30-2024 07:26:00.000'	74.59
1396.)	'05-30-2024 07:27:00.000'	33.64
1397.)	'05-30-2024 07:28:00.000'	0.14
1398.)	'05-30-2024 07:29:00.000'	0.12
1399.)	'05-30-2024 07:30:00.000'	0.14
1400.)	'05-30-2024 07:31:00.000'	0.17
1401.)	'05-30-2024 07:32:00.000'	0.14
1402.)	'05-30-2024 07:33:00.000'	0.28
1403.)	'05-30-2024 07:34:00.000'	0.26
1404.)	'05-30-2024 07:35:00.000'	0.19
1405.)	'05-30-2024 07:36:00.000'	0.23

DRC

PZ06-12000032

08/07/2024

DRC

PZ06-12000032

10/02/2024

1406.)	'05-30-2024 07:37:00.000'	0.22
1407.)	'05-30-2024 07:38:00.000'	0.37
1408.)	'05-30-2024 07:39:00.000'	0.3
1409.)	'05-30-2024 07:40:00.000'	0.21
1410.)	'05-30-2024 07:41:00.000'	0.27
1411.)	'05-30-2024 07:42:00.000'	0.24
1412.)	'05-30-2024 07:43:00.000'	0.2
1413.)	'05-30-2024 07:44:00.000'	0.28
1414.)	'05-30-2024 07:45:00.000'	0.25
1415.)	'05-30-2024 07:46:00.000'	0.39
1416.)	'05-30-2024 07:47:00.000'	0.27
1417.)	'05-30-2024 07:48:00.000'	0.31
1418.)	'05-30-2024 07:49:00.000'	0.34
1419.)	'05-30-2024 07:50:00.000'	0.23
1420.)	'05-30-2024 07:51:00.000'	0.18
1421.)	'05-30-2024 07:52:00.000'	0.21
1422.)	'05-30-2024 07:53:00.000'	0.25
1423.)	'05-30-2024 07:54:00.000'	0.33
1424.)	'05-30-2024 07:55:00.000'	0.25
1425.)	'05-30-2024 07:56:00.000'	0.23
1426.)	'05-30-2024 07:57:00.000'	0.22
1427.)	'05-30-2024 07:58:00.000'	0.27
1428.)	'05-30-2024 07:59:00.000'	0.18
1429.)	'05-30-2024 08:00:00.000'	0.28
1430.)	'05-30-2024 08:01:00.000'	0.3
1431.)	'05-30-2024 08:02:00.000'	0.18
1432.)	'05-30-2024 08:03:00.000'	0.15
1433.)	'05-30-2024 08:04:00.000'	-0.19
1434.)	'05-30-2024 08:05:00.000'	-0.03
1435.)	'05-30-2024 08:06:00.000'	0.07
1436.)	'05-30-2024 08:07:00.000'	0.09
1437.)	'05-30-2024 08:08:00.000'	0.17
1438.)	'05-30-2024 08:09:00.000'	0.1
1439.)	'05-30-2024 08:10:00.000'	0.21
1440.)	'05-30-2024 08:11:00.000'	0.21
1441.)	'05-30-2024 08:12:00.000'	0.17
1442.)	'05-30-2024 08:13:00.000'	0.23
1443.)	'05-30-2024 08:14:00.000'	0.26
1444.)	'05-30-2024 08:15:00.000'	0.14
1445.)	'05-30-2024 08:16:00.000'	0.17
1446.)	'05-30-2024 08:17:00.000'	0.11
1447.)	'05-30-2024 08:18:00.000'	0.13
1448.)	'05-30-2024 08:19:00.000'	0.18
1449.)	'05-30-2024 08:20:00.000'	0.13

DRC

PZ06-12000032

08/07/2024

DRC

PZ06-12000032

10/02/2024

1450.)	'05-30-2024 08:21:00.000'	0.27
1451.)	'05-30-2024 08:22:00.000'	0.18
1452.)	'05-30-2024 08:23:00.000'	0.16
1453.)	'05-30-2024 08:24:00.000'	0.18
1454.)	'05-30-2024 08:25:00.000'	0.22
1455.)	'05-30-2024 08:26:00.000'	0.2
1456.)	'05-30-2024 08:27:00.000'	0.25
1457.)	'05-30-2024 08:28:00.000'	0.24
1458.)	'05-30-2024 08:29:00.000'	0.02
1459.)	'05-30-2024 08:30:00.000'	0.16
1460.)	'05-30-2024 08:31:00.000'	0.1
1461.)	'05-30-2024 08:32:00.000'	0.18
1462.)	'05-30-2024 08:33:00.000'	0.16
1463.)	'05-30-2024 08:34:00.000'	0.12
1464.)	'05-30-2024 08:35:00.000'	0.18
1465.)	'05-30-2024 08:36:00.000'	0.15
1466.)	'05-30-2024 08:37:00.000'	0.29
1467.)	'05-30-2024 08:38:00.000'	0.18
1468.)	'05-30-2024 08:39:00.000'	0.2
1469.)	'05-30-2024 08:40:00.000'	0.23
1470.)	'05-30-2024 08:41:00.000'	0.23
1471.)	'05-30-2024 08:42:00.000'	0.34
1472.)	'05-30-2024 08:43:00.000'	0.17
1473.)	'05-30-2024 08:44:00.000'	0.13
1474.)	'05-30-2024 08:45:00.000'	0.1
1475.)	'05-30-2024 08:46:00.000'	0.18
1476.)	'05-30-2024 08:47:00.000'	0.12
1477.)	'05-30-2024 08:48:00.000'	0.13
1478.)	'05-30-2024 08:49:00.000'	0.11
1479.)	'05-30-2024 08:50:00.000'	0.11
1480.)	'05-30-2024 08:51:00.000'	0.14
1481.)	'05-30-2024 08:52:00.000'	0.2
1482.)	'05-30-2024 08:53:00.000'	0.22
1483.)	'05-30-2024 08:54:00.000'	0.22
1484.)	'05-30-2024 08:55:00.000'	0.14
1485.)	'05-30-2024 08:56:00.000'	0.15
1486.)	'05-30-2024 08:57:00.000'	0.16
1487.)	'05-30-2024 08:58:00.000'	0.13
1488.)	'05-30-2024 08:59:00.000'	0.14
1489.)	'05-30-2024 09:00:00.000'	0.15
1490.)	'05-30-2024 09:01:00.000'	0.18
1491.)	'05-30-2024 09:02:00.000'	0.14
1492.)	'05-30-2024 09:03:00.000'	0.18
1493.)	'05-30-2024 09:04:00.000'	0.21

DRC

PZ06-12000032

08/07/2024

1494.)	'05-30-2024 09:05:00.000'	0.12
1495.)	'05-30-2024 09:06:00.000'	0.3
1496.)	'05-30-2024 09:07:00.000'	0.23
1497.)	'05-30-2024 09:08:00.000'	0.21
1498.)	'05-30-2024 09:09:00.000'	0.14
1499.)	'05-30-2024 09:10:00.000'	0.12
1500.)	'05-30-2024 09:11:00.000'	0.14
1501.)	'05-30-2024 09:12:00.000'	0.16
1502.)	'05-30-2024 09:13:00.000'	0.12
1503.)	'05-30-2024 09:14:00.000'	0.15
1504.)	'05-30-2024 09:15:00.000'	0.18
1505.)	'05-30-2024 09:16:00.000'	0.15
1506.)	'05-30-2024 09:17:00.000'	0.25
1507.)	'05-30-2024 09:18:00.000'	0.24

DRC

PZ06-12000032
10/02/2024

DRC

PZ06-12000032
08/07/2024