

DRC

PZ23-12000017
02/07/2024



Fire Prevention Fire Hydrant Flow Test



City of Pompano Beach • Bureau of Fire Prevention
100 West Atlantic Boulevard, Room 220 Pompano Beach, FL 33060
Phone: (954) 786-4695

City of Pompano Beach Fire Prevention will **WITNESS** all fire hydrant flow test that are required for fire flow purposes.

- City of Pompano Beach Code of Ordinances Title IX Chapter 95 Section 95.14(G). Fire hydrant flow tests.
- The Fire Department shall witness all hydrant flow tests as required for fire protection systems.
- All fire flow tests shall be in accordance with NFPA 291 and Broward County Amendments F-112.
- Broward County Amendments F-112(e) - The static pressure at the water main shall be determined by a recorded method for a minimum twenty-four (24) hour period.
- Morning of fire Hydrant static/residue connection contractor to provide documents of test equipment certification.

Information:

Date:	6/5/23
Company Requesting Flow Test:	SUMMERS FIRE SPRINKLERS, INC.
Contact Name:	ANDRE ACOSTA
Contact Phone Number:	OFFICE: (561) 393-6718 / ANDRE ACOSTA (CELL): (561) 312-3657
Email Address:	andrea@summersfire.com
Associated Application Number:	
Associated Project Name:	3701 OAKS CLUBHOUSE DRIVE, POMPANO BEACH, FLORIDA

Proposed Date/Time for Fire Hydrant Flow Test: (8am – 9am)

- Request Hydrant Flow Test minimum 72 hours in advance.
- Connection of Fire Hydrant for 24 hour static/residual must be between 0730hrs and 0830hrs.

Requested Date:	6/7/23	Time:	8:30 AM
Alternate Date:	NEXT AVAILABLE	Time:	NEXT AVAILABLE

Fire Hydrant Flow Test Location:

Hydrant Location - Static/Residual:	3701 OAKS CLUBHOUSE DRIVE, POMPANO BEACH (PLEASE SEE MAP ATTACHED)
Hydrant Location - Flow:	3701 OAKS CLUBHOUSE DRIVE, POMPANO BEACH (PLEASE SEE MAP ATTACHED)

Fire Hydrant Flow Test Witness Fee:

There is a \$150.00 fee for performing each flow test. All tests will be completed within 5 business days. Please include map/sketch showing streets/cross streets & locations of flow and residual fire hydrants. Return flow test application to the Bureau of Fire Prevention with form of payment for \$150.00.

Make check and money orders payable to "CITY OF POMPANO BEACH"
If mailing in application with payment send to the addressed listed below.

Pompano Beach Fire Prevention
100 W. Atlantic Blvd. – Room 220
Pompano Beach, FL 33060

NOTE TO TREASURY: Post to 001-0000-367.30-00

	Yes	No	
Flow Test Equipment Certification:			Date:

Fire Hydrant Id	Flow Pitot PSI	Flow GPM	Static Pressure 24 hr. Low PSI	Static Pressure Before Flow	Residual PSI During Flow	Tip Size
	50	1192				2-1/2"
			75	78	72	2-1/2"
Total Hydrant Flow:						

- Fire Flow Data to be completed and entered on site.
- Fire flow data provided to Fire Prevention at a later date, must be signed/sealed by the Engineer of Record.

DRC


Person Conducting Flow Test:

Fire Inspector Witnessing Flow Test:

PZ23-12000017
09/20/2023

DRC

PZ23-12000017
02/07/2024



DRC

PZ23-12000017
09/20/2023

DRC

PL200-H Fir 6/8/2023 11:24:39 AM

PZ23-12000017

02/07/2024

Date	Time	PSI	Volts
6/7/2023	09:00:03	81.1	3.49
6/7/2023	09:01:03	82	3.48
6/7/2023	09:02:03	81.1	3.48
6/7/2023	09:03:03	80.99	3.48
6/7/2023	09:04:03	80.09	3.48
6/7/2023	09:05:03	81.44	3.48
6/7/2023	09:06:03	79.97	3.48
6/7/2023	09:07:03	80.99	3.48
6/7/2023	09:08:03	81.78	3.48
6/7/2023	09:09:03	81.66	3.48
6/7/2023	09:10:03	81.1	3.48
6/7/2023	09:11:03	79.52	3.48
6/7/2023	09:12:03	80.88	3.48
6/7/2023	09:13:03	81.89	3.48
6/7/2023	09:14:03	82.23	3.48
6/7/2023	09:15:03	81.55	3.48
6/7/2023	09:16:03	81.44	3.48
6/7/2023	09:17:03	80.31	3.48
6/7/2023	09:18:03	81.78	3.48
6/7/2023	09:19:03	81.33	3.48
6/7/2023	09:20:03	81.21	3.48
6/7/2023	09:21:03	81.44	3.48
6/7/2023	09:22:03	81.78	3.48
6/7/2023	09:23:03	81.1	3.48
6/7/2023	09:24:03	81.33	3.49
6/7/2023	09:25:03	80.99	3.48
6/7/2023	09:26:03	81.33	3.49
6/7/2023	09:27:03	82.79	3.49
6/7/2023	09:28:03	80.88	3.49
6/7/2023	09:29:03	80.54	3.49
6/7/2023	09:30:03	81.21	3.49
6/7/2023	09:31:03	81.66	3.49
6/7/2023	09:32:03	81.78	3.49
6/7/2023	09:33:03	81.78	3.49
6/7/2023	09:34:03	82.68	3.49
6/7/2023	09:35:03	81.44	3.49
6/7/2023	09:36:03	81.55	3.49
6/7/2023	09:37:03	80.88	3.49
6/7/2023	09:38:03	80.43	3.49
6/7/2023	09:39:03	80.2	3.49
6/7/2023	09:40:03	80.09	3.49
6/7/2023	09:41:03	80.31	3.49
6/7/2023	09:42:03	81.44	3.49
6/7/2023	09:43:03	81.89	3.49
6/7/2023	09:44:03	80.88	3.49

DRC

PZ23-12000017

09/20/2023

DRC

PZ23-12000017
02/07/2024

6/7/2023	09:45:03	80.65	3.49
6/7/2023	09:46:03	81.1	3.49
6/7/2023	09:47:03	80.65	3.49
6/7/2023	09:48:03	82.23	3.49
6/7/2023	09:49:03	81.1	3.49
6/7/2023	09:50:03	80.88	3.5
6/7/2023	09:51:03	81.55	3.49
6/7/2023	09:52:03	80.88	3.5
6/7/2023	09:53:03	81.1	3.49
6/7/2023	09:54:03	81.21	3.49
6/7/2023	09:55:03	81.66	3.49
6/7/2023	09:56:03	80.54	3.49
6/7/2023	09:57:03	82.45	3.5
6/7/2023	09:58:03	80.76	3.5
6/7/2023	09:59:03	80.43	3.5
6/7/2023	10:00:03	79.52	3.5
6/7/2023	10:01:03	81.1	3.5
6/7/2023	10:02:03	80.54	3.5
6/7/2023	10:03:03	80.76	3.5
6/7/2023	10:04:03	81.44	3.5
6/7/2023	10:05:03	80.2	3.5
6/7/2023	10:06:03	75.36	3.5
6/7/2023	10:07:03	78.62	3.5
6/7/2023	10:08:03	80.76	3.5
6/7/2023	10:09:03	80.09	3.5
6/7/2023	10:10:03	79.86	3.5
6/7/2023	10:11:03	81.44	3.5
6/7/2023	10:12:03	81.33	3.5
6/7/2023	10:13:03	81.66	3.5
6/7/2023	10:14:03	80.09	3.5
6/7/2023	10:15:03	80.65	3.5
6/7/2023	10:16:03	80.88	3.5
6/7/2023	10:17:03	81.44	3.5
6/7/2023	10:18:03	81.33	3.5
6/7/2023	10:19:03	79.64	3.5
6/7/2023	10:20:03	80.31	3.5
6/7/2023	10:21:03	80.65	3.5
6/7/2023	10:22:03	80.65	3.5
6/7/2023	10:23:03	80.88	3.5
6/7/2023	10:24:03	79.86	3.5
6/7/2023	10:25:03	80.54	3.5
6/7/2023	10:26:03	80.09	3.5
6/7/2023	10:27:03	80.2	3.5
6/7/2023	10:28:03	79.3	3.5
6/7/2023	10:29:03	80.43	3.5
6/7/2023	10:30:03	81.44	3.5
6/7/2023	10:31:03	81.21	3.5

DRC

PZ23-12000017
09/20/2023

DRC

PZ23-1200017
02/07/2024

6/7/2023	10:32:03	80.99	3.5
6/7/2023	10:33:03	80.54	3.5
6/7/2023	10:34:03	80.09	3.5
6/7/2023	10:35:03	79.97	3.5
6/7/2023	10:36:03	80.09	3.5
6/7/2023	10:37:03	80.31	3.5
6/7/2023	10:38:03	81.44	3.5
6/7/2023	10:39:03	80.76	3.5
6/7/2023	10:40:03	81.21	3.5
6/7/2023	10:41:03	80.99	3.5
6/7/2023	10:42:03	79.97	3.5
6/7/2023	10:43:03	80.54	3.5
6/7/2023	10:44:03	80.31	3.5
6/7/2023	10:45:03	79.86	3.5
6/7/2023	10:46:03	80.99	3.5
6/7/2023	10:47:03	80.76	3.5
6/7/2023	10:48:03	81.78	3.5
6/7/2023	10:49:03	80.43	3.5
6/7/2023	10:50:03	80.43	3.5
6/7/2023	10:51:03	81.89	3.5
6/7/2023	10:52:03	81.44	3.5
6/7/2023	10:53:03	80.99	3.5
6/7/2023	10:54:03	80.2	3.5
6/7/2023	10:55:03	80.54	3.5
6/7/2023	10:56:03	81.21	3.5
6/7/2023	10:57:03	80.2	3.5
6/7/2023	10:58:03	80.54	3.5
6/7/2023	10:59:03	82.68	3.5
6/7/2023	11:00:03	80.65	3.5
6/7/2023	11:01:03	81.33	3.5
6/7/2023	11:02:03	81.21	3.5
6/7/2023	11:03:03	81.1	3.5
6/7/2023	11:04:03	81.1	3.5
6/7/2023	11:05:03	81.89	3.5
6/7/2023	11:06:03	79.3	3.5
6/7/2023	11:07:03	80.88	3.5
6/7/2023	11:08:03	82.34	3.5
6/7/2023	11:09:03	81.89	3.5
6/7/2023	11:10:03	81.1	3.5
6/7/2023	11:11:03	80.43	3.5
6/7/2023	11:12:03	80.65	3.5
6/7/2023	11:13:03	81.21	3.5
6/7/2023	11:14:03	81.33	3.5
6/7/2023	11:15:03	81.44	3.5
6/7/2023	11:16:03	81.1	3.5
6/7/2023	11:17:03	81.21	3.5
6/7/2023	11:18:03	80.54	3.5

DRC

PZ23-1200017
09/20/2023

DRC

PZ23-12000017
02/07/2024

6/7/2023	11:19:03	80.76	3.5
6/7/2023	11:20:03	80.99	3.5
6/7/2023	11:21:03	80.88	3.5
6/7/2023	11:22:03	80.31	3.5
6/7/2023	11:23:03	79.97	3.5
6/7/2023	11:24:03	81.21	3.5
6/7/2023	11:25:03	80.31	3.5
6/7/2023	11:26:03	80.43	3.5
6/7/2023	11:27:03	80.2	3.5
6/7/2023	11:28:03	80.65	3.5
6/7/2023	11:29:03	80.65	3.5
6/7/2023	11:30:03	80.65	3.5
6/7/2023	11:31:03	79.64	3.5
6/7/2023	11:32:03	79.07	3.5
6/7/2023	11:33:03	79.3	3.5
6/7/2023	11:34:03	81.33	3.5
6/7/2023	11:35:03	80.65	3.5
6/7/2023	11:36:03	80.99	3.5
6/7/2023	11:37:03	80.99	3.5
6/7/2023	11:38:03	80.76	3.5
6/7/2023	11:39:03	81.33	3.51
6/7/2023	11:40:03	81.33	3.5
6/7/2023	11:41:03	80.31	3.5
6/7/2023	11:42:03	80.88	3.5
6/7/2023	11:43:03	80.65	3.5
6/7/2023	11:44:03	81.33	3.5
6/7/2023	11:45:03	81.89	3.5
6/7/2023	11:46:03	80.65	3.5
6/7/2023	11:47:03	81.44	3.5
6/7/2023	11:48:03	80.65	3.5
6/7/2023	11:49:03	80.09	3.5
6/7/2023	11:50:03	80.76	3.5
6/7/2023	11:51:03	81.55	3.51
6/7/2023	11:52:03	80.99	3.51
6/7/2023	11:53:03	80.09	3.5
6/7/2023	11:54:03	81.44	3.5
6/7/2023	11:55:03	81.1	3.5
6/7/2023	11:56:03	80.88	3.5
6/7/2023	11:57:03	79.97	3.51
6/7/2023	11:58:03	80.88	3.5
6/7/2023	11:59:03	80.99	3.51
6/7/2023	12:00:03	80.2	3.5
6/7/2023	12:01:03	80.54	3.5
6/7/2023	12:02:03	79.64	3.51
6/7/2023	12:03:03	81.1	3.51
6/7/2023	12:04:03	80.76	3.51
6/7/2023	12:05:03	80.76	3.51

DRC

PZ23-12000017
09/20/2023

DRC

PZ23-12000017
02/07/2024

6/7/2023	12:06:03	81.1	3.51
6/7/2023	12:07:03	80.2	3.51
6/7/2023	12:08:03	80.43	3.51
6/7/2023	12:09:03	80.2	3.51
6/7/2023	12:10:03	81.21	3.51
6/7/2023	12:11:03	80.65	3.51
6/7/2023	12:12:03	80.31	3.51
6/7/2023	12:13:03	79.64	3.51
6/7/2023	12:14:03	79.75	3.51
6/7/2023	12:15:03	80.65	3.51
6/7/2023	12:16:03	79.86	3.51
6/7/2023	12:17:03	79.64	3.51
6/7/2023	12:18:03	80.76	3.51
6/7/2023	12:19:03	80.31	3.51
6/7/2023	12:20:03	80.76	3.51
6/7/2023	12:21:03	79.97	3.51
6/7/2023	12:22:03	80.99	3.51
6/7/2023	12:23:03	81.44	3.51
6/7/2023	12:24:03	80.76	3.51
6/7/2023	12:25:03	80.88	3.51
6/7/2023	12:26:03	81.33	3.5
6/7/2023	12:27:03	80.88	3.5
6/7/2023	12:28:03	80.99	3.5
6/7/2023	12:29:03	81.78	3.5
6/7/2023	12:30:03	80.88	3.5
6/7/2023	12:31:03	81.1	3.5
6/7/2023	12:32:03	81.1	3.5
6/7/2023	12:33:03	81.55	3.5
6/7/2023	12:34:03	81.66	3.5
6/7/2023	12:35:03	81.33	3.5
6/7/2023	12:36:03	81.89	3.5
6/7/2023	12:37:03	82	3.5
6/7/2023	12:38:03	82.23	3.5
6/7/2023	12:39:03	81.21	3.5
6/7/2023	12:40:03	81.1	3.5
6/7/2023	12:41:03	80.88	3.5
6/7/2023	12:42:03	81.1	3.5
6/7/2023	12:43:03	81.1	3.5
6/7/2023	12:44:03	80.43	3.5
6/7/2023	12:45:03	81.44	3.5
6/7/2023	12:46:03	81.21	3.5
6/7/2023	12:47:03	80.43	3.5
6/7/2023	12:48:03	80.43	3.5
6/7/2023	12:49:03	81.21	3.5
6/7/2023	12:50:03	80.54	3.5
6/7/2023	12:51:03	81.21	3.5
6/7/2023	12:52:03	79.75	3.5

DRC

PZ23-12000017
09/20/2023

DRC

PZ23-12000017
02/07/2024

6/7/2023	12:53:03	80.88	3.5
6/7/2023	12:54:03	80.76	3.5
6/7/2023	12:55:03	81.66	3.5
6/7/2023	12:56:03	81.66	3.5
6/7/2023	12:57:03	80.76	3.5
6/7/2023	12:58:03	80.99	3.5
6/7/2023	12:59:03	82.11	3.5
6/7/2023	13:00:03	80.43	3.5
6/7/2023	13:01:03	80.31	3.5
6/7/2023	13:02:03	81.33	3.5
6/7/2023	13:03:03	81.33	3.5
6/7/2023	13:04:03	81.21	3.5
6/7/2023	13:05:03	81.44	3.5
6/7/2023	13:06:03	80.09	3.49
6/7/2023	13:07:03	80.65	3.5
6/7/2023	13:08:03	81.21	3.49
6/7/2023	13:09:03	81.78	3.49
6/7/2023	13:10:03	80.65	3.49
6/7/2023	13:11:03	80.43	3.49
6/7/2023	13:12:03	80.43	3.49
6/7/2023	13:13:03	80.88	3.49
6/7/2023	13:14:03	80.31	3.49
6/7/2023	13:15:03	80.09	3.49
6/7/2023	13:16:03	80.09	3.49
6/7/2023	13:17:03	80.99	3.49
6/7/2023	13:18:03	80.99	3.49
6/7/2023	13:19:03	81.21	3.49
6/7/2023	13:20:03	80.43	3.49
6/7/2023	13:21:03	82	3.49
6/7/2023	13:22:03	81.1	3.49
6/7/2023	13:23:03	81.89	3.49
6/7/2023	13:24:03	81.89	3.49
6/7/2023	13:25:03	80.76	3.49
6/7/2023	13:26:03	80.99	3.49
6/7/2023	13:27:03	81.44	3.49
6/7/2023	13:28:03	80.54	3.49
6/7/2023	13:29:03	81.1	3.49
6/7/2023	13:30:03	81.33	3.49
6/7/2023	13:31:03	81.33	3.49
6/7/2023	13:32:03	80.99	3.49
6/7/2023	13:33:03	81.55	3.49
6/7/2023	13:34:03	80.43	3.49
6/7/2023	13:35:03	81.78	3.49
6/7/2023	13:36:03	81.1	3.49
6/7/2023	13:37:03	81.89	3.49
6/7/2023	13:38:03	82.23	3.49
6/7/2023	13:39:03	81.21	3.49

DRC

PZ23-12000017
09/20/2023

DRC

PZ23-12000017
02/07/2024

6/7/2023	13:40:03	80.88	3.49
6/7/2023	13:41:03	80.76	3.49
6/7/2023	13:42:03	80.09	3.5
6/7/2023	13:43:03	81.44	3.49
6/7/2023	13:44:03	80.54	3.5
6/7/2023	13:45:03	81.21	3.49
6/7/2023	13:46:03	80.54	3.5
6/7/2023	13:47:03	82.34	3.5
6/7/2023	13:48:03	81.78	3.49
6/7/2023	13:49:03	81.33	3.5
6/7/2023	13:50:03	80.76	3.49
6/7/2023	13:51:03	81.1	3.49
6/7/2023	13:52:03	79.97	3.49
6/7/2023	13:53:03	81.89	3.5
6/7/2023	13:54:03	81.1	3.49
6/7/2023	13:55:03	81.1	3.49
6/7/2023	13:56:03	82.23	3.49
6/7/2023	13:57:03	80.88	3.49
6/7/2023	13:58:03	81.21	3.49
6/7/2023	13:59:03	81.33	3.49
6/7/2023	14:00:03	82.68	3.5
6/7/2023	14:01:03	82.23	3.5
6/7/2023	14:02:03	82	3.5
6/7/2023	14:03:03	83.24	3.5
6/7/2023	14:04:03	82.57	3.5
6/7/2023	14:05:03	83.13	3.5
6/7/2023	14:06:03	84.03	3.5
6/7/2023	14:07:03	84.03	3.5
6/7/2023	14:08:03	83.02	3.49
6/7/2023	14:09:03	82.9	3.49
6/7/2023	14:10:03	83.24	3.5
6/7/2023	14:11:03	83.24	3.5
6/7/2023	14:12:03	82.57	3.5
6/7/2023	14:13:03	83.24	3.49
6/7/2023	14:14:03	83.13	3.49
6/7/2023	14:15:03	82.79	3.49
6/7/2023	14:16:03	83.13	3.49
6/7/2023	14:17:03	83.47	3.49
6/7/2023	14:18:03	82.9	3.49
6/7/2023	14:19:03	83.02	3.49
6/7/2023	14:20:03	81.66	3.49
6/7/2023	14:21:03	83.24	3.49
6/7/2023	14:22:03	82	3.49
6/7/2023	14:23:03	83.58	3.49
6/7/2023	14:24:03	83.02	3.49
6/7/2023	14:25:03	83.58	3.49
6/7/2023	14:26:03	82.68	3.49

DRC

PZ23-12000017
09/20/2023

DRC

PZ23-12000017
02/07/2024

6/7/2023	14:27:03	83.58	3.49
6/7/2023	14:28:03	83.35	3.49
6/7/2023	14:29:03	83.02	3.49
6/7/2023	14:30:03	82.68	3.49
6/7/2023	14:31:03	83.58	3.49
6/7/2023	14:32:03	83.02	3.49
6/7/2023	14:33:03	83.13	3.49
6/7/2023	14:34:03	83.24	3.49
6/7/2023	14:35:03	83.58	3.49
6/7/2023	14:36:03	84.14	3.49
6/7/2023	14:37:03	84.03	3.49
6/7/2023	14:38:03	83.13	3.49
6/7/2023	14:39:03	83.35	3.49
6/7/2023	14:40:03	82.68	3.49
6/7/2023	14:41:03	83.92	3.49
6/7/2023	14:42:03	82.68	3.49
6/7/2023	14:43:03	82.79	3.49
6/7/2023	14:44:03	83.35	3.49
6/7/2023	14:45:03	83.58	3.49
6/7/2023	14:46:03	82.9	3.49
6/7/2023	14:47:03	83.24	3.49
6/7/2023	14:48:03	83.02	3.49
6/7/2023	14:49:03	82.79	3.49
6/7/2023	14:50:03	83.02	3.49
6/7/2023	14:51:03	83.69	3.49
6/7/2023	14:52:03	84.59	3.49
6/7/2023	14:53:03	82.57	3.49
6/7/2023	14:54:03	84.14	3.49
6/7/2023	14:55:03	83.8	3.49
6/7/2023	14:56:03	84.37	3.49
6/7/2023	14:57:03	83.58	3.49
6/7/2023	14:58:03	83.69	3.49
6/7/2023	14:59:03	83.02	3.49
6/7/2023	15:00:03	83.13	3.49
6/7/2023	15:01:03	83.02	3.49
6/7/2023	15:02:03	84.59	3.49
6/7/2023	15:03:03	82.79	3.49
6/7/2023	15:04:03	83.47	3.49
6/7/2023	15:05:03	82.68	3.49
6/7/2023	15:06:03	82.79	3.49
6/7/2023	15:07:03	83.47	3.49
6/7/2023	15:08:03	83.47	3.49
6/7/2023	15:09:03	83.13	3.49
6/7/2023	15:10:03	84.14	3.49
6/7/2023	15:11:03	83.47	3.49
6/7/2023	15:12:03	82.9	3.49
6/7/2023	15:13:03	83.58	3.48

DRC

PZ23-12000017
09/20/2023

DRC

PZ23-12000017
02/07/2024

6/7/2023	15:14:03	83.69	3.48
6/7/2023	15:15:03	84.37	3.48
6/7/2023	15:16:03	83.13	3.48
6/7/2023	15:17:03	84.03	3.48
6/7/2023	15:18:03	83.92	3.48
6/7/2023	15:19:03	83.24	3.48
6/7/2023	15:20:03	83.92	3.48
6/7/2023	15:21:03	84.71	3.48
6/7/2023	15:22:03	83.58	3.48
6/7/2023	15:23:03	84.14	3.48
6/7/2023	15:24:03	83.58	3.48
6/7/2023	15:25:03	83.58	3.48
6/7/2023	15:26:03	83.8	3.48
6/7/2023	15:27:03	83.58	3.48
6/7/2023	15:28:03	83.92	3.48
6/7/2023	15:29:03	82.9	3.48
6/7/2023	15:30:03	82.79	3.48
6/7/2023	15:31:03	83.92	3.48
6/7/2023	15:32:03	83.92	3.48
6/7/2023	15:33:03	83.13	3.48
6/7/2023	15:34:03	83.69	3.48
6/7/2023	15:35:03	83.92	3.48
6/7/2023	15:36:03	84.25	3.48
6/7/2023	15:37:03	84.03	3.48
6/7/2023	15:38:03	83.69	3.48
6/7/2023	15:39:03	83.47	3.48
6/7/2023	15:40:03	82.45	3.48
6/7/2023	15:41:03	84.14	3.48
6/7/2023	15:42:03	84.71	3.48
6/7/2023	15:43:03	83.8	3.48
6/7/2023	15:44:03	83.24	3.48
6/7/2023	15:45:03	83.02	3.47
6/7/2023	15:46:03	83.92	3.47
6/7/2023	15:47:03	83.47	3.47
6/7/2023	15:48:03	84.37	3.47
6/7/2023	15:49:03	83.13	3.47
6/7/2023	15:50:03	84.03	3.47
6/7/2023	15:51:03	84.03	3.47
6/7/2023	15:52:03	83.02	3.47
6/7/2023	15:53:03	83.58	3.47
6/7/2023	15:54:03	83.8	3.47
6/7/2023	15:55:03	84.48	3.47
6/7/2023	15:56:03	84.71	3.47
6/7/2023	15:57:03	83.24	3.47
6/7/2023	15:58:03	83.69	3.47
6/7/2023	15:59:03	83.8	3.47
6/7/2023	16:00:03	83.47	3.47

DRC

PZ23-12000017
09/20/2023

DRC

PZ23-12000017
02/07/2024

6/7/2023	16:01:03	84.14	3.47
6/7/2023	16:02:03	83.13	3.47
6/7/2023	16:03:03	82.9	3.47
6/7/2023	16:04:03	84.03	3.47
6/7/2023	16:05:03	83.58	3.47
6/7/2023	16:06:03	83.35	3.47
6/7/2023	16:07:03	84.93	3.47
6/7/2023	16:08:03	84.14	3.47
6/7/2023	16:09:03	84.14	3.47
6/7/2023	16:10:03	83.47	3.47
6/7/2023	16:11:03	84.48	3.47
6/7/2023	16:12:03	83.92	3.47
6/7/2023	16:13:03	83.69	3.47
6/7/2023	16:14:03	83.35	3.47
6/7/2023	16:15:03	84.03	3.47
6/7/2023	16:16:03	83.47	3.47
6/7/2023	16:17:03	84.14	3.47
6/7/2023	16:18:03	84.25	3.47
6/7/2023	16:19:03	83.69	3.47
6/7/2023	16:20:03	84.48	3.47
6/7/2023	16:21:03	84.93	3.47
6/7/2023	16:22:03	84.37	3.47
6/7/2023	16:23:03	84.03	3.47
6/7/2023	16:24:03	84.14	3.47
6/7/2023	16:25:03	84.14	3.47
6/7/2023	16:26:03	83.47	3.46
6/7/2023	16:27:03	83.69	3.47
6/7/2023	16:28:03	83.92	3.46
6/7/2023	16:29:03	84.25	3.46
6/7/2023	16:30:03	84.48	3.46
6/7/2023	16:31:03	85.04	3.46
6/7/2023	16:32:03	85.16	3.46
6/7/2023	16:33:03	83.58	3.46
6/7/2023	16:34:03	84.25	3.46
6/7/2023	16:35:03	84.82	3.46
6/7/2023	16:36:03	83.58	3.46
6/7/2023	16:37:03	83.35	3.46
6/7/2023	16:38:03	83.8	3.47
6/7/2023	16:39:03	84.03	3.47
6/7/2023	16:40:03	84.03	3.47
6/7/2023	16:41:03	84.25	3.47
6/7/2023	16:42:03	84.37	3.47
6/7/2023	16:43:03	84.03	3.47
6/7/2023	16:44:03	84.48	3.47
6/7/2023	16:45:03	84.37	3.47
6/7/2023	16:46:03	84.25	3.47
6/7/2023	16:47:03	83.02	3.47

DRC

PZ23-12000017
09/20/2023

DRC

PZ23-12000017
02/07/2024

6/7/2023	16:48:03	82.9	3.47
6/7/2023	16:49:03	83.47	3.47
6/7/2023	16:50:03	84.03	3.47
6/7/2023	16:51:03	84.59	3.47
6/7/2023	16:52:03	83.13	3.47
6/7/2023	16:53:03	83.24	3.47
6/7/2023	16:54:03	84.03	3.47
6/7/2023	16:55:03	83.69	3.47
6/7/2023	16:56:03	83.58	3.47
6/7/2023	16:57:03	83.69	3.47
6/7/2023	16:58:03	84.25	3.47
6/7/2023	16:59:03	83.8	3.47
6/7/2023	17:00:03	83.58	3.48
6/7/2023	17:01:03	83.47	3.48
6/7/2023	17:02:03	83.8	3.48
6/7/2023	17:03:03	84.14	3.48
6/7/2023	17:04:03	84.14	3.48
6/7/2023	17:05:03	82.68	3.48
6/7/2023	17:06:03	83.69	3.48
6/7/2023	17:07:03	84.14	3.48
6/7/2023	17:08:03	84.37	3.48
6/7/2023	17:09:03	83.69	3.48
6/7/2023	17:10:03	82.9	3.48
6/7/2023	17:11:03	83.24	3.48
6/7/2023	17:12:03	84.03	3.48
6/7/2023	17:13:03	83.24	3.48
6/7/2023	17:14:03	84.03	3.48
6/7/2023	17:15:03	83.69	3.48
6/7/2023	17:16:03	82.79	3.48
6/7/2023	17:17:03	83.47	3.48
6/7/2023	17:18:03	83.24	3.48
6/7/2023	17:19:03	83.35	3.48
6/7/2023	17:20:03	83.35	3.48
6/7/2023	17:21:03	83.13	3.48
6/7/2023	17:22:03	83.47	3.48
6/7/2023	17:23:03	83.92	3.48
6/7/2023	17:24:03	83.47	3.48
6/7/2023	17:25:03	82	3.48
6/7/2023	17:26:03	82.34	3.48
6/7/2023	17:27:03	83.58	3.48
6/7/2023	17:28:03	83.35	3.48
6/7/2023	17:29:03	83.13	3.48
6/7/2023	17:30:03	83.35	3.48
6/7/2023	17:31:03	84.14	3.48
6/7/2023	17:32:03	84.03	3.48
6/7/2023	17:33:03	83.58	3.48
6/7/2023	17:34:03	83.8	3.48

DRC

PZ23-12000017
09/20/2023

DRC

PZ23-12000017
02/07/2024

6/7/2023	17:35:03	83.92	3.48
6/7/2023	17:36:03	83.8	3.48
6/7/2023	17:37:03	83.02	3.48
6/7/2023	17:38:03	83.47	3.48
6/7/2023	17:39:03	84.03	3.48
6/7/2023	17:40:03	83.35	3.48
6/7/2023	17:41:03	83.35	3.48
6/7/2023	17:42:03	84.03	3.48
6/7/2023	17:43:03	83.02	3.48
6/7/2023	17:44:03	83.47	3.48
6/7/2023	17:45:03	82.23	3.48
6/7/2023	17:46:03	83.13	3.49
6/7/2023	17:47:03	83.47	3.48
6/7/2023	17:48:03	83.24	3.49
6/7/2023	17:49:03	83.47	3.48
6/7/2023	17:50:03	84.71	3.49
6/7/2023	17:51:03	83.8	3.49
6/7/2023	17:52:03	83.24	3.49
6/7/2023	17:53:03	83.35	3.49
6/7/2023	17:54:03	82.34	3.49
6/7/2023	17:55:03	83.13	3.49
6/7/2023	17:56:03	83.24	3.49
6/7/2023	17:57:03	83.13	3.49
6/7/2023	17:58:03	84.37	3.49
6/7/2023	17:59:03	82.79	3.49
6/7/2023	18:00:03	82.68	3.49
6/7/2023	18:01:03	83.24	3.49
6/7/2023	18:02:03	82.79	3.49
6/7/2023	18:03:03	83.35	3.49
6/7/2023	18:04:03	82.57	3.49
6/7/2023	18:05:03	82.79	3.49
6/7/2023	18:06:03	83.47	3.49
6/7/2023	18:07:03	83.24	3.49
6/7/2023	18:08:03	83.47	3.49
6/7/2023	18:09:03	83.47	3.49
6/7/2023	18:10:03	83.24	3.49
6/7/2023	18:11:03	84.14	3.49
6/7/2023	18:12:03	83.69	3.49
6/7/2023	18:13:03	82.68	3.49
6/7/2023	18:14:03	83.47	3.49
6/7/2023	18:15:03	83.24	3.49
6/7/2023	18:16:03	83.69	3.49
6/7/2023	18:17:03	83.13	3.49
6/7/2023	18:18:03	83.13	3.49
6/7/2023	18:19:03	82.57	3.49
6/7/2023	18:20:03	82.9	3.49
6/7/2023	18:21:03	82.79	3.49

DRC

PZ23-12000017
09/20/2023

DRC

PZ23-1200017
02/07/2024

6/7/2023	18:22:03	83.13	3.49
6/7/2023	18:23:03	83.92	3.49
6/7/2023	18:24:03	83.58	3.49
6/7/2023	18:25:03	83.92	3.49
6/7/2023	18:26:03	83.02	3.49
6/7/2023	18:27:03	82.68	3.49
6/7/2023	18:28:03	83.13	3.49
6/7/2023	18:29:03	83.58	3.49
6/7/2023	18:30:03	83.24	3.49
6/7/2023	18:31:03	83.13	3.49
6/7/2023	18:32:03	83.02	3.49
6/7/2023	18:33:03	82.79	3.49
6/7/2023	18:34:03	82.45	3.49
6/7/2023	18:35:03	83.69	3.49
6/7/2023	18:36:03	83.69	3.49
6/7/2023	18:37:03	82.34	3.49
6/7/2023	18:38:03	82	3.49
6/7/2023	18:39:03	83.13	3.49
6/7/2023	18:40:03	83.92	3.49
6/7/2023	18:41:03	82.57	3.49
6/7/2023	18:42:03	82.57	3.49
6/7/2023	18:43:03	83.02	3.49
6/7/2023	18:44:03	83.69	3.49
6/7/2023	18:45:03	82.57	3.49
6/7/2023	18:46:03	83.02	3.49
6/7/2023	18:47:03	84.25	3.49
6/7/2023	18:48:03	83.02	3.49
6/7/2023	18:49:03	82.9	3.49
6/7/2023	18:50:03	83.47	3.49
6/7/2023	18:51:03	83.47	3.49
6/7/2023	18:52:03	82.79	3.49
6/7/2023	18:53:03	83.02	3.49
6/7/2023	18:54:03	82.9	3.49
6/7/2023	18:55:03	83.13	3.49
6/7/2023	18:56:03	83.35	3.49
6/7/2023	18:57:03	83.13	3.49
6/7/2023	18:58:03	83.02	3.49
6/7/2023	18:59:03	82.45	3.49
6/7/2023	19:00:03	83.24	3.49
6/7/2023	19:01:03	81.78	3.49
6/7/2023	19:02:03	82.23	3.49
6/7/2023	19:03:03	82.68	3.49
6/7/2023	19:04:03	83.02	3.49
6/7/2023	19:05:03	82.79	3.49
6/7/2023	19:06:03	83.69	3.49
6/7/2023	19:07:03	83.24	3.49
6/7/2023	19:08:03	82.34	3.49

DRC

PZ23-1200017
09/20/2023

DRC

PZ23-12000017
02/07/2024

6/7/2023	19:09:03	83.13	3.48
6/7/2023	19:10:03	83.8	3.48
6/7/2023	19:11:03	82.45	3.48
6/7/2023	19:12:03	83.13	3.48
6/7/2023	19:13:03	82.34	3.48
6/7/2023	19:14:03	82.79	3.48
6/7/2023	19:15:03	82.23	3.48
6/7/2023	19:16:03	83.02	3.48
6/7/2023	19:17:03	82.68	3.48
6/7/2023	19:18:03	83.47	3.48
6/7/2023	19:19:03	82.57	3.48
6/7/2023	19:20:03	82.68	3.48
6/7/2023	19:21:03	82.23	3.48
6/7/2023	19:22:03	83.58	3.48
6/7/2023	19:23:03	83.69	3.48
6/7/2023	19:24:03	82.45	3.48
6/7/2023	19:25:03	82.9	3.48
6/7/2023	19:26:03	82.68	3.48
6/7/2023	19:27:03	83.02	3.48
6/7/2023	19:28:03	83.13	3.48
6/7/2023	19:29:03	83.02	3.48
6/7/2023	19:30:03	83.02	3.48
6/7/2023	19:31:03	83.24	3.48
6/7/2023	19:32:03	83.02	3.48
6/7/2023	19:33:03	82.79	3.48
6/7/2023	19:34:03	82.57	3.48
6/7/2023	19:35:03	83.69	3.48
6/7/2023	19:36:03	84.14	3.48
6/7/2023	19:37:03	83.13	3.48
6/7/2023	19:38:03	82.9	3.48
6/7/2023	19:39:03	84.03	3.48
6/7/2023	19:40:03	82.68	3.48
6/7/2023	19:41:03	84.03	3.48
6/7/2023	19:42:03	83.13	3.48
6/7/2023	19:43:03	83.47	3.48
6/7/2023	19:44:03	83.58	3.48
6/7/2023	19:45:03	83.13	3.48
6/7/2023	19:46:03	83.24	3.48
6/7/2023	19:47:03	82.45	3.48
6/7/2023	19:48:03	82.45	3.48
6/7/2023	19:49:03	83.24	3.48
6/7/2023	19:50:03	82.34	3.48
6/7/2023	19:51:03	83.24	3.48
6/7/2023	19:52:03	82.79	3.48
6/7/2023	19:53:03	84.48	3.48
6/7/2023	19:54:03	83.58	3.48
6/7/2023	19:55:03	83.47	3.48

DRC

PZ23-12000017
09/20/2023

DRC

PZ23-12000017
02/07/2024

6/7/2023	19:56:03	82.45	3.48
6/7/2023	19:57:03	82.68	3.48
6/7/2023	19:58:03	83.47	3.48
6/7/2023	19:59:03	82.9	3.47
6/7/2023	20:00:03	83.69	3.47
6/7/2023	20:01:03	82.57	3.48
6/7/2023	20:02:03	83.58	3.47
6/7/2023	20:03:03	82.79	3.47
6/7/2023	20:04:03	83.92	3.47
6/7/2023	20:05:03	83.58	3.47
6/7/2023	20:06:03	83.35	3.47
6/7/2023	20:07:03	82.45	3.47
6/7/2023	20:08:03	82.57	3.47
6/7/2023	20:09:03	83.24	3.47
6/7/2023	20:10:03	83.35	3.47
6/7/2023	20:11:03	82.34	3.47
6/7/2023	20:12:03	83.24	3.47
6/7/2023	20:13:03	82.79	3.47
6/7/2023	20:14:03	83.35	3.47
6/7/2023	20:15:03	83.02	3.47
6/7/2023	20:16:03	82.45	3.47
6/7/2023	20:17:03	83.24	3.47
6/7/2023	20:18:03	82.34	3.47
6/7/2023	20:19:03	83.02	3.47
6/7/2023	20:20:03	83.35	3.47
6/7/2023	20:21:03	82.57	3.47
6/7/2023	20:22:03	83.02	3.47
6/7/2023	20:23:03	82.68	3.47
6/7/2023	20:24:03	83.13	3.47
6/7/2023	20:25:03	83.92	3.47
6/7/2023	20:26:03	82	3.47
6/7/2023	20:27:03	82.68	3.47
6/7/2023	20:28:03	83.92	3.47
6/7/2023	20:29:03	83.69	3.47
6/7/2023	20:30:03	82.9	3.47
6/7/2023	20:31:03	82.57	3.47
6/7/2023	20:32:03	82.34	3.47
6/7/2023	20:33:03	81.33	3.47
6/7/2023	20:34:03	83.02	3.47
6/7/2023	20:35:03	83.02	3.47
6/7/2023	20:36:03	84.03	3.47
6/7/2023	20:37:03	83.92	3.47
6/7/2023	20:38:03	81.89	3.47
6/7/2023	20:39:03	82.34	3.47
6/7/2023	20:40:03	82.68	3.47
6/7/2023	20:41:03	83.13	3.47
6/7/2023	20:42:03	82.79	3.47

DRC

PZ23-12000017
09/20/2023

DRC

PZ23-12000017
02/07/2024

6/7/2023	20:43:03	83.58	3.47
6/7/2023	20:44:03	83.35	3.47
6/7/2023	20:45:03	83.8	3.47
6/7/2023	20:46:03	83.58	3.47
6/7/2023	20:47:03	83.35	3.47
6/7/2023	20:48:03	82.57	3.47
6/7/2023	20:49:03	82.9	3.47
6/7/2023	20:50:03	83.35	3.47
6/7/2023	20:51:03	83.69	3.47
6/7/2023	20:52:03	83.24	3.47
6/7/2023	20:53:03	83.24	3.47
6/7/2023	20:54:03	83.47	3.47
6/7/2023	20:55:03	83.24	3.47
6/7/2023	20:56:03	84.25	3.47
6/7/2023	20:57:03	83.35	3.47
6/7/2023	20:58:03	84.37	3.47
6/7/2023	20:59:03	83.92	3.47
6/7/2023	21:00:03	83.24	3.47
6/7/2023	21:01:03	84.14	3.47
6/7/2023	21:02:03	83.69	3.47
6/7/2023	21:03:03	84.37	3.47
6/7/2023	21:04:03	83.92	3.47
6/7/2023	21:05:03	83.47	3.47
6/7/2023	21:06:03	84.14	3.47
6/7/2023	21:07:03	83.35	3.47
6/7/2023	21:08:03	83.58	3.47
6/7/2023	21:09:03	84.14	3.47
6/7/2023	21:10:03	83.92	3.47
6/7/2023	21:11:03	84.03	3.47
6/7/2023	21:12:03	83.02	3.47
6/7/2023	21:13:03	84.03	3.47
6/7/2023	21:14:03	83.13	3.47
6/7/2023	21:15:03	83.47	3.47
6/7/2023	21:16:03	83.58	3.47
6/7/2023	21:17:03	83.58	3.47
6/7/2023	21:18:03	83.92	3.47
6/7/2023	21:19:03	84.37	3.47
6/7/2023	21:20:03	84.03	3.47
6/7/2023	21:21:03	83.35	3.47
6/7/2023	21:22:03	84.59	3.47
6/7/2023	21:23:03	83.47	3.47
6/7/2023	21:24:03	83.47	3.47
6/7/2023	21:25:03	83.35	3.47
6/7/2023	21:26:03	84.25	3.47
6/7/2023	21:27:03	83.24	3.46
6/7/2023	21:28:03	83.92	3.46
6/7/2023	21:29:03	84.59	3.46

DRC

PZ23-12000017
09/20/2023

DRC

PZ23-12000017
02/07/2024

6/7/2023	21:30:03	84.14	3.46
6/7/2023	21:31:03	83.8	3.46
6/7/2023	21:32:03	84.59	3.46
6/7/2023	21:33:03	84.37	3.46
6/7/2023	21:34:03	83.69	3.46
6/7/2023	21:35:03	84.71	3.46
6/7/2023	21:36:03	84.71	3.46
6/7/2023	21:37:03	84.37	3.46
6/7/2023	21:38:03	84.37	3.46
6/7/2023	21:39:03	83.69	3.46
6/7/2023	21:40:03	83.13	3.46
6/7/2023	21:41:03	83.02	3.46
6/7/2023	21:42:03	83.58	3.46
6/7/2023	21:43:03	83.35	3.46
6/7/2023	21:44:03	84.14	3.46
6/7/2023	21:45:03	83.47	3.46
6/7/2023	21:46:03	83.69	3.46
6/7/2023	21:47:03	83.8	3.46
6/7/2023	21:48:03	83.69	3.46
6/7/2023	21:49:03	84.59	3.46
6/7/2023	21:50:03	83.8	3.46
6/7/2023	21:51:03	84.93	3.46
6/7/2023	21:52:03	83.58	3.46
6/7/2023	21:53:03	84.93	3.46
6/7/2023	21:54:03	84.03	3.46
6/7/2023	21:55:03	80.76	3.46
6/7/2023	21:56:03	83.35	3.46
6/7/2023	21:57:03	83.02	3.46
6/7/2023	21:58:03	84.37	3.46
6/7/2023	21:59:03	83.47	3.46
6/7/2023	22:00:03	83.69	3.46
6/7/2023	22:01:03	83.35	3.46
6/7/2023	22:02:03	82.79	3.46
6/7/2023	22:03:03	82.79	3.46
6/7/2023	22:04:03	82.57	3.46
6/7/2023	22:05:03	83.13	3.46
6/7/2023	22:06:03	83.35	3.46
6/7/2023	22:07:03	83.35	3.46
6/7/2023	22:08:03	83.24	3.46
6/7/2023	22:09:03	82.79	3.46
6/7/2023	22:10:03	83.58	3.46
6/7/2023	22:11:03	82.45	3.46
6/7/2023	22:12:03	84.14	3.46
6/7/2023	22:13:03	83.58	3.46
6/7/2023	22:14:03	83.69	3.46
6/7/2023	22:15:03	82.57	3.46
6/7/2023	22:16:03	82.68	3.46

DRC

PZ23-12000017
09/20/2023

DRC

PZ23-12000017
02/07/2024

6/7/2023	22:17:03	83.58	3.46
6/7/2023	22:18:03	83.92	3.46
6/7/2023	22:19:03	83.69	3.46
6/7/2023	22:20:03	83.69	3.46
6/7/2023	22:21:03	83.02	3.46
6/7/2023	22:22:03	82.9	3.46
6/7/2023	22:23:03	78.85	3.46
6/7/2023	22:24:03	79.64	3.46
6/7/2023	22:25:03	79.41	3.46
6/7/2023	22:26:03	79.52	3.46
6/7/2023	22:27:03	79.41	3.46
6/7/2023	22:28:03	79.52	3.46
6/7/2023	22:29:03	79.86	3.46
6/7/2023	22:30:03	80.2	3.46
6/7/2023	22:31:03	79.97	3.46
6/7/2023	22:32:03	80.31	3.46
6/7/2023	22:33:03	79.52	3.46
6/7/2023	22:34:03	79.86	3.46
6/7/2023	22:35:03	79.07	3.46
6/7/2023	22:36:03	78.85	3.46
6/7/2023	22:37:03	79.07	3.46
6/7/2023	22:38:03	79.75	3.46
6/7/2023	22:39:03	79.64	3.46
6/7/2023	22:40:03	79.52	3.46
6/7/2023	22:41:03	79.97	3.46
6/7/2023	22:42:03	79.75	3.46
6/7/2023	22:43:03	79.86	3.46
6/7/2023	22:44:03	79.3	3.46
6/7/2023	22:45:03	79.41	3.46
6/7/2023	22:46:03	79.97	3.46
6/7/2023	22:47:03	79.19	3.46
6/7/2023	22:48:03	79.41	3.46
6/7/2023	22:49:03	78.85	3.46
6/7/2023	22:50:03	79.3	3.46
6/7/2023	22:51:03	80.09	3.46
6/7/2023	22:52:03	79.97	3.46
6/7/2023	22:53:03	79.52	3.46
6/7/2023	22:54:03	79.97	3.46
6/7/2023	22:55:03	79.64	3.46
6/7/2023	22:56:03	80.31	3.46
6/7/2023	22:57:03	80.43	3.46
6/7/2023	22:58:03	80.31	3.46
6/7/2023	22:59:03	79.41	3.46
6/7/2023	23:00:03	79.07	3.46
6/7/2023	23:01:03	79.86	3.46
6/7/2023	23:02:03	78.85	3.46
6/7/2023	23:03:03	79.64	3.46

DRC

PZ23-12000017
09/20/2023

DRC

PZ23-12000017
02/07/2024

6/7/2023	23:04:03	79.75	3.46
6/7/2023	23:05:03	79.41	3.46
6/7/2023	23:06:03	79.97	3.46
6/7/2023	23:07:03	78.74	3.46
6/7/2023	23:08:03	79.86	3.46
6/7/2023	23:09:03	79.64	3.46
6/7/2023	23:10:03	80.09	3.46
6/7/2023	23:11:03	79.97	3.46
6/7/2023	23:12:03	80.31	3.46
6/7/2023	23:13:03	79.97	3.46
6/7/2023	23:14:03	80.31	3.46
6/7/2023	23:15:03	80.2	3.46
6/7/2023	23:16:03	79.52	3.46
6/7/2023	23:17:03	79.97	3.46
6/7/2023	23:18:03	80.31	3.46
6/7/2023	23:19:03	79.52	3.46
6/7/2023	23:20:03	79.75	3.46
6/7/2023	23:21:03	80.88	3.46
6/7/2023	23:22:03	79.86	3.46
6/7/2023	23:23:03	79.75	3.46
6/7/2023	23:24:03	79.75	3.46
6/7/2023	23:25:03	79.64	3.46
6/7/2023	23:26:03	79.75	3.46
6/7/2023	23:27:03	79.64	3.46
6/7/2023	23:28:03	79.64	3.46
6/7/2023	23:29:03	80.43	3.46
6/7/2023	23:30:03	79.97	3.46
6/7/2023	23:31:03	79.97	3.46
6/7/2023	23:32:03	80.2	3.46
6/7/2023	23:33:03	80.43	3.46
6/7/2023	23:34:03	80.54	3.46
6/7/2023	23:35:03	80.54	3.46
6/7/2023	23:36:03	80.09	3.46
6/7/2023	23:37:03	79.97	3.46
6/7/2023	23:38:03	80.31	3.46
6/7/2023	23:39:03	79.86	3.46
6/7/2023	23:40:03	80.2	3.46
6/7/2023	23:41:03	79.97	3.46
6/7/2023	23:42:03	80.2	3.46
6/7/2023	23:43:03	79.64	3.46
6/7/2023	23:44:03	80.09	3.46
6/7/2023	23:45:03	80.65	3.46
6/7/2023	23:46:03	80.09	3.46
6/7/2023	23:47:03	79.75	3.46
6/7/2023	23:48:03	79.3	3.46
6/7/2023	23:49:03	79.64	3.46
6/7/2023	23:50:03	79.97	3.46

DRC

PZ23-12000017
09/20/2023

DRC

PZ23-12000017
02/07/2024

6/7/2023	23:51:03	79.97	3.46
6/7/2023	23:52:03	80.65	3.46
6/7/2023	23:53:03	80.2	3.46
6/7/2023	23:54:03	80.99	3.46
6/7/2023	23:55:03	79.97	3.46
6/7/2023	23:56:03	80.09	3.46
6/7/2023	23:57:03	80.54	3.46
6/7/2023	23:58:03	80.43	3.46
6/7/2023	23:59:03	80.54	3.46
6/8/2023	00:00:03	79.52	3.46
6/8/2023	00:01:03	79.86	3.46
6/8/2023	00:02:03	79.07	3.46
6/8/2023	00:03:03	79.07	3.46
6/8/2023	00:04:03	79.41	3.46
6/8/2023	00:05:03	79.75	3.46
6/8/2023	00:06:03	79.64	3.46
6/8/2023	00:07:03	78.96	3.46
6/8/2023	00:08:03	79.52	3.46
6/8/2023	00:09:03	79.41	3.46
6/8/2023	00:10:03	79.64	3.46
6/8/2023	00:11:03	79.3	3.46
6/8/2023	00:12:03	79.64	3.46
6/8/2023	00:13:03	79.3	3.46
6/8/2023	00:14:03	79.86	3.46
6/8/2023	00:15:03	79.86	3.46
6/8/2023	00:16:03	79.64	3.46
6/8/2023	00:17:03	79.19	3.46
6/8/2023	00:18:03	79.64	3.46
6/8/2023	00:19:03	79.41	3.46
6/8/2023	00:20:03	79.64	3.46
6/8/2023	00:21:03	79.97	3.45
6/8/2023	00:22:03	79.75	3.46
6/8/2023	00:23:03	79.52	3.46
6/8/2023	00:24:03	79.97	3.46
6/8/2023	00:25:03	79.52	3.45
6/8/2023	00:26:03	80.31	3.46
6/8/2023	00:27:03	80.54	3.46
6/8/2023	00:28:03	80.31	3.46
6/8/2023	00:29:03	79.97	3.46
6/8/2023	00:30:03	80.31	3.46
6/8/2023	00:31:03	79.86	3.46
6/8/2023	00:32:03	80.09	3.46
6/8/2023	00:33:03	80.31	3.46
6/8/2023	00:34:03	79.97	3.46
6/8/2023	00:35:03	79.86	3.46
6/8/2023	00:36:03	80.31	3.46
6/8/2023	00:37:03	80.76	3.46

DRC

PZ23-12000017
09/20/2023

DRC

PZ23-12000017
02/07/2024

6/8/2023	00:38:03	80.76	3.46
6/8/2023	00:39:03	80.43	3.46
6/8/2023	00:40:03	80.31	3.46
6/8/2023	00:41:03	80.31	3.46
6/8/2023	00:42:03	80.2	3.46
6/8/2023	00:43:03	80.54	3.46
6/8/2023	00:44:03	79.97	3.46
6/8/2023	00:45:03	80.2	3.46
6/8/2023	00:46:03	80.2	3.46
6/8/2023	00:47:03	80.43	3.46
6/8/2023	00:48:03	80.09	3.46
6/8/2023	00:49:03	80.2	3.46
6/8/2023	00:50:03	79.75	3.46
6/8/2023	00:51:03	79.86	3.46
6/8/2023	00:52:03	79.97	3.46
6/8/2023	00:53:03	80.2	3.46
6/8/2023	00:54:03	79.52	3.46
6/8/2023	00:55:03	79.64	3.46
6/8/2023	00:56:03	79.75	3.46
6/8/2023	00:57:03	80.76	3.46
6/8/2023	00:58:03	79.64	3.46
6/8/2023	00:59:03	79.52	3.46
6/8/2023	01:00:03	80.09	3.46
6/8/2023	01:01:03	79.3	3.46
6/8/2023	01:02:03	78.74	3.46
6/8/2023	01:03:03	79.97	3.46
6/8/2023	01:04:03	83.92	3.46
6/8/2023	01:05:03	79.52	3.46
6/8/2023	01:06:03	80.43	3.45
6/8/2023	01:07:03	80.43	3.46
6/8/2023	01:08:03	80.43	3.46
6/8/2023	01:09:03	79.64	3.46
6/8/2023	01:10:03	80.65	3.46
6/8/2023	01:11:03	80.2	3.46
6/8/2023	01:12:03	80.31	3.46
6/8/2023	01:13:03	80.65	3.46
6/8/2023	01:14:03	80.76	3.45
6/8/2023	01:15:03	80.88	3.46
6/8/2023	01:16:03	80.43	3.46
6/8/2023	01:17:03	79.97	3.45
6/8/2023	01:18:03	80.76	3.45
6/8/2023	01:19:03	81.21	3.46
6/8/2023	01:20:03	80.76	3.46
6/8/2023	01:21:03	80.65	3.46
6/8/2023	01:22:03	80.99	3.46
6/8/2023	01:23:03	80.88	3.46
6/8/2023	01:24:03	80.54	3.46

DRC

PZ23-12000017
09/20/2023

DRC

PZ23-12000017
02/07/2024

6/8/2023	01:25:03	81.21	3.45
6/8/2023	01:26:03	80.31	3.45
6/8/2023	01:27:03	80.2	3.46
6/8/2023	01:28:03	80.99	3.46
6/8/2023	01:29:03	81.33	3.46
6/8/2023	01:30:03	80.54	3.46
6/8/2023	01:31:03	80.2	3.46
6/8/2023	01:32:03	81.21	3.46
6/8/2023	01:33:03	81.33	3.46
6/8/2023	01:34:03	80.88	3.46
6/8/2023	01:35:03	80.88	3.46
6/8/2023	01:36:03	80.88	3.46
6/8/2023	01:37:03	80.43	3.46
6/8/2023	01:38:03	80.88	3.46
6/8/2023	01:39:03	80.65	3.46
6/8/2023	01:40:03	80.54	3.46
6/8/2023	01:41:03	80.76	3.46
6/8/2023	01:42:03	80.88	3.46
6/8/2023	01:43:03	79.86	3.46
6/8/2023	01:44:03	80.43	3.46
6/8/2023	01:45:03	80.31	3.46
6/8/2023	01:46:03	80.65	3.46
6/8/2023	01:47:03	80.65	3.46
6/8/2023	01:48:03	80.43	3.45
6/8/2023	01:49:03	80.31	3.46
6/8/2023	01:50:03	79.52	3.46
6/8/2023	01:51:03	79.97	3.46
6/8/2023	01:52:03	80.09	3.46
6/8/2023	01:53:03	80.76	3.46
6/8/2023	01:54:03	80.88	3.46
6/8/2023	01:55:03	80.09	3.45
6/8/2023	01:56:03	79.64	3.46
6/8/2023	01:57:03	80.76	3.46
6/8/2023	01:58:03	80.65	3.46
6/8/2023	01:59:03	80.65	3.46
6/8/2023	02:00:03	79.86	3.46
6/8/2023	02:01:03	79.75	3.46
6/8/2023	02:02:03	79.19	3.45
6/8/2023	02:03:03	78.96	3.45
6/8/2023	02:04:03	80.2	3.45
6/8/2023	02:05:03	80.43	3.45
6/8/2023	02:06:03	79.75	3.45
6/8/2023	02:07:03	78.96	3.45
6/8/2023	02:08:03	79.75	3.46
6/8/2023	02:09:03	79.07	3.45
6/8/2023	02:10:03	79.86	3.46
6/8/2023	02:11:03	79.75	3.45

DRC

PZ23-12000017
09/20/2023

DRC

PZ23-12000017
02/07/2024

6/8/2023	02:12:03	80.88	3.45
6/8/2023	02:13:03	80.65	3.45
6/8/2023	02:14:03	79.52	3.45
6/8/2023	02:15:03	78.74	3.45
6/8/2023	02:16:03	80.43	3.45
6/8/2023	02:17:03	80.09	3.46
6/8/2023	02:18:03	80.43	3.45
6/8/2023	02:19:03	80.2	3.46
6/8/2023	02:20:03	80.43	3.46
6/8/2023	02:21:03	80.31	3.45
6/8/2023	02:22:03	80.54	3.46
6/8/2023	02:23:03	80.09	3.46
6/8/2023	02:24:03	79.97	3.46
6/8/2023	02:25:03	80.09	3.45
6/8/2023	02:26:03	79.97	3.45
6/8/2023	02:27:03	80.09	3.45
6/8/2023	02:28:03	80.31	3.45
6/8/2023	02:29:03	79.97	3.45
6/8/2023	02:30:03	80.31	3.45
6/8/2023	02:31:03	79.19	3.45
6/8/2023	02:32:03	79.97	3.45
6/8/2023	02:33:03	79.41	3.45
6/8/2023	02:34:03	79.86	3.45
6/8/2023	02:35:03	79.97	3.45
6/8/2023	02:36:03	79.41	3.45
6/8/2023	02:37:03	80.88	3.46
6/8/2023	02:38:03	80.09	3.45
6/8/2023	02:39:03	79.97	3.45
6/8/2023	02:40:03	79.75	3.45
6/8/2023	02:41:03	80.09	3.45
6/8/2023	02:42:03	80.88	3.45
6/8/2023	02:43:03	79.64	3.45
6/8/2023	02:44:03	80.43	3.45
6/8/2023	02:45:03	80.88	3.45
6/8/2023	02:46:03	81.21	3.45
6/8/2023	02:47:03	80.2	3.45
6/8/2023	02:48:03	78.4	3.45
6/8/2023	02:49:03	79.97	3.45
6/8/2023	02:50:03	79.86	3.45
6/8/2023	02:51:03	79.97	3.45
6/8/2023	02:52:03	79.97	3.45
6/8/2023	02:53:03	79.07	3.45
6/8/2023	02:54:03	79.97	3.46
6/8/2023	02:55:03	79.41	3.45
6/8/2023	02:56:03	79.07	3.45
6/8/2023	02:57:03	78.85	3.45
6/8/2023	02:58:03	79.41	3.45

DRC

PZ23-12000017
09/20/2023

DRC

PZ23-12000017
02/07/2024

6/8/2023	02:59:03	79.52	3.45
6/8/2023	03:00:03	78.74	3.45
6/8/2023	03:01:03	78.4	3.45
6/8/2023	03:02:03	78.29	3.45
6/8/2023	03:03:03	78.06	3.45
6/8/2023	03:04:03	77.61	3.45
6/8/2023	03:05:03	78.4	3.46
6/8/2023	03:06:03	79.07	3.45
6/8/2023	03:07:03	78.85	3.45
6/8/2023	03:08:03	79.19	3.45
6/8/2023	03:09:03	79.19	3.45
6/8/2023	03:10:03	78.51	3.45
6/8/2023	03:11:03	78.62	3.45
6/8/2023	03:12:03	79.19	3.46
6/8/2023	03:13:03	78.74	3.45
6/8/2023	03:14:03	78.96	3.45
6/8/2023	03:15:03	79.75	3.45
6/8/2023	03:16:03	79.75	3.45
6/8/2023	03:17:03	78.96	3.45
6/8/2023	03:18:03	79.75	3.45
6/8/2023	03:19:03	79.3	3.45
6/8/2023	03:20:03	79.3	3.45
6/8/2023	03:21:03	79.3	3.45
6/8/2023	03:22:03	79.41	3.45
6/8/2023	03:23:03	79.19	3.45
6/8/2023	03:24:03	79.3	3.45
6/8/2023	03:25:03	79.19	3.45
6/8/2023	03:26:03	78.62	3.45
6/8/2023	03:27:03	78.74	3.45
6/8/2023	03:28:03	79.41	3.45
6/8/2023	03:29:03	78.74	3.45
6/8/2023	03:30:03	78.74	3.45
6/8/2023	03:31:03	78.96	3.45
6/8/2023	03:32:03	79.07	3.45
6/8/2023	03:33:03	79.41	3.45
6/8/2023	03:34:03	78.74	3.45
6/8/2023	03:35:03	79.3	3.45
6/8/2023	03:36:03	78.96	3.45
6/8/2023	03:37:03	79.19	3.45
6/8/2023	03:38:03	78.62	3.45
6/8/2023	03:39:03	79.19	3.45
6/8/2023	03:40:03	79.19	3.45
6/8/2023	03:41:03	79.41	3.45
6/8/2023	03:42:03	79.41	3.45
6/8/2023	03:43:03	79.3	3.45
6/8/2023	03:44:03	79.52	3.45
6/8/2023	03:45:03	79.41	3.45

DRC

PZ23-12000017
09/20/2023

DRC

PZ23-12000017
02/07/2024

6/8/2023	03:46:03	79.19	3.45
6/8/2023	03:47:03	79.3	3.45
6/8/2023	03:48:03	78.96	3.45
6/8/2023	03:49:03	79.07	3.45
6/8/2023	03:50:03	79.19	3.45
6/8/2023	03:51:03	78.29	3.45
6/8/2023	03:52:03	78.29	3.45
6/8/2023	03:53:03	78.29	3.45
6/8/2023	03:54:03	79.3	3.45
6/8/2023	03:55:03	78.74	3.45
6/8/2023	03:56:03	79.41	3.45
6/8/2023	03:57:03	80.09	3.45
6/8/2023	03:58:03	78.74	3.45
6/8/2023	03:59:03	78.62	3.45
6/8/2023	04:00:03	77.27	3.45
6/8/2023	04:01:03	77.61	3.45
6/8/2023	04:02:03	77.95	3.45
6/8/2023	04:03:03	78.06	3.45
6/8/2023	04:04:03	76.48	3.45
6/8/2023	04:05:03	76.93	3.45
6/8/2023	04:06:03	76.71	3.45
6/8/2023	04:07:03	75.92	3.45
6/8/2023	04:08:03	77.5	3.45
6/8/2023	04:09:03	76.26	3.45
6/8/2023	04:10:03	76.71	3.45
6/8/2023	04:11:03	76.71	3.45
6/8/2023	04:12:03	77.16	3.45
6/8/2023	04:13:03	76.6	3.45
6/8/2023	04:14:03	76.48	3.45
6/8/2023	04:15:03	76.14	3.45
6/8/2023	04:16:03	77.72	3.45
6/8/2023	04:17:03	76.71	3.45
6/8/2023	04:18:03	77.27	3.45
6/8/2023	04:19:03	77.05	3.45
6/8/2023	04:20:03	77.72	3.45
6/8/2023	04:21:03	77.27	3.45
6/8/2023	04:22:03	77.27	3.45
6/8/2023	04:23:03	77.38	3.45
6/8/2023	04:24:03	76.93	3.45
6/8/2023	04:25:03	77.27	3.45
6/8/2023	04:26:03	76.48	3.45
6/8/2023	04:27:03	76.71	3.45
6/8/2023	04:28:03	76.6	3.45
6/8/2023	04:29:03	77.05	3.45
6/8/2023	04:30:03	77.72	3.45
6/8/2023	04:31:03	77.05	3.45
6/8/2023	04:32:03	76.93	3.45

DRC

PZ23-12000017
09/20/2023

DRC

PZ23-12000017
02/07/2024

6/8/2023	04:33:03	76.03	3.45
6/8/2023	04:34:03	76.71	3.45
6/8/2023	04:35:03	77.05	3.45
6/8/2023	04:36:03	77.5	3.45
6/8/2023	04:37:03	77.27	3.45
6/8/2023	04:38:03	77.38	3.45
6/8/2023	04:39:03	77.05	3.45
6/8/2023	04:40:03	76.93	3.45
6/8/2023	04:41:03	77.27	3.45
6/8/2023	04:42:03	76.93	3.45
6/8/2023	04:43:03	77.38	3.45
6/8/2023	04:44:03	77.16	3.45
6/8/2023	04:45:03	76.71	3.45
6/8/2023	04:46:03	77.5	3.45
6/8/2023	04:47:03	77.27	3.45
6/8/2023	04:48:03	77.05	3.45
6/8/2023	04:49:03	76.93	3.45
6/8/2023	04:50:03	77.83	3.45
6/8/2023	04:51:03	77.95	3.45
6/8/2023	04:52:03	77.27	3.45
6/8/2023	04:53:03	77.27	3.45
6/8/2023	04:54:03	77.38	3.45
6/8/2023	04:55:03	76.82	3.45
6/8/2023	04:56:03	76.71	3.45
6/8/2023	04:57:03	77.5	3.45
6/8/2023	04:58:03	77.27	3.45
6/8/2023	04:59:03	77.16	3.45
6/8/2023	05:00:03	75.92	3.45
6/8/2023	05:01:03	76.14	3.45
6/8/2023	05:02:03	76.48	3.45
6/8/2023	05:03:03	76.14	3.45
6/8/2023	05:04:03	76.14	3.45
6/8/2023	05:05:03	75.47	3.45
6/8/2023	05:06:03	76.37	3.45
6/8/2023	05:07:03	76.14	3.45
6/8/2023	05:08:03	76.03	3.45
6/8/2023	05:09:03	76.93	3.45
6/8/2023	05:10:03	77.05	3.45
6/8/2023	05:11:03	76.48	3.45
6/8/2023	05:12:03	76.48	3.45
6/8/2023	05:13:03	76.48	3.45
6/8/2023	05:14:03	76.37	3.45
6/8/2023	05:15:03	76.6	3.45
6/8/2023	05:16:03	76.82	3.45
6/8/2023	05:17:03	76.6	3.45
6/8/2023	05:18:03	76.37	3.45
6/8/2023	05:19:03	76.82	3.45

DRC

PZ23-12000017
09/20/2023

DRC

PZ23-12000017
02/07/2024

6/8/2023	05:20:03	76.82	3.45
6/8/2023	05:21:03	75.36	3.45
6/8/2023	05:22:03	77.05	3.45
6/8/2023	05:23:03	77.72	3.45
6/8/2023	05:24:03	77.38	3.45
6/8/2023	05:25:03	77.61	3.45
6/8/2023	05:26:03	76.37	3.45
6/8/2023	05:27:03	77.27	3.45
6/8/2023	05:28:03	76.14	3.45
6/8/2023	05:29:03	75.69	3.45
6/8/2023	05:30:03	76.14	3.45
6/8/2023	05:31:03	75.92	3.45
6/8/2023	05:32:03	76.26	3.45
6/8/2023	05:33:03	76.26	3.45
6/8/2023	05:34:03	76.48	3.45
6/8/2023	05:35:03	76.93	3.45
6/8/2023	05:36:03	76.93	3.45
6/8/2023	05:37:03	76.82	3.45
6/8/2023	05:38:03	76.48	3.45
6/8/2023	05:39:03	76.82	3.45
6/8/2023	05:40:03	77.38	3.45
6/8/2023	05:41:03	77.16	3.45
6/8/2023	05:42:03	77.16	3.45
6/8/2023	05:43:03	77.05	3.45
6/8/2023	05:44:03	77.16	3.45
6/8/2023	05:45:03	76.6	3.45
6/8/2023	05:46:03	76.37	3.45
6/8/2023	05:47:03	77.16	3.45
6/8/2023	05:48:03	77.27	3.45
6/8/2023	05:49:03	76.6	3.45
6/8/2023	05:50:03	77.83	3.45
6/8/2023	05:51:03	77.16	3.45
6/8/2023	05:52:03	77.27	3.45
6/8/2023	05:53:03	77.27	3.45
6/8/2023	05:54:03	77.38	3.45
6/8/2023	05:55:03	77.61	3.45
6/8/2023	05:56:03	77.61	3.45
6/8/2023	05:57:03	76.71	3.45
6/8/2023	05:58:03	76.93	3.45
6/8/2023	05:59:03	77.72	3.45
6/8/2023	06:00:03	77.83	3.45
6/8/2023	06:01:03	77.38	3.45
6/8/2023	06:02:03	77.61	3.45
6/8/2023	06:03:03	77.38	3.45
6/8/2023	06:04:03	77.16	3.45
6/8/2023	06:05:03	76.93	3.45
6/8/2023	06:06:03	77.5	3.45

DRC

PZ23-12000017
09/20/2023

DRC

PZ23-12000017
02/07/2024

6/8/2023	06:07:03	76.37	3.45
6/8/2023	06:08:03	76.93	3.45
6/8/2023	06:09:03	77.61	3.45
6/8/2023	06:10:03	78.51	3.45
6/8/2023	06:11:03	77.38	3.45
6/8/2023	06:12:03	77.16	3.45
6/8/2023	06:13:03	77.5	3.45
6/8/2023	06:14:03	76.82	3.45
6/8/2023	06:15:03	77.83	3.45
6/8/2023	06:16:03	77.27	3.45
6/8/2023	06:17:03	77.5	3.45
6/8/2023	06:18:03	77.83	3.45
6/8/2023	06:19:03	77.16	3.45
6/8/2023	06:20:03	77.38	3.45
6/8/2023	06:21:03	76.14	3.45
6/8/2023	06:22:03	77.05	3.45
6/8/2023	06:23:03	77.27	3.45
6/8/2023	06:24:03	77.16	3.45
6/8/2023	06:25:03	78.06	3.45
6/8/2023	06:26:03	77.5	3.45
6/8/2023	06:27:03	77.95	3.45
6/8/2023	06:28:03	76.14	3.45
6/8/2023	06:29:03	76.71	3.45
6/8/2023	06:30:03	77.38	3.45
6/8/2023	06:31:03	76.48	3.45
6/8/2023	06:32:03	76.93	3.45
6/8/2023	06:33:03	76.82	3.45
6/8/2023	06:34:03	77.16	3.45
6/8/2023	06:35:03	77.27	3.45
6/8/2023	06:36:03	77.83	3.45
6/8/2023	06:37:03	78.29	3.45
6/8/2023	06:38:03	77.72	3.45
6/8/2023	06:39:03	77.27	3.45
6/8/2023	06:40:03	76.6	3.45
6/8/2023	06:41:03	76.48	3.45
6/8/2023	06:42:03	76.48	3.45
6/8/2023	06:43:03	77.16	3.45
6/8/2023	06:44:03	76.48	3.45
6/8/2023	06:45:03	76.82	3.45
6/8/2023	06:46:03	76.48	3.45
6/8/2023	06:47:03	76.26	3.45
6/8/2023	06:48:03	77.05	3.45
6/8/2023	06:49:03	76.37	3.45
6/8/2023	06:50:03	77.16	3.45
6/8/2023	06:51:03	77.27	3.45
6/8/2023	06:52:03	77.05	3.45
6/8/2023	06:53:03	77.05	3.45

DRC

PZ23-12000017
09/20/2023

DRC

PZ23-12000017
02/07/2024

6/8/2023	06:54:03	77.27	3.45
6/8/2023	06:55:03	76.37	3.45
6/8/2023	06:56:03	76.14	3.45
6/8/2023	06:57:03	76.93	3.45
6/8/2023	06:58:03	77.5	3.45
6/8/2023	06:59:03	78.17	3.45
6/8/2023	07:00:03	77.16	3.45
6/8/2023	07:01:03	77.05	3.46
6/8/2023	07:02:03	77.05	3.46
6/8/2023	07:03:03	76.82	3.46
6/8/2023	07:04:03	76.71	3.46
6/8/2023	07:05:03	76.14	3.46
6/8/2023	07:06:03	76.48	3.46
6/8/2023	07:07:03	76.93	3.46
6/8/2023	07:08:03	77.16	3.46
6/8/2023	07:09:03	77.5	3.46
6/8/2023	07:10:03	77.72	3.46
6/8/2023	07:11:03	77.16	3.46
6/8/2023	07:12:03	76.93	3.46
6/8/2023	07:13:03	77.05	3.46
6/8/2023	07:14:03	77.5	3.46
6/8/2023	07:15:03	77.83	3.46
6/8/2023	07:16:03	77.16	3.46
6/8/2023	07:17:03	77.27	3.46
6/8/2023	07:18:03	77.16	3.46
6/8/2023	07:19:03	75.69	3.46
6/8/2023	07:20:03	77.5	3.46
6/8/2023	07:21:03	76.71	3.46
6/8/2023	07:22:03	76.93	3.46
6/8/2023	07:23:03	77.16	3.46
6/8/2023	07:24:03	77.27	3.46
6/8/2023	07:25:03	77.38	3.47
6/8/2023	07:26:03	77.83	3.47
6/8/2023	07:27:03	77.61	3.47
6/8/2023	07:28:03	77.5	3.47
6/8/2023	07:29:03	77.27	3.47
6/8/2023	07:30:03	77.95	3.47
6/8/2023	07:31:03	76.71	3.47
6/8/2023	07:32:03	77.27	3.47
6/8/2023	07:33:03	77.38	3.47
6/8/2023	07:34:03	77.27	3.47
6/8/2023	07:35:03	76.37	3.47
6/8/2023	07:36:03	75.92	3.47
6/8/2023	07:37:03	77.5	3.47
6/8/2023	07:38:03	77.83	3.47
6/8/2023	07:39:03	77.38	3.47
6/8/2023	07:40:03	77.38	3.47

DRC

PZ23-12000017
09/20/2023

DRC

PZ23-12000017
02/07/2024

6/8/2023	07:41:03	77.61	3.47
6/8/2023	07:42:03	77.72	3.47
6/8/2023	07:43:03	76.6	3.47
6/8/2023	07:44:03	76.14	3.47
6/8/2023	07:45:03	77.61	3.47
6/8/2023	07:46:03	77.61	3.47
6/8/2023	07:47:03	77.38	3.47
6/8/2023	07:48:03	77.95	3.47
6/8/2023	07:49:03	77.27	3.47
6/8/2023	07:50:03	77.27	3.47
6/8/2023	07:51:03	77.72	3.47
6/8/2023	07:52:03	78.17	3.47
6/8/2023	07:53:03	78.29	3.47
6/8/2023	07:54:03	76.93	3.47
6/8/2023	07:55:03	78.06	3.47
6/8/2023	07:56:03	76.93	3.47
6/8/2023	07:57:03	77.72	3.47
6/8/2023	07:58:03	78.17	3.47
6/8/2023	07:59:03	77.95	3.47
6/8/2023	08:00:03	77.27	3.47
6/8/2023	08:01:03	77.38	3.47
6/8/2023	08:02:03	76.82	3.47
6/8/2023	08:03:03	78.17	3.47
6/8/2023	08:04:03	78.17	3.47
6/8/2023	08:05:03	77.27	3.47
6/8/2023	08:06:03	78.96	3.47
6/8/2023	08:07:03	77.38	3.47
6/8/2023	08:08:03	76.6	3.47
6/8/2023	08:09:03	76.71	3.47
6/8/2023	08:10:03	76.26	3.47
6/8/2023	08:11:03	78.4	3.47
6/8/2023	08:12:03	76.82	3.47
6/8/2023	08:13:03	77.16	3.47
6/8/2023	08:14:03	77.5	3.47
6/8/2023	08:15:03	78.06	3.48
6/8/2023	08:16:03	77.95	3.48
6/8/2023	08:17:03	77.38	3.47
6/8/2023	08:18:03	77.05	3.48
6/8/2023	08:19:03	77.16	3.47
6/8/2023	08:20:03	77.83	3.47
6/8/2023	08:21:03	77.5	3.47
6/8/2023	08:22:03	77.27	3.47
6/8/2023	08:23:03	77.05	3.47
6/8/2023	08:24:03	78.85	3.47
6/8/2023	08:25:03	78.29	3.47
6/8/2023	08:26:03	77.61	3.47
6/8/2023	08:27:03	77.61	3.47

DRC

PZ23-12000017
09/20/2023

DRC

PZ23-12000017
02/07/2024

6/8/2023	08:28:03	77.72	3.47
6/8/2023	08:29:03	76.71	3.47
6/8/2023	08:30:03	77.83	3.47
6/8/2023	08:31:03	78.29	3.47
6/8/2023	08:32:03	78.4	3.47
6/8/2023	08:33:03	69.95	3.47
6/8/2023	08:34:03	72.65	3.47
6/8/2023	08:35:03	73.1	3.47
6/8/2023	08:36:03	72.88	3.47
6/8/2023	08:37:03	73.33	3.47
6/8/2023	08:38:03	78.85	3.47
6/8/2023	08:39:03	77.95	3.47
6/8/2023	08:40:03	76.37	3.47
6/8/2023	08:41:03	78.74	3.47
6/8/2023	08:42:03	77.38	3.47
6/8/2023	08:43:03	77.95	3.47
6/8/2023	08:44:03	77.16	3.47
6/8/2023	08:45:03	78.62	3.47
6/8/2023	08:46:03	78.17	3.47
6/8/2023	08:47:03	77.05	3.47
6/8/2023	08:48:03	78.51	3.47
6/8/2023	08:49:03	77.5	3.47
6/8/2023	08:50:03	78.62	3.47
6/8/2023	08:51:03	77.72	3.47
6/8/2023	08:52:03	77.72	3.47
6/8/2023	08:53:03	77.05	3.47
6/8/2023	08:54:03	76.82	3.47
6/8/2023	08:55:03	76.93	3.47
6/8/2023	08:56:03	77.38	3.47
6/8/2023	08:57:03	77.38	3.47
6/8/2023	08:58:03	77.16	3.47

DRC

PZ23-12000017
09/20/2023