


SYMBOL LEGEND ::

- XXXXXXXXXXXX PERIMETER STAKED SILT FENCE PER FDOT INDEX NO. 102
- TYPICAL PROPOSED CATCH BASIN WITH FILTER FABRIC (SEE NOTE 3)
- TYPICAL STABILIZED ROCK ENTRY DRIVE PER FDOT INDEX NO. 102

SEDIMENT & EROSION CONTROL NOTES ::


- CONTRACTOR SHALL INSTALL AND MAINTAIN EROSION CONTROL AND SEDIMENTATION CONTROL MEASURES IN ACCORDANCE WITH THE STANDARDS FOR SOIL EROSION AND SEDIMENT CONTROL IN FLORIDA (HEREAFTER REFERRED TO AS FL. GUIDELINES)
- MAINTENANCE MEASURES SHALL BE APPLIED AS NEEDED DURING THE ENTIRE CONSTRUCTION CYCLE. AFTER EACH RAINFALL, A VISUAL INSPECTION SHALL BE MADE OF ALL INSTALLED EROSION CONTROL MEASURES AND REPAIRS SHALL BE CONDUCTED TO ENSURE THEIR CONTINUING FUNCTION AS DESIGNED.
- CATCH BASIN, INLETS AND STORM SEWER MANHOLES, STRUCTURES WITHIN THE SITE WILL BE PROTECTED DURING FILLING OPERATIONS FROM SEDIMENT RUNOFF AND DEBRIS BY PLACING A FILTER FABRIC MATERIAL IN THE FRAME AND GRATE/MANHOLE COVER. PREVENTIVE METHODS MUST BE UTILIZED AROUND THESE STRUCTURES, DURING FILLING OPERATIONS, BY GRADING TO DRAIN AWAY FROM STRUCTURES AND ANY OTHER METHODS APPROVED BY THE COUNTY/MUNICIPAL ENGINEER OR DESIGN ENGINEER OF RECORD.



48 HOURS BEFORE DIGGING
BROWARD • PALM BEACH • INDIAN RIVER
ST. LUCIE • MARTIN COUNTIES
CALL FREE
1-800-432-4770
S.U.N.S.H.I.N.E. UNDERGROUND UTILITIES
NOTIFICATION CENTER

ALL GRADES REFER TO NAVD. DATUM OF 1988

Charles O. Buckalew
Digitally signed by Charles O. Buckalew
Date: 2022.06.28 10:02:10 -04'00'




GENERAL PAVEMENT SECTION NOTES :
CONC. DRIVES/PARKING & PLANE PADS -
5 1/2" CONC. SLAB, 4,500 PSI., UNREINFORCED
8" LIMEROCK BASE, OR 15" CLEAN SAND BASE.
15' MAX. JOINT SPACING
SIDEWALKS -
4" THK., 4,000 PSI., CONCRETE,
6" COMPACTED SAND SUBGRADE
5 1/2" THK., 4,000 PSI., (VEHICULAR TRAFFIC)
CONC. CURBING -
TYPE "D" CONC. CURB, IN AREAS AS SHOWN
POMPAÑO BEACH STANDARDS & SPECIFICATIONS
ASPHALT DRIVES - (EXIST. AREAS REPAIRED & OFFSITE)
1 1/4" TYPE S-1, ASPHALT
8" LIMEROCK BASE, MIN. LBR.-40, COMPACTED TO 98% OF AASHTO T-180
12" STABILIZED SUBGRADE, MIN. LBR.-40, COMPACTED TO 95% OF AASHTO T-180

024 EROSION CONTROL PLAN

DRC
PZ22-12000020
8/3/2022

SITE IMPROVEMENT PLANS FOR
POMPAÑO BEACH AIR PARK - PARCEL Y
1520-1580 NE 5th AVENUE, POMPAÑO BEACH, FLORIDA 33060

Charles O. Buckalew
Consulting Engineering Services, Inc.
801 South Ocean Drive, Suite 201
Hollywood, Florida 33019
C.O.A. Number: 6255
Tele.: (954) 558-1189 Fax: (954) 929-8988



DATE MAY 2022
SCALE 1"=30'-0"
BY R.W.
JOB NO. 228
SHEET 1