










SYMBOL	TYPE	SPECIFICATIONS	NOTES	REFERENCE SHEET FOR DETAILS	COLOR / FINISH	CONTACT
	5' x 5' TREE GRATE	OBLIO TREE GRATE BY IRONAGE; 5' X 5' ; 18" DIAMETER TREE OPENING; GALVANIZED FRAME	PROVIDE TWO UPLIGHT WELLS FOR EACH TREE GRATE; INSTALL PER MFG. SPECIFICATION AND APPLICABLE BUILDING CODE	SEE IMAGE 1 ON SHEET LM-05	BAKED ON OIL FINISH; COLOR TBD	IRON AGE DESIGNS KATHLEEN ARMSTRONG 206-276-0925, EXT: 1007 KATHLEEN@IRONAGEGRATES.COM WWW.IRONAGEGRATES.COM
	4' x 6' TREE GRATE	OBLIO TREE GRATE BY IRONAGE; 4' X 6' ; 18" DIAMETER TREE OPENING; GALVANIZED FRAME	PROVIDE TWO UPLIGHT WELLS FOR EACH TREE GRATE; INSTALL PER MFG. SPECIFICATION AND APPLICABLE BUILDING CODE	SEE IMAGE 1 ON SHEET LM-05	BAKED ON OIL FINISH; COLOR TBD	IRON AGE DESIGNS KATHLEEN ARMSTRONG 206-276-0925, EXT: 1007 KATHLEEN@IRONAGEGRATES.COM WWW.IRONAGEGRATES.COM
	6' PICKET FENCE	6' HIGH; 2.5" O.A. DIAMETER PICKETS ALUMINUM; 3-3/4" CLEAR BETWEEN PICKETS TYP.	CONCRETE FOOTING FOR ALL POSTS SHALL BE BURIED IN-GROUND 18 INCHES BELOW GRADE; INSTALLATION PER MFG. SPECIFICATIONS AND FLORIDA BUILDING CODE. SPECIALTY ENGINEERED ITEM; CONTRACTOR AS PART OF THE BID AND SERVICES SHALL PROVIDE ENGINEERED STRUCTURAL DESIGN, PER F.B.C. FOR ATTACHMENT AND OR INSTALLATION OF THIS ITEM.	SEE IMAGE 2 ON SHEET LM-05	TBD	
	6' HIGH PICKET DOUBLE LEAF GATE	6' HIGH PICKET DOUBLE LEAF GATE 10' WIDE OPENING TO MATCH FENCE; 2.5" O.A. DIAMETER PICKETS ALUMINUM; 3-3/4" CLEAR BETWEEN PICKETS TYP. DROP ROD WITH LOCK	CONCRETE FOOTING FOR ALL POSTS SHALL BE BURIED IN-GROUND 18 INCHES BELOW GRADE; INSTALLATION PER MFG. SPECIFICATIONS AND FLORIDA BUILDING CODE. SPECIALTY ENGINEERED ITEM; CONTRACTOR AS PART OF THE BID AND SERVICES SHALL PROVIDE ENGINEERED STRUCTURAL DESIGN, PER F.B.C. FOR ATTACHMENT AND OR INSTALLATION OF THIS ITEM.		TBD	
	6' HIGH PICKET SINGLE LEAF GATE	6' HIGH SINGLE LEAF GATE 3' OPENING; GATE TO MATCH FENCE; 2.5" O.A. DIAMETER PICKETS ALUMINUM; 3-3/4" CLEAR BETWEEN PICKETS TYP.	CONCRETE FOOTING FOR ALL POSTS SHALL BE BURIED IN-GROUND 18 INCHES BELOW GRADE; INSTALLATION PER MFG. SPECIFICATIONS AND FLORIDA BUILDING CODE. SPECIALTY ENGINEERED ITEM; CONTRACTOR AS PART OF THE BID AND SERVICES SHALL PROVIDE ENGINEERED STRUCTURAL DESIGN, PER F.B.C. FOR ATTACHMENT AND OR INSTALLATION OF THIS ITEM.		TBD	
	6' HIGH PICKET CANTILEVER ROLLING GATE	6' HIGH PICKET CANTILEVER GATE, 10' OPENING; GATE TO MATCH FENCE WITH 2.5" O.A. DIAMETER PICKETS ALUMINUM; 3-3/4" CLEAR BETWEEN PICKETS TYP.	CONCRETE FOOTING FOR ALL POSTS SHALL BE BURIED IN-GROUND 18 INCHES BELOW GRADE; INSTALLATION PER MFG. SPECIFICATIONS AND FLORIDA BUILDING CODE. SPECIALTY ENGINEERED ITEM; CONTRACTOR AS PART OF THE BID AND SERVICES SHALL PROVIDE ENGINEERED STRUCTURAL DESIGN, PER F.B.C. FOR ATTACHMENT AND OR INSTALLATION OF THIS ITEM.		TBD	
	4' HIGH PICKET FENCE	4' HIGH; 1-3/4" O.A. DIAMETER PICKETS ALUMINUM; 3/4" CLEAR BETWEEN PICKETS TYP.	CONCRETE FOOTING FOR ALL POSTS SHALL BE BURIED IN-GROUND 18 INCHES BELOW GRADE; INSTALLATION PER MFG. SPECIFICATIONS AND FLORIDA BUILDING CODE. SPECIALTY ENGINEERED ITEM; CONTRACTOR AS PART OF THE BID AND SERVICES SHALL PROVIDE ENGINEERED STRUCTURAL DESIGN, PER F.B.C. FOR ATTACHMENT AND OR INSTALLATION OF THIS ITEM.	SEE IMAGE 2 ON SHEET LM-04	TBD	
	4' HIGH PICKET DOUBLE LEAF GATE	4' HIGH PICKET DOUBLE LEAF GATE 8' WIDE OPENING; GATE TO MATCH FENCE, 1-3/4" O.A. DIAMTER PICKETS ALUMINUM; 3-3/4" CLEAR BETWEEN PICKETS TYP.	CONCRETE FOOTING FOR ALL POSTS SHALL BE BURIED IN-GROUND 18 INCHES BELOW GRADE; INSTALLATION PER MFG. SPECIFICATIONS AND FLORIDA BUILDING CODE. SPECIALTY ENGINEERED ITEM; CONTRACTOR AS PART OF THE BID AND SERVICES SHALL PROVIDE ENGINEERED STRUCTURAL DESIGN, PER F.B.C. FOR ATTACHMENT AND OR INSTALLATION OF THIS ITEM.		TBD	
	6' HIGH SOLID PANEL DOUBLE LEAF GATE	6' HIGH SOLID PANEL DOUBLE LEAF GATE 6' WIDE OPENING	CONCRETE FOOTING FOR ALL POSTS SHALL BE BURIED IN-GROUND 18 INCHES BELOW GRADE; INSTALLATION PER MFG. SPECIFICATIONS AND FLORIDA BUILDING CODE. SPECIALTY ENGINEERED ITEM; CONTRACTOR AS PART OF THE BID AND SERVICES SHALL PROVIDE ENGINEERED STRUCTURAL DESIGN, PER F.B.C. FOR ATTACHMENT AND OR INSTALLATION OF THIS ITEM.	SEE IMAGE 3 ON SHEET LM-05	TBD	ULTRA ALUMINUM MFG., INC. MELVIN RODRIGUEZ 561-848-9700 LANSINGBP.COM
	6' HIGH SOLID PANEL CANTILEVER ROLLING GATE	6' HIGH SOLID PANEL CANTILEVER GATE 18' WIDE OPENING	CONCRETE FOOTING FOR ALL POSTS SHALL BE BURIED IN-GROUND 18 INCHES BELOW GRADE; INSTALLATION PER MFG. SPECIFICATIONS AND FLORIDA BUILDING CODE. SPECIALTY ENGINEERED ITEM; CONTRACTOR AS PART OF THE BID AND SERVICES SHALL PROVIDE ENGINEERED STRUCTURAL DESIGN, PER F.B.C. FOR ATTACHMENT AND OR INSTALLATION OF THIS ITEM.		TBD	ULTRA ALUMINUM MFG., INC. MELVIN RODRIGUEZ 561-848-9700 LANSINGBP.COM
	TRELLIS STRUCTURE	CUSTOM CANTILIVER METAL TRELLIS; 23.5' X 13'	CONCRETE FOOTING FOR ALL COLUMNS SHALL BE BURIED IN-GROUND 18 INCHES BELOW GRADE; INSTALLATION PER MFG. SPECIFICATIONS AND FLORIDA BUILDING CODE. SPECIALTY ENGINEERED ITEM; CONTRACTOR AS PART OF THE BID AND SERVICES SHALL PROVIDE ENGINEERED STRUCTURAL DESIGN, PER F.B.C. FOR ATTACHMENT AND OR INSTALLATION OF THIS ITEM.	SEE DETAIL 4 ON SHEET LM-06	TBD	
	SITE 4 SEAT AND TABLE	BISTRO STYLE TABLE AND SEAT BY LANDSCAPE FORMS; SEAT MODEL: EVERY DAY CHAIR WITH ARMS. TABLE MODEL: CHIPMAN 36" DIAMETER, DINING HEIGHT.		SEE DETAIL 7 ON SHEET LM-05	TBD	LANDSCAPE FORMS LUIS SALAZAR 269-337-1314 LUISS@LANDSCAPEFORMS.COM WWW.LANDSCAPEFORMS.COM
	BIKE RACK	TRIO BIKE RACK BY FORMS + SURFACES.	CONCRETE FOOTING SHALL BE BURIED IN-GROUND 18 INCHES BELOW GRADE; INSTALLATION PER MFG. SPECIFICATIONS AND FLORIDA BUILDING CODE.	SEE DETAIL 6 ON SHEET LM-05	TBD	FORMS + SURFACES ED PELAEZ 305-562-5653 ED.PELAEZ@FORMS-SURFACES.COM WWW.FORMS-SURFACES.COM
	LITTER & RECYCLING RECEPTACLE	DISPATCH RECEPTACLE BY FORMS + SURFACES; 45 GALLONS SINGLE LINER. 45.3" HIGH.	SURFACE MOUNTED; INSTALLATION PER MFG. SPECIFICATIONS AND FLORIDA BUILDING CODE.	SEE DETAIL 5 ON SHEET LM-05	TBD	FORMS + SURFACES ED PELAEZ 305-562-5653 ED.PELAEZ@FORMS-SURFACES.COM WWW.FORMS-SURFACES.COM
	SITE BENCH	JOIN BACKLESS BENCH BY DIVISION 32 / GREEN THEORY; CUSTOM CURVATURE WITH TOE KICK ; MARINE GRADE ALUMINUM AND THERMALLY MODIFIED ASH SLATS	SURFACE MOUNTED; INSTALLATION PER MFG. SPECIFICATIONS AND FLORIDA BUILDING CODE.	SEE IMAGE 5 ON SHEET LM-06	TBD	DIVISION 32 MANUEL GIL-GOODMAN 786-457-6351 MANUEL@DIV32.COM WWW.GREENTHEORY.COM