



PER CODE SEC. 155.5509, ALL NEW UTILITIES SHALL BE PLACED UNDERGROUND.

EXISTING TREE TO REMAIN IN NEARBY PROPERTY; CRITICAL ROOT ZONE, JOG WALL.

TYPE B BUFFER TO BE PROVIDED: 6'-0" OPAQUE PRECAST CONCRETE WALL ALONG SINGLE-FAMILY RESIDENTIAL DEVELOPMENT WITH RETAINING WALL NEAR RETENTION AREA.

EXISTING CRITICAL ROOT ZONE APPROXIMATELY 12 FEET OUT FROM TRUNK. JOG WALLS OUT TO NOT CUT ROOTS.

REMOVE EXISTING 6' WALL AND REPLACE WITH RETAINING WALL.

W. ATLANTIC BLVD.
120' TOTAL RIGHT-OF-WAY



Based on the information provided, all dimensions and luminaire locations shown represent recommended positions. The engineer and/or architect must determine applicability of the layout to existing or future field conditions. This lighting pattern represents illumination levels calculated from laboratory data taken under controlled conditions utilizing current industry standard lamp ratings in accordance with Illuminating Engineering Society approved methods. Actual performance of any manufacturer's luminaire may vary due to variation in electrical voltage, tolerance in lamp and other variable field conditions.

NOTES:

No.	Revision/Issue	Date
1	PHOTOMETRIC STUDY	

LIGHTING DYNAMICS, INC.
7835 West Commercial Blvd.
Tamarac, FL 33351
(954) 944-0286
www.lightingdynamics.com

Project Name and Address
FIBERBUILT

FILE
CLIENT

Project	Sheet



PZ21-12000052
8/17/2022