ABV	ABOVE
ACOUS	ACOUSTICAL
AD	AREA DRAIN
ADJ	ADJACENT/ADJUSTABLE
AFF	ABOVE FINISHED FLOOR
AGGR	AGGREGATE
ALUM	ALUMINUM
ANCH	ANCHOR
ANOD	ANODIZED
APPROX	APPROXIMATE (LY)
ARCH	ARCHITECT (URAL)
AS	ACOUSTICAL SEALANT
ASPH	ASPHALT
AT	ACOUSTICAL TILE
B/	BOTTOM OF
BD	BOARD
BITUM	BITUMINOUS
BLDG	BUILDING
BM	BEAM
BRK	BRICK
CAB	CABINET
CJ	CONTROL JOINT
CLG	CEILING
C	CENTERLINE
CLR	CLEAR
CLR OPG	CLEAR OPENING
CMU	CONCRETE MASONRY UNIT
CP	CEMENT PLASTER
COL	COLUMN
CONC	CONCRETE
CONST	CONSTRUCTION
CONT	CONTINUOUS
CONTR	CONTRACTOR
CPT	CARPET
CT	CERAMIC TILE
DIAM	DIAMETER
DIM	DIMENSION
D.OS.	DOOR OPENING SIZE
DP	DAMP PROOFING
DR	DOOR
DTL	DETAIL
DWGS.	DRAWING (S)
DW.	DRYWALL
EA.	EACH
E.J.	EXPANSION JOINT
ELECT.	ELECTRICAL
ELEV./EL.	ELEVATION
EQ.	EQUAL
EQUIP.	EQUIPMENT
EXP.	EXPOSED
EXPAN	EXPANSION
EXIST	EXISTING
FE.	FIRE EXTINGUISHER
FEC.	FIRE EXTINGUISHER CABINET
FD.	FLOOR DRAIN
F.F.	FINISHED FLOOR
F.F.E.	FINISHED FLOOR ELEVATION
FHC	FIRE HOSE CABINET
FIN.	FINISHED
FL.	FLOOR
FLASH.	FLASHING
FLR.	FLOOR
FT.	FOOT, FEET
FURR.	FURRING
GA.	GAUGE
GALV	GALVANIZED
GC	GENERAL CONTRACTOR
GL	GLASS
G.W.B.	GYPSUM WALL BOARD
GYP	GYPSUM
GYB BD	GYPSUM BOARD
HANDIC	HANDICAPPED
HB.	HOSE BIB
HC.	HOLLOW CORE
HD.	HAND
HDW.	HARDWARE
HDWD.	HARDWOOD
HGT./HT	HEIGHT
HM.	HOLLOW METAL
HOR.	HORIZONTAL
H.P.	HIGH POINT
H.V.A.C.	HEATING, VENTILATING AND AIR CINDITIONING
ID.	INSIDE DIAMETER
IN.	INCH
INSUL	INSULATION
INT.	INTERIOR
JC.	JANITOR'S CLOSET
JST.	JOIST
JT.	JOINT
KIT.	KITCHEN
KO.	KNOCK-OUT
LAM	LAMINATE
LP	LOW POINT
LT	LIGHT
LVR	LOUVER
MACH.	MACHINE
MAX.	MAXIMUN
MECH.	MECHANICAL
MFGR.	MANUFACTURER
MIN.	MINIMUM
MISC.	MISCELLANEOUS
M.O.	MASONRY OPENING
M.R.	MOISTURE RESISTANT
MSL	MEAN SEA LEVEL
MTL.	METAL
MULL	MULLION
N.I.C.	NOT IN CONTRACT
NO.	NUMBER
NOM.	NOMINAL
N.T.S.	NOT TO SCALE
OC	ON CENTER
OD	OUTSIDE DIAMETER
OPNG	OPENING
OPP	OPPOSITE
PARTN	PARTITION
PFS	PREMOLDED FILLER
PL	PLATE
PBLG	PLUMBING
PLAS	PLASTER, PLASTIC
PROJ	PROJECT
PLYWD	PLYWOOD
PVMT	PAVEMENT
PT	POINT
P.T.	PRESSURE TREATED
Q.T.	QUARRY TILE
REF	REFERENCE/REFRIGERATOR
REINF	REINFORCED
RES	RESILIENT
RO	ROUGH OPENING
SAN	SANITARY
SHT	SHEET
SHTG	SHEATHING
SIM	SIMILAR
SPEC	SPECIFICATION
S.S.	STAINLESS STEEL
STRD	STANDARD
T.O.C.	TOP OF CONCRETE
T & G	TONGUE AND GROOVE
TEMP	TEMPERED
TERR	TERRAZO
TJ	TOP OF JOIST
TOW	TOP OF WALL
TYP	TYPICAL
UON	UNLESS OTHERWISE NOTED
W/	WITH
WD	WOOD
WDW	WINDOW
WH	WATER HEATER
W/O	WITHOUT
WSCT	WAINSCOT



Abbreviations & Symbols 06

GENERAL NOTES

1. ALL WORK SHALL BE PERFORMED AND COMPLETED IN STRICT ACCORDANCE WITH APPLICABLE BUILDING CODES AND MANUFACTURER'S RECOMMENDED PROCEDURES FOR THE INSTALLATION OF MATERIALS AND EQUIPMENT AS REQUIRED TO SATISFY THE DRAWINGS AND THESE SPECIFICATIONS.
2. BEFORE COMMENCEMENT OF THE WORK, THE CONTRACTOR SHALL VERIFY MEASUREMENTS AND CONDITIONS AT THE EXISTING BUILDING AND SITE. ANY DIFFERENCES, OR DESCREPENCIES, BETWEEN ACTUAL MEASUREMENTS AND CONDITIONS FROM THOSE SHOWN ON THE DRAWINGS SHALL BE SUBMITTED TO THE ARCHITECT FOR CONSIDERATION AND DECISION BEFORE PROCEEDING WITH THE WORK.
3. THE GENERAL CONTRACTOR SHALL FURNISH OR PROVIDE FOR ALL ITEMS, ARTICLES, MATERIALS, OPERATIONS OR METHODS LISTED, MENTIONED OR SCHEDULED ON THE DRAWINGS AND HEREIN SPECIFIED.
4. THE DRAWINGS ARE INTENDED TO SHOW THE GENERAL ARRANGEMENT, DESIGN AND EXTENT OF THE WORK AND ARE PARTLY DIAGRAMMATIC. THEY ARE NOT INTENDED TO BE SCALED.
5. ALL DETAILS AND SECTIONS SHOWN ARE INTENDED TO BE TYPICAL AND SHALL BE CONSTRUCTED TO APPLY TO ANY SIMILAR SITUATION ELSEWHERE ON THE PROJECT, EXCEPT WHERE A DIFFERENT DETAIL IS SHOWN.
6. IF ANY CLARIFICATIONS OF THE CONSTRUCTION DOCUMENTS ARE REQUIRED, OR ANY DESCREPANCIES ARE NOTICED, THEY SHALL BE BROUGHT TO THE ARCHITECTS' ATTENTION FOR FURTHER CLARIFICATION.
7. CONTRACTOR SHALL OBTAIN THE LATEST SET OF DRAWINGS FROM THE ARCHITECT, INCLUDING ANY DATED REVISIONS, BEFORE STARTING CONSTRUCTION.
8. THE CONTRACTOR SHALL COMPLY WITH THE SAFETY REQUIREMENTS OF ALL LOCAL, STATE AND FEDERAL LAWS.
9. PROVIDE ALL SHORING, BRACING AND SHEATHING AS REQUIRED FOR SAFETY AND FOR THE PROPER EXECUTION OF THE WORK.
10. IN THE PROCESS OF LOCATING INTERIOR PARTITIONS, THE CONTRACTOR RESPONSIBLE SHALL REPORT ANY DIMENSIONAL DIFFERENCES IN THE FIELD FROM THE DIMENSIONS INDICATED ON THE PLANS, BEFORE PROCEEDING WITH ANY WORK.
11. WALL THICKNESS DIMENSIONS SHOWN ARE NOMINAL. PLEASE SEE PARTITION DETAILS FOR ACTUAL ASSEMBLY THICKNESSES.
12. PROVIDE BACKING IN PARTITIONS AND WALLS, AS REQUIRED, TO SUPPORT SHELVING AND WALL MOUNTED FIXTURES (SEE BACKING DETAIL IN THE ARCHITECTURAL DETAILS)

EXISTING SLAB

1. THE EXISTING CONCRETE SLAB IS TO BE CUT FOR NEW PLUMBING WHERE NEEDED FOR NEW PLUMBING.

WOOD CONSTRUCTION

1. ALL WOOD IN CONTACT WITH CONCRETE, OR METAL, SHALL BE PRESSURE TREATED.

METAL STUDS

1. ANY NEW METAL STUDS USED SHALL BE GALVANIZED.
2. GALVANIZED METAL STUDS USED AT INTERIOR WALLS SHALL BE 25 GA. (MINIMUM) AT 24" O.C. (MAXIMUM).
3. HORIZONTAL METAL TRACK RUNNERS SHALL BE USED AT THE TOP AND BOTTOM OF EACH METAL STUD WALL.
4. ATTACHMENTS FOR METAL STUD FRAMING SHALL BE WITH USE OF SHEET METAL SCREWS AT CODE MINIMUM SPACINGS (MINIMUM). GYPSUM WALLBOARD SHALL BE INSTALLED WITH DRYWALL SCREWS AT CODE MINIMUM SPACINGS.
5. ATTACHMENTS FOR METAL STUD TRACK RUNNERS TO CONCRETE SHALL BE WITH USE OF APPROPRIATE FASTENERS 2" L. (MIN.) AT 24" O.C. (MAX).
6. 6" GALV. METAL STUDS SHALL BE USED AT ALL PLUMBING WET WALLS TO ALLOW PROPER CLEARANCE FOR PIPING 'ROUGH-IN'.
7. ALL PARTITIONS, WHICH DO NOT RUN FULL HEIGHT, SHALL BE BRACED TO THE ROOF DECK ABOVE AT 48" O.C. (MAX) WITH ANGLED STUD BRACING, STAGGERED SIDE-TO-SIDE. SEE STUD BRACING DETAIL IN THE ARCHITECTURAL DETAILS.

GYPSUM WALLBOARD

1. GYPSUM WALLBOARD SHALL BE SCREWED TO METAL STUDS AT MIN. SPACING(S) PER CODE.
2. PROVIDE MIN. (2) COATS DRYWALL COMPOUND AT ALL JOINTS, WITH SANDING BETWEEN COATS.
3. TAPE SHALL BE USED AT ALL DRYWALL SHEET SEAMS, AND CORNER BEADS AT ALL EXPOSED CORNERS. DRYWALL J-BEADS SHALL BE USED AT ANY CONDITIONS WHERE DRYWALL END/EDGE IS EXPOSED.
4. USE MOISTURE RESISTANT AT ALL WET WALL LOCATIONS.

MILLWORK

1. ALL CUSTOM BUILT MILLWORK SHALL BE BUILT AS PER DETAILS IN THESE PLANS, OR SHOP DRAWINGS SHALL BE PROVIDED FOR OWNER AND ARCHITECT REVIEW.
2. IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO PROVIDE BACKING AND/OR BLOCKING, AS REQUIRED, FOR INSTALLATION AND SUPPORT OF ALL MILLWORK. SEE BLOCKING DETAIL IN THE ARCHITECTURAL DETAILS.
3. ASSUMPTIONS HAVE BEEN MADE ABOUT THE FABRICATION OF MILLWORK FOR THIS PROJECT. CONTRACTOR SHALL COORDINATE BETWEEN TRADESMEN (I.E., VERIFY REQUIREMENTS OF COUNTERTOP INSTALLER, AND PROVIDE FOR SAME IN THE BASE CABINETRY).

Interior Finish Classification: Group B Non Sprinklered

1. ALL INTERIOR FINISHES SHALL MEET OR EXCEED THE REQUIREMENTS OF THE FLORIDA BUILDING CODE. THE GENERAL CONTRACTOR SHALL VERIFY THAT EACH FINISH MEETS OR EXCEEDS THESE REQUIREMENTS, PRIOR TO ORDERING, OR INSTALLATION.

   AS PER THE FLORIDA FIRE PREVENTION CODE (NFPA 101) SEC. 39.3.3.2, AND FBC TABLE 803.9, THE MINIMUM INTERIOR FINISH CLASSIFICATIONS SHALL BE AS FOLLOWS:

   ENCLOSED STAIRWAYS: N/A — CLASS 'A' OR 'B'
   EXIT ACCESS CORRIDORS/LOBBIES: N/A — CLASS 'A' OR 'B'
   ROOMS and ENCLOSED SPACES: — CLASS 'A', 'B', OR 'C'
2. FINISHES ARE TO BE SELECTED BY THE OWNER AND/OR TENANT, AND COORDINATED BY THE GENERAL CONTRACTOR.

   ALL INTERIOR FINISHES SHALL COMPLY WITH FLORIDA BUILDING CODE 2014 ED. CHAPTER 8, SECTION 803.1.1, TABLE 803.9 AND CLASSIFIED IN ACCORDANCE TO ASTM 84. FINISH TYPES SHALL BE AS FOLLOWS:

CLASS 'A'	FLAME SPREAD 0-25	SMOKE DEVELOPED INDEX 0-450
CLASS 'B'	FLAME SPREAD 26-75	SMOKE DEVELOPED INDEX 0-450
CLASS 'C'	FLAME SPREAD 76-200	SMOKE DEVELOPED INDEX 0-450

3. GENERAL CONTRACTOR SHALL VERIFY THAT ALL SELECTED FINISHES MEET THESE CRITERIA, OR PROVIDE SPECIFICATIONS FOR ARCHITECT REVIEW AND APPROVAL.

   ALL INTERIOR FLOOR FINISHES SHALL COMPLY THE FLORIDA FIRE PREVENTION CODE (NFPA 101) SEC. 12.3.3.5, AND FBC 804.4.1, THE MINIMUM INTERIOR FLOOR FINISH CLASSIFICATIONS SHALL BE AS FOLLOWS:

   EXIT ENCLOSURES: CLASS II
   EXIT ACCESS CORRIDORS: CLASS II
   CLASS I, 0.45 WATTS/CM2 OR GREATER; CLASS II, 0.22 WATTS/CM2 OR GREATER.

HANDICAPPED ACESSIBILITY

1. SEE PLANS, DETAILS, AND SHEET A-5.1 FOR HANDICAPPED ACCESSIBILITY REQUIREMENTS.
2. CHANGES IN LEVEL AT DOOR THRESHOLDS, OR AT TRANSITIONS BETWEEN FLOORING MATERIALS SHALL BE NO GREATER THAN 1/2 INCH WITH A BEVELED EDGE (WITH A SLOPE NO GREATER THAN 1:2). CHANGES IN LEVEL UP TO 1/4 INCH MAY BE VERTICAL, AND WITHOUT EDGE TREATMENT.

General Notes 05

Shop Drawings:

1. EXTERIOR DOORS/WINDOWS
2. PLUMBING FIXTURES
3. COVERED CANOPIES
4. LIGHTING FIXTURES

RISING TIDE CAR WASH

PROJECT TEAM :

Architect:
GBM ARCHITECTURE, P.A.
330 HIMMARSHEE ST, SUITE 108
FORT LAUDERDALE, FLORIDA 33312
CONTACT : JACK BROWN
954-999-5633
JACK@GBMARCHITECTURE.COM

Civil:
THOMPSON ENGINEERING & CONSULTING, IN.
19304 NW 12TH STREET
PEMBROKE PINES, FL 33029
CONTACT PERSON: JUSTIN THOMPSON, P.E. (FL, MD)
954-232-2261
justin@thompson-ec.com

Landscape:
ARCHITECTURAL ALLIANCE LANDSCAPE
612 SW 4TH AVE., FORT LAUDERDALE, FL. 33315
CONTACT PERSON: MICHAEL M. JARVIS, RLA
954.980.1100
mjarvis@archall.net

Consultant:
PLANW3ST
10152 W INDIANTOWN RD # 159, JUPITER, FL 33478
CONTACT: PAOLA A. WEST, AICP, ISA CA
TEL: 954-529-9417
pwest@planw3st.com

Car Wash Equipment:
SONNY'S ENTERPRISES, INC.
5605 HIATUS ROAD,
TAMARAC, FL. 33321 USA.
CONTACT: MARK DOMINGUEZ
TEL: (800)327-8723 CELL: 954-303-5304
MDominguez@sonnysdirect.com

Lighting:
GENESIS LIGHTING
14101 NW 8th Street
Sunrise, FL 33325
CONTACT: RYAN MCCARTHY
TEL: 954-306-3931 CELL: 850-980-5708
rmccarthy@genesislighting.net

Surveyor:
PULICE LAND SURVEYORS, INC.
5381 NOB HILL RD.
SUNRISE, FL 33351
CONTACT: JANE STORMS
VICE PRESIDENT
TEL: 954-572-1777
JANE@PULICELANDSURVEYORS.COM

FLORIDA FIRE PREVENTION CODE, (8TH ED) CHAPTER 16 SAFEGUARDING CONSTRUCTION, ALTERATIONS, AND DEMOLITION OPERATIONS

1. PER F.F.P.C, CHAPTER 16 SECTION 16.3.4.1 AT LEAST ONE PORTABLE FIRE EXTINGUISHER HAVING A RATING OF AT LEAST 4-A, 30-BC SHALL BE WITHIN A TRAVEL DISTANCE OF 75 FT OR LESS TO ANY POINT OF A STRUCTURE UNDER CONSTRUCTION. PERSONNEL NORMALLY ON THE CONSTRUCTION SITE SHALL BE INSTRUCTED IN THE USE OF THE FIRE EXTINGUISHER PROVIDED.
2. PER F.F.P.C. CHAPTER 16 SECTION 16.2.3.1 FLAMMABLE OR COMBUSTIBLE LIQUIDS SHALL BE STORED, HANDLED, OR USED ON CONSTRUCTION THE CONSTRUCTION SITE IN ACCORDANCE WITH THE APPLICABLE PROVISIONS OF SECTION 16.2.3.1

PROJECT SCOPE:

A GENERAL DESCRIPTION OF THE WORK IS AS FOLLOWS:

New Work

NEW MECHANICAL, ELECTRICAL, PLUMBING FOR OFFICE SPACE, CAR WASH TUNNEL, EQUIPMENT ROOM AND ADA COMPLIANT RESTROOM. NEW FLOOR FINISHES, INTERIOR DRYWALL PARTITIONS, REFLECTED CEILING WITH LIGHTING AND MECHANICAL.

Project Description 03

A-0.0	COVER SHEET
SURVEY	BOUNDARY & TOPOGRAPHIC SURVEY ALTA/NSPS LAND TITLE SURVEY
CIVIL	
C101	COVER SHEET
C102	GENERAL NOTES
C103	EXISTING CONDITIONS PLAN
C104	DEMOLITION PLAN
C105	STORM WATER POLLUTION & PROTECTION PLAN- EX CONDITIONS
C106	STORM WATER POLLUTION & PROTECTION PLAN- PROP. CONDITIONS
C107	STORM WATER POLLUTION & PROTECTION NOTES & DETAILS
C108	SETBACKS, BUFFERS & EASEMENT PLAN
C109	SITE PLAN
C110	SITE DATA TABLE
C111	CIVIL NOTES & DETAILS
C112	PAVING & GRADING PLAN
C113	PAVING & GRADING DETAILS
C114	DRAINAGE PLAN
C115	DRAINAGE DETAILS
C116	UTILITY PLAN
C117	UTILITY DETAILS
C118	FIRE TRUCK EXHIBIT
LANDSCAPE	
L-200	LANDSCAPE PLAN
L-210	LANDSCAPE DETAILS AND NOTES
L-300	IRRIGATION PLAN
L-310	IRRIGATION DETAILS
L-311	IRRIGATION NOTES
ARCHITECTURAL	
A-0.2	RENDERINGS
A-1.0	SITE PLAN
A-2.0	LIFE SAFETY PLAN
A-2.1	FLOOR PLAN
A-2.4	ROOF PLAN
A-6.1	EXTERIOR ELEVATIONS
PH-1	PHOTOMETRIC PLAN

Index Of Drawings 04

Location Plan 02

ZONING INFORMATION:

LEGAL DESCRIPTION:	PARCEL "A", "ENGSTROM PLAT", ACCORDING TO THE PLAT THEREOF, AS RECORDED IN PLAT BOOK 152, PAGE 45, PUBLIC RECORDS OF BROWARD COUNTY, FLORIDA, LESS AND EXCEPT: THE NORTH 15 FEET THEREOF, AS TAKEN BY THE CITY OF POMPANO BEACH, BY VIRTUE OF ORDER OF TAKING RECORDED IN OFFICIAL RECORDS BOOK 30362, PAGE 53, PUBLIC RECORDS OF BROWARD COUNTY, FLORIDA.
PROPERTY OWNER:	
PROPERTY ADDRESS:	2901 W ATLANTIC BOULEVARD POMPANO BEACH FL 33069
BUILDING JURISDICTION:	CITY OF POMPANO BEACH
WATER /WASTEWATER SERVICE PROVIDER:	CITY OF POMPANO BEACH
ZONING DESIGNATION:	B-3
LAND USE DESIGNATION:	GENERAL BUSINESS
BUILDING HEIGHT:	+/-32'-10" A.F.F.
SITE AREA:	+/- 52,371 SF 1.2023 ACRES

BUILDING INFORMATION:

APPLICABLE CODE(S):
FLORIDA BUILDING CODE - 2023
WITH ALL STATE & LOCAL AMENDMENTS
FLORIDA ACCESSIBILITY CODE - 2023
FLORIDA ENERGY CONSERVATION - 2023
FLORIDA FUEL GAS CODE - 2023
FLORIDA MECHANICAL CODE - 2023
FLORIDA PLUMBING CODE - 2023
FLORIDA TEST PROTOCOLS CODE - 2023
NATIONAL ELECTRICAL CODE 2020
FLORIDA FIRE PREVENTION CODE 8th ED

NFPA 1, 2023 EDITION, "FIRE CODE".
NFPA 101, 2023 EDITION, "LIFE SAFETY CODE".
NFPA 10, 2023 EDITION, "STANDARD FOR PORTABLE FIRE EXTINGUISHER".
NFPA 70, 2023 EDITION, "NATIONAL ELECTRICAL CODE".
NFPA 72, 2023 EDITION, "NATIONAL FIRE ALARM CODE".
NFPA 110, 2023' EDITION. "STANDARD FOR EMERGENCY AND STAND-BY POWER SUPPLY".

TYPE OF CONSTRUCTION:	TYPE III-B (NON SPRINKLERED)
EXISTING OCCUPANCY :	BUSINESS GROUP B
PROPOSED USE:	BUSINESS GROUP B
NEW TOTAL GSF	**3,500 SF**

CLASSIFICATION OF HAZARD OF CONTENTS: ORDINARY HAZARD AS DEFINED IN NFPA SECTION 6.2.2.3
DEFINED IN NFPA SECTION 6.2.2.3

FBC TABLE 503: ALLOWABLE BUILDING HEIGHTS AND AREAS:

PROPOSED GROUP		TYPE OF CONSTRUCTION			
		TYPE III-B (NON SPRINKLERED)			
B	HEIGHT (ft)	55'	ALLOWED	32'-10	PROPOSED
	STORY	3	ALLOWED	1	PROPOSED
	AREA	19,000 (2)	PER/STORY	3,500 SF	PROPOSED

FBC TABLE 601:FIRE RESISTANCE RATING REQ. FOR BLDG. ELEMENTS(HRS)

BUILDING ELEMENTS	FIRE RATING REQUIRED	FIRE RATING PROVIDED
STRUCTURAL FRAME (INCL. COLUMNS GIRDERS, TRUSSES)	0	0
BEARING WALLS : EXTERIOR INTERIOR	2 0	2 0
NON BEARING EXTERIOR WALLS & PARTITIONS	0	0
NON BEARING INTERIOR WALLS & PARTITIONS	0	0
FLOOR CONSTRUCTION	0	0
ROOF CONSTRUCTION	0	0

FIRE SPRINKLERS REQUIRED : NO PROVIDED : NO
FIRE ALARM REQUIRED : NO PROVIDED : NO

FBC TABLE 1004.1.2 MAXIMUM FLOOR AREA ALLOWANCES PER OCCUPANTS:

FUNCTION OF SPACE	OCCUPANT LOAD FACTOR		
GROUP "B" BUSINESS :	SQUARE FEET :	DIVISOR :	OCCUPANT :
TABLE 1004.1.2 Accessory storage areas, mechanical equipment room			
ENTIRE USABLE FIRST FLOOR:	3,500	300	12

OCCUPANTS PER S.F. = 12 OCCUPANTS

CHAPTER 4 FIXTURES, FAUCETS AND FIXTURE FITTINGS

FBC PLUMBING TABLE 403.1 MINIMUM NUMBER OF REQUIRED PLUMBING FIXTURES: 15 OR FEWER 1 FACILITY REQUIRED, DRINKING FOUNTAIN AND SERVICE SINKS NOT REQUIRED

CLASSIFICATION	OCCUPANCY	DESCRIPTION	WATER CLOSETS 1 UNISEX	LAVATORIES	WATER FOUNTAIN
BUSINESS	B	OTHER SERVICES	1	1	N/A
REQUIRED			1	1	
PROVIDED			1	1	

Project Information 01

CONSULTANT
Gregory B. Molina
CFO#, State=Florida, L=Fort Lauderdale, serialNumber=SATL20241002390158, o=Gbm Architecture, P.A., cn=Gregory B. Molina, email=greg@gbmarchitecture.com, title=Owner
Date: 2025.07.15 16:52:32 -04'00'
Gregory B. Molina
FL. REG. # AR93354
DATE: 07-15-25

COPYRIGHT © 2025
GBM ARCHITECTURE, PA.
ALL RIGHTS RESERVED. THIS DOCUMENT DESIGN, OR PARTS THEREOF, MAY NOT BE REPRODUCED IN ANY FORM WITHOUT WRITTEN CONSENT FROM GBM ARCHITECTURE PA

GBM
ARCHITECTURE PA
ARCHITECTURE
MASTER PLANNING
AA26002322

330 HIMMARSHEE ST, SUITE 108
FORT LAUDERDALE, FLORIDA 33312
E: GREEN@GBMARCHITECTURE.COM
WEB: WWW.GBMARCHITECTURE.COM
T: 954.999.5633

DRC SUBMITTAL
RISING TIDE
2901 W ATLANTIC BOULEVARD
POMPANO BEACH FL 33069

DRAWING ISSUE DATES:

COVER

SHEET
A-0.0

PROJECT 250225
DATE 07-15-25
PERMIT NO.

DRC

PZ25-12000026

08/20/2025