

CONCRETE CURB AND GUTTER DETAIL

ENGINEERING STANDARDS 2022

REVISIONS BY	DATE	ENGINEERING DIVISION CITY OF POMPANO BEACH	CONCRETE CURB AND GUTTER
S.S.	07-2015		DATE: MAY 2022 DWG. NO. 300-1
		SCALE: N.T.S.	



NOTE:
FOR USE ADJACENT TO CONCRETE PAVEMENT, CONCRETE SHOWN EXPANSION JOINT, PREFORMED JOINT FILLER AND JOINT SEAL AS REQUIRED BETWEEN CURBS AND CONCRETE PAVEMENT ONLY.

CONCRETE CURB DETAIL

ENGINEERING STANDARDS 2022

REVISIONS BY	DATE	ENGINEERING DIVISION CITY OF POMPANO BEACH	CONCRETE CURB
S.S.	01-2014		
S.S.	09-2015		
S.S.	07-2015	SCALE: N.T.S.	DATE: MAY 2022 DWG. NO. 300-2



SIDEWALK DETAILS

ENGINEERING STANDARDS 2022

REVISIONS BY	DATE	ENGINEERING DIVISION CITY OF POMPANO BEACH	SIDEWALK DETAILS
		SCALE: N.T.S.	DATE: JUNE 2022 DWG. NO. 301-1

TABLE OF SIDEWALK JOINTS	
TYPE	LOCATION
"A"	JOINTS SHALL BE PLACED AT P.C. AND P.T. OF CURVES, AT ENDS OF EXISTING SIDEWALKS, DRIVEWAYS, AND WHERE SIDEWALKS ABUT OPPOSING CURBS, DRIVEWAYS AND SIMILAR STRUCTURES.
"B"	JOINT SHALL BE PLACED 5'-0" CENTER
"C"	JOINT SHALL BE PLACED AT 20' INTERVALS



NOTE: SIDEWALK SHALL BE 4" THICK EXCEPT IN DRIVEWAYS WHERE THE THICKNESS SHALL BE 6".

SIDEWALK DETAILS

ENGINEERING STANDARDS 2022

REVISIONS BY	DATE	ENGINEERING DIVISION CITY OF POMPANO BEACH	SIDEWALK DETAILS
		SCALE: N.T.S.	DATE: JUNE 2022 DWG. NO. 301-2



ENGINEERING STANDARDS 2022

REVISIONS BY	DATE	ENGINEERING DIVISION CITY OF POMPANO BEACH	TYPICAL ROADWAY SECTION
S.S.	AMF2366		
S.S.	JAN. 1995		DATE: MAY 2001 DWG. NO. 305-1
		SCALE: N.T.S.	



SURFACE RESTORATION

ENGINEERING STANDARDS 2022

REVISIONS BY	DATE	ENGINEERING DIVISION CITY OF POMPANO BEACH	SURFACE RESTORATION
		SCALE: N.T.S.	DATE: MAY 2022 DWG. NO. 306-2



EDGE OF PAVEMENT RESTORATION

ENGINEERING STANDARDS 2022

REVISIONS BY	DATE	ENGINEERING DIVISION CITY OF POMPANO BEACH	EDGE OF PAVEMENT RESTORATION
		SCALE: N.T.S.	DATE: MAY 2022 DWG. NO. 306-4



TREE LOCATIONS REQUIRED IN PUBLIC R/W ON UTILITY EASEMENTS

NOTES:
PLEASE NOTE THAT AS PER CITY ORDINANCE(S) 50.02(A).(4) AND 100.35(E), STREET TREES S ALL NOT BE PLACED ON TOP O OR S OF ANY CITY OWNED UTILITY NFRASTRUCTURE. ALSO, PLEASE NOTE THAT NO TREES SHRUBBERY OR OBSTRUCTION SHALL BE PLACED WITHIN A 3' RADIUS OF A CITY OWNED LATERAL CLEANOUT OR WATER & OR REUSE METER.

ENGINEERING STANDARDS 2022

REVISIONS BY	DATE	ENGINEERING DIVISION CITY OF POMPANO BEACH	REQUIRED TREE LOCATIONS
		SCALE: N.T.S.	APPROVED BY: DATE: MAY 2022 DWG. NO. 316-1



TYPE "C" INLET

RECOMMENDED MAXIMUM PIPE SIZE
2'-0" WALL=18" PIPE
2'-1" WALL=24" PIPE

ENGINEERING STANDARDS 2022

REVISIONS BY	DATE	ENGINEERING DIVISION CITY OF POMPANO BEACH	TYPE "C" INLET
S.S.	03-11		
		SCALE: N.T.S.	DATE: JUNE 2022 DWG. NO. 400-1



CAST IRON GRATES

ENGINEERING STANDARDS 2022

REVISIONS BY	DATE	ENGINEERING DIVISION CITY OF POMPANO BEACH	CAST IRON GRATES
		SCALE: N.T.S.	DATE: JUNE 2022 DWG. NO. 410-1


80.00 [1693.5]
16.000 [406.4]
48.288 [1226.6]
16.000 [406.4]
A-A (SIDE SIMILAR) SEE NOTE OF TOP PLATE PART
80.00 [1693.5]
78.750 [2000.2]
77.500 [1968.5]
2.500 [63.5]
2.500 [63.5]
2.500 [63