



NO		CATCH BASIN	EXFILTRATION TRENCH	TYPE STRUCTURE AND DIAMETER	GRATE	INVERT ELEVATION (FT)	BAFFLE
		RIM EL.	BOTTOM EL.			LOCATION	LOCATION
S-1	6.0	1.0	90 LF - 15" TO S, 25 LF - 15" TO E	TYPE D (37") (400-1)	U.S. FOUNDRY & GRATE DRAWING No. 4155-6210	2.5 S, E	S, E

CONTRACTOR TO MAINTAIN THE DESIGNED 30" MINIMUM CLEARANCE BETWEEN BAFFLE AND OPPOSITE WALL OF STRUCTURE FOR ACCESS AND MAINTENANCE PURPOSES. BAFFLE ACCESS SHALL BE THETTERED TO THE BAFFLE.

DATE: 09-29-2025

REVISIONS: 09/30/2025

REVISOR: A

REVISION: REVISED AS PER ZONING COMMENTS

DESIGNED: MP

DRAWN: VET/MP

CHECKED: GC

SCALE: 1"=10'

PROJECT: 50 SW 5th STREET, POMPAHO BEACH

PREPARED FOR: RAMOS ARCHITECTS

SHEET: C-302

DATE: 04-21-2025

PROJ. No: 250057

THIS SET HAS BEEN DIGITALLY SIGNED AND SEALED BY OSCAR E. ROBANNA, P.E., ON THE DATE ADJACENT TO THE SEAL.

PRINTED COPIES OF THIS DOCUMENT ARE NOT CONSIDERED VALID UNLESS THEY ARE VERIFIED ON ANY ELECTRONIC COPIES.

ROBANNA & ASSOCIATES INC. ENGINEERS - PLANNERS - SURVEYORS 5723 NW 158th STREET MIAMI LAKES, FL 33014 PH: (305) 923-9316 E.B. # 3304

FOR THE FIRM