

**DRC**

PZ22-12000032  
11/05/2025



# Fire Prevention Fire Hydrant Flow Test

City of Pompano Beach • Bureau of Fire Prevention  
100 West Atlantic Boulevard, Room 220 Pompano Beach, FL 33060  
Phone (954) 786-1995



City of Pompano Beach Fire Prevention will **WITNESS** all fire hydrant flow tests that are required for fire protection systems.

- City of Pompano Beach Code of Ordinances Title IX Chapter 95 Section 95.14(G). Fire hydrant flow tests.
- The Fire Department shall witness all hydrant flow tests as required for fire protection systems.
- All fire flow tests shall be in accordance with NFPA 291 and Broward County Amendments F-112.
- Broward County Amendments F-112(e) - The static pressure at the water main shall be determined by a recorded method for a minimum twenty-four (24) hour period.
- Morning of fire Hydrant static/residue connection contractor to provide documents of test equipment certification.

## Information:

Date:	6/10/24
Company Requesting Flow Test:	Black Fire Protection
Contact Name:	Paul Meighan
Contact Phone Number:	954-774-4981
Email Address:	meighanblackfire@gmail.com
Associated Application Number:	
Associated Project Name:	Logica

## Proposed Date/Time for Fire Hydrant Flow Test: (8am - 9am)

- Request Hydrant Flow Test minimum 72 hours in advance.
- Connection of Fire Hydrant for 24 hour static/residual must be between 0730hrs and 0830hrs.

Requested Date:	6/13-14/24	Time:	9am
Alternate Date:	6/17-18/24	Time:	9am

## Fire Hydrant Flow Test Location:

Hydrant Location - Static/Residual:	NW 6th St; NW 4th Ave
Hydrant Location - Flow:	

## Fire Hydrant Flow Test Witness Fee:

There is a \$150.00 fee for performing each flow test. All tests will be completed within 5 business days. Please include map/sketch showing streets/cross streets & locations of flow and residual fire hydrants. Return flow test application to the Bureau of Fire Prevention with form of payment for \$150.00.

Make check and money orders payable to "CITY OF POMPANO BEACH"  
If mailing in application with payment send to the addressed listed below.

**Pompano Beach Fire Prevention**  
100 W. Atlantic Blvd. - Room 220  
Pompano Beach, FL 33060

NOTE TO TREASURY: Post to 001-0000-367.30-00

	Yes	No	Date:			
Flow Test Equipment Certification:						
Fire Hydrant Id	Flow Pitot PSI	Flow GPM	Static Pressure 24 hr. Low PSI	Static Pressure Before Flow	Residual PSI During Flow	Tip Size
	18	709				2.0
	18	709				3.0
			74	83	68	
Total Hydrant Flow:		1418				

- Fire Flow Data to be completed and entered on site.
- Fire flow data provided to Fire Prevention at a later date, must be signed/sealed by the Engineer of Record.

Person Conducting Flow Test:

Fire Inspector/Witnessing Flow Test:

**DRC**PZ22-12000032  
11/05/2025**Information:**

Date:	6/10/24
Company Requesting Flow Test:	Black Fire Protection
Contact Name:	Paul M. [unclear]
Contact Phone Number:	954-774-4981
Email Address:	meighanblackfire@gmail.com
Associated Application Number:	
Associated Project Name:	Logica

**Proposed Date/Time for Fire Hydrant Flow Test:** (8am - 9am)

- Request Hydrant Flow Test minimum 72 hrs.
- Connection of Fire Hydrant for 24 hour static/residual must be between 0730hrs and 0830hrs.

Requested Date:	6/13-14/24	Time:	9am
Alternate Date:	6/17-18/24	Time:	9am

**Fire Hydrant Flow Test Location:**

Hydrant Location - Static/Residual:	
Hydrant Location - Flow:	

**Fire Hydrant Flow Test Witness Fee:**

There is a \$150.00 fee for performing each flow test. All tests will be completed within 5 business days. Please include map/sketch showing streets/cross streets & locations of flow and residual fire hydrants. Return flow test application to the Bureau of Fire Prevention with form of payment for \$150.00.

Make check and money orders payable to "CITY OF POMPANO BEACH"  
If mailing in application with payment send to the addressed listed below.

**Pompano Beach Fire Prevention**  
100 W. Atlantic Blvd. - Room 220  
Pompano Beach, FL 33060

NOTE TO TREASURY: Post to 001-0000-367.30-00

	Yes	No	Date:			
<b>Flow Test Equipment Certification:</b>						
Fire Hydrant Id	Flow Pitot PSI	Flow GPM	Static Pressure 24 hr. Low PSI	Static Pressure Before Flow	Residual PSI During Flow	Tip Size
	18	709				2.0
	18	709				3.0
				83	68	
<b>Total Hydrant Flow:</b>		1418				

- Fire Flow Data to be completed and entered on site.
- Fire flow data provided to Fire Prevention at a later date, must be signed/sealed by the Engineer of Record.

Person Conducting Flow Test: [Signature]

Fire Inspector Witnessing Flow Test: [Signature]

**DRC**





324 NW 6TH ST  
POMPANO BEACH, FL

DRC

BLACK FIVE PROTECTION, INC.  
1003 MEDIAN DRIVE NORTH  
ARKLAND, FL 33076  
OFFICE PHONE #: 954-744-4548

24 HOUR DATA LOGGER REPORT

PZ22-12000032  
10/16/2024

DATE/TIME	PSI
6/17/2024 8:02	81.6
6/17/2024 8:03	81.7
6/17/2024 8:04	81.7
6/17/2024 8:05	82.3
6/17/2024 8:06	82.6
6/17/2024 8:07	82.1
6/17/2024 8:08	82.4
6/17/2024 8:09	82
6/17/2024 8:10	81.9
6/17/2024 8:11	82.1
6/17/2024 8:12	78.9
6/17/2024 8:13	78.5
6/17/2024 8:14	79
6/17/2024 8:15	79.6
6/17/2024 8:16	79.8
6/17/2024 8:17	79.4
6/17/2024 8:18	78.4
6/17/2024 8:19	78.8
6/17/2024 8:20	79
6/17/2024 8:21	77
6/17/2024 8:22	79.1
6/17/2024 8:23	79.2
6/17/2024 8:24	79.1
6/17/2024 8:25	79.1
6/17/2024 8:26	79.1
6/17/2024 8:27	78.4
6/17/2024 8:28	79.1
6/17/2024 8:29	78.8
6/17/2024 8:30	79.5
6/17/2024 8:31	78.7
6/17/2024 8:32	79.6
6/17/2024 8:33	78.9
6/17/2024 8:34	78.6
6/17/2024 8:35	79.2
6/17/2024 8:36	78.9

DRC

DRC

PZ22-12000032  
11/05/2025

6/17/2024 8:37	78.4
6/17/2024 8:38	79.1
6/17/2024 8:39	79.3
6/17/2024 8:40	79.3
6/17/2024 8:41	79.1
6/17/2024 8:42	79.1
6/17/2024 8:43	79.6
6/17/2024 8:44	79.2
6/17/2024 8:45	78.3
6/17/2024 8:46	78.8
6/17/2024 8:47	79.5
6/17/2024 8:48	79.2
6/17/2024 8:49	79.4
6/17/2024 8:50	78.1
6/17/2024 8:51	79.9
6/17/2024 8:52	78.9
6/17/2024 8:53	80.1
6/17/2024 8:54	78.6
6/17/2024 8:55	79.1
6/17/2024 8:56	78.5
6/17/2024 8:57	78.4
6/17/2024 8:58	79
6/17/2024 8:59	79.4
6/17/2024 9:00	79.4
6/17/2024 9:01	79.2
6/17/2024 9:02	79.2
6/17/2024 9:03	78.4
6/17/2024 9:04	78.8
6/17/2024 9:05	78.4
6/17/2024 9:06	78.7
6/17/2024 9:07	79.1
6/17/2024 9:08	79.5
6/17/2024 9:09	79.3
6/17/2024 9:10	79.9
6/17/2024 9:11	78.7
6/17/2024 9:12	78.8
6/17/2024 9:13	78.9
6/17/2024 9:14	78.9
6/17/2024 9:15	78.3
6/17/2024 9:16	78.9
6/17/2024 9:17	79.4
6/17/2024 9:18	78.9
6/17/2024 9:19	79.4
6/17/2024 9:20	79.3

DRC

PZ22-12000032  
10/16/2024

DRC

DRC

PZ22-12000032  
11/05/2025

6/17/2024 9:21	78.8
6/17/2024 9:22	79.4
6/17/2024 9:23	79.6
6/17/2024 9:24	79.3
6/17/2024 9:25	79.1
6/17/2024 9:26	79.7
6/17/2024 9:27	79
6/17/2024 9:28	79
6/17/2024 9:29	79.1
6/17/2024 9:30	79.5
6/17/2024 9:31	79.2
6/17/2024 9:32	79
6/17/2024 9:33	78.9
6/17/2024 9:34	78.2
6/17/2024 9:35	79
6/17/2024 9:36	79.1
6/17/2024 9:37	79.1
6/17/2024 9:38	79.5
6/17/2024 9:39	79.6
6/17/2024 9:40	79.9
6/17/2024 9:41	79.1
6/17/2024 9:42	78.6
6/17/2024 9:43	79.1
6/17/2024 9:44	78.5
6/17/2024 9:45	79.6
6/17/2024 9:46	79.5
6/17/2024 9:47	79.1
6/17/2024 9:48	79.3
6/17/2024 9:49	78.9
6/17/2024 9:50	79.1
6/17/2024 9:51	79.7
6/17/2024 9:52	79
6/17/2024 9:53	79.8
6/17/2024 9:54	79
6/17/2024 9:55	79.1
6/17/2024 9:56	79.2
6/17/2024 9:57	78.9
6/17/2024 9:58	78.5
6/17/2024 9:59	79.3
6/17/2024 10:00	79.3
6/17/2024 10:01	78.8
6/17/2024 10:02	79.5
6/17/2024 10:03	79
6/17/2024 10:04	78.8

DRC

PZ22-12000032  
10/16/2024

DRC

DRC

PZ22-12000032  
11/05/2025

6/17/2024 10:05	79
6/17/2024 10:06	79
6/17/2024 10:07	79.1
6/17/2024 10:08	78.7
6/17/2024 10:09	78.7
6/17/2024 10:10	78.5
6/17/2024 10:11	79.3
6/17/2024 10:12	79.4
6/17/2024 10:13	79.6
6/17/2024 10:14	79.8
6/17/2024 10:15	79.6
6/17/2024 10:16	79.5
6/17/2024 10:17	78.3
6/17/2024 10:18	79.2
6/17/2024 10:19	79.5
6/17/2024 10:20	79.5
6/17/2024 10:21	79.3
6/17/2024 10:22	79.2
6/17/2024 10:23	79.1
6/17/2024 10:24	79.2
6/17/2024 10:25	79.3
6/17/2024 10:26	79
6/17/2024 10:27	79.4
6/17/2024 10:28	80
6/17/2024 10:29	79.1
6/17/2024 10:30	78.9
6/17/2024 10:31	79.1
6/17/2024 10:32	79.3
6/17/2024 10:33	79.3
6/17/2024 10:34	79.3
6/17/2024 10:35	78.8
6/17/2024 10:36	79.1
6/17/2024 10:37	79.3
6/17/2024 10:38	79.2
6/17/2024 10:39	79.4
6/17/2024 10:40	79.1
6/17/2024 10:41	79.1
6/17/2024 10:42	79.4
6/17/2024 10:43	79.5
6/17/2024 10:44	79
6/17/2024 10:45	79.4
6/17/2024 10:46	79.7
6/17/2024 10:47	78.9
6/17/2024 10:48	79.9

DRC

PZ22-12000032  
10/16/2024

DRC

DRC

PZ22-12000032  
11/05/2025

6/17/2024 10:49	80
6/17/2024 10:50	77.4
6/17/2024 10:51	77
6/17/2024 10:52	77.4
6/17/2024 10:53	77.9
6/17/2024 10:54	77.4
6/17/2024 10:55	77.9
6/17/2024 10:56	77.1
6/17/2024 10:57	77.3
6/17/2024 10:58	76.3
6/17/2024 10:59	76.9
6/17/2024 11:00	76.7
6/17/2024 11:01	77.2
6/17/2024 11:02	76.8
6/17/2024 11:03	77.1
6/17/2024 11:04	77.5
6/17/2024 11:05	76.6
6/17/2024 11:06	76.8
6/17/2024 11:07	77.1
6/17/2024 11:08	77.5
6/17/2024 11:09	77.4
6/17/2024 11:10	77.1
6/17/2024 11:11	76.9
6/17/2024 11:12	77.1
6/17/2024 11:13	77.2
6/17/2024 11:14	76.5
6/17/2024 11:15	78.2
6/17/2024 11:16	77.2
6/17/2024 11:17	77.5
6/17/2024 11:18	77.3
6/17/2024 11:19	76.5
6/17/2024 11:20	77.2
6/17/2024 11:21	77.2
6/17/2024 11:22	76.8
6/17/2024 11:23	76.9
6/17/2024 11:24	77.3
6/17/2024 11:25	77.4
6/17/2024 11:26	76.9
6/17/2024 11:27	76.9
6/17/2024 11:28	77.2
6/17/2024 11:29	77.2
6/17/2024 11:30	77.2
6/17/2024 11:31	77.5
6/17/2024 11:32	77

DRC

PZ22-12000032  
10/16/2024

DRC

DRC

PZ22-12000032  
11/05/2025

6/17/2024 11:33	77.1
6/17/2024 11:34	77.7
6/17/2024 11:35	78.1
6/17/2024 11:36	77.4
6/17/2024 11:37	76.7
6/17/2024 11:38	77.2
6/17/2024 11:39	77
6/17/2024 11:40	77.4
6/17/2024 11:41	77.7
6/17/2024 11:42	77.7
6/17/2024 11:43	78.2
6/17/2024 11:44	77.6
6/17/2024 11:45	77.2
6/17/2024 11:46	78.1
6/17/2024 11:47	77.6
6/17/2024 11:48	77.1
6/17/2024 11:49	77.9
6/17/2024 11:50	77
6/17/2024 11:51	77.6
6/17/2024 11:52	77.2
6/17/2024 11:53	77.3
6/17/2024 11:54	77.2
6/17/2024 11:55	77
6/17/2024 11:56	77.7
6/17/2024 11:57	76.7
6/17/2024 11:58	77.1
6/17/2024 11:59	77.3
6/17/2024 12:00	76.9
6/17/2024 12:01	76.2
6/17/2024 12:02	76.8
6/17/2024 12:03	76.9
6/17/2024 12:04	77.9
6/17/2024 12:05	77.8
6/17/2024 12:06	78.1
6/17/2024 12:07	77.3
6/17/2024 12:08	77
6/17/2024 12:09	76.8
6/17/2024 12:10	76.6
6/17/2024 12:11	76.7
6/17/2024 12:12	77.7
6/17/2024 12:13	77
6/17/2024 12:14	77.6
6/17/2024 12:15	77.5
6/17/2024 12:16	77

DRC

PZ22-12000032  
10/16/2024

DRC



DRC

PZ22-12000032  
11/05/2025

6/17/2024 12:17	77.4
6/17/2024 12:18	76.8
6/17/2024 12:19	77.5
6/17/2024 12:20	77.1
6/17/2024 12:21	76
6/17/2024 12:22	76.9
6/17/2024 12:23	77.5
6/17/2024 12:24	76.6
6/17/2024 12:25	77.7
6/17/2024 12:26	77.5
6/17/2024 12:27	76.9
6/17/2024 12:28	76.8
6/17/2024 12:29	77
6/17/2024 12:30	77.2
6/17/2024 12:31	76.3
6/17/2024 12:32	76.9
6/17/2024 12:33	76.7
6/17/2024 12:34	77.3
6/17/2024 12:35	77.4
6/17/2024 12:36	78
6/17/2024 12:37	76.8
6/17/2024 12:38	77.4
6/17/2024 12:39	77.2
6/17/2024 12:40	77.2
6/17/2024 12:41	77.8
6/17/2024 12:42	77.8
6/17/2024 12:43	77.3
6/17/2024 12:44	76.9
6/17/2024 12:45	77.4
6/17/2024 12:46	77.7
6/17/2024 12:47	77.7
6/17/2024 12:48	77.7
6/17/2024 12:49	77.6
6/17/2024 12:50	76.4
6/17/2024 12:51	77.6
6/17/2024 12:52	77.3
6/17/2024 12:53	77.7
6/17/2024 12:54	76.9
6/17/2024 12:55	77.5
6/17/2024 12:56	77
6/17/2024 12:57	77.3
6/17/2024 12:58	76.9
6/17/2024 12:59	76.9
6/17/2024 13:00	77.7

DRC

PZ22-12000032  
10/16/2024

DRC

DRC

PZ22-12000032  
11/05/2025

6/17/2024 13:01	77.4
6/17/2024 13:02	77.4
6/17/2024 13:03	77.4
6/17/2024 13:04	77.7
6/17/2024 13:05	76.4
6/17/2024 13:06	77.2
6/17/2024 13:07	77.3
6/17/2024 13:08	76.7
6/17/2024 13:09	77
6/17/2024 13:10	77.1
6/17/2024 13:11	77.4
6/17/2024 13:12	78.6
6/17/2024 13:13	77.1
6/17/2024 13:14	77.8
6/17/2024 13:15	77.9
6/17/2024 13:16	76.8
6/17/2024 13:17	77.3
6/17/2024 13:18	77
6/17/2024 13:19	76.6
6/17/2024 13:20	77.2
6/17/2024 13:21	78.1
6/17/2024 13:22	77.3
6/17/2024 13:23	77
6/17/2024 13:24	77.2
6/17/2024 13:25	76.5
6/17/2024 13:26	77.5
6/17/2024 13:27	78.1
6/17/2024 13:28	76.9
6/17/2024 13:29	77.7
6/17/2024 13:30	77.6
6/17/2024 13:31	77.1
6/17/2024 13:32	77.4
6/17/2024 13:33	77.3
6/17/2024 13:34	77.7
6/17/2024 13:35	77.5
6/17/2024 13:36	77.8
6/17/2024 13:37	77.3
6/17/2024 13:38	76.5
6/17/2024 13:39	76.7
6/17/2024 13:40	77.9
6/17/2024 13:41	76.7
6/17/2024 13:42	76.9
6/17/2024 13:43	77.6
6/17/2024 13:44	77.5

DRC

PZ22-12000032  
10/16/2024

DRC

DRC

PZ22-12000032  
11/05/2025

6/17/2024 13:45	77
6/17/2024 13:46	78
6/17/2024 13:47	78.2
6/17/2024 13:48	77.1
6/17/2024 13:49	77.2
6/17/2024 13:50	77.2
6/17/2024 13:51	76.5
6/17/2024 13:52	77.4
6/17/2024 13:53	77.4
6/17/2024 13:54	77.1
6/17/2024 13:55	77
6/17/2024 13:56	76.4
6/17/2024 13:57	77.7
6/17/2024 13:58	76.2
6/17/2024 13:59	77
6/17/2024 14:00	77.1
6/17/2024 14:01	78
6/17/2024 14:02	77.8
6/17/2024 14:03	76.9
6/17/2024 14:04	77
6/17/2024 14:05	77.6
6/17/2024 14:06	77
6/17/2024 14:07	77.9
6/17/2024 14:08	77.3
6/17/2024 14:09	77.6
6/17/2024 14:10	78.1
6/17/2024 14:11	77.2
6/17/2024 14:12	77.1
6/17/2024 14:13	77.1
6/17/2024 14:14	77.7
6/17/2024 14:15	77.2
6/17/2024 14:16	77
6/17/2024 14:17	77.7
6/17/2024 14:18	77.9
6/17/2024 14:19	77.7
6/17/2024 14:20	78
6/17/2024 14:21	76.9
6/17/2024 14:22	77.3
6/17/2024 14:23	78
6/17/2024 14:24	78
6/17/2024 14:25	77
6/17/2024 14:26	77.3
6/17/2024 14:27	77.4
6/17/2024 14:28	77.7

DRC

PZ22-12000032  
10/16/2024

DRC

DRC

PZ22-12000032  
11/05/2025

6/17/2024 14:29	77.1
6/17/2024 14:30	77.5
6/17/2024 14:31	77.5
6/17/2024 14:32	77
6/17/2024 14:33	77.2
6/17/2024 14:34	77.4
6/17/2024 14:35	77.3
6/17/2024 14:36	77.6
6/17/2024 14:37	77.1
6/17/2024 14:38	77.2
6/17/2024 14:39	77.4
6/17/2024 14:40	77.5
6/17/2024 14:41	77.3
6/17/2024 14:42	76.9
6/17/2024 14:43	77.7
6/17/2024 14:44	78
6/17/2024 14:45	77.5
6/17/2024 14:46	76.9
6/17/2024 14:47	77.6
6/17/2024 14:48	77.5
6/17/2024 14:49	77.7
6/17/2024 14:50	77.1
6/17/2024 14:51	77.2
6/17/2024 14:52	76.6
6/17/2024 14:53	77.9
6/17/2024 14:54	77.6
6/17/2024 14:55	77.1
6/17/2024 14:56	76.9
6/17/2024 14:57	77.6
6/17/2024 14:58	77.5
6/17/2024 14:59	77.2
6/17/2024 15:00	77.5
6/17/2024 15:01	77.3
6/17/2024 15:02	76.8
6/17/2024 15:03	76.7
6/17/2024 15:04	77.9
6/17/2024 15:05	77.9
6/17/2024 15:06	77.6
6/17/2024 15:07	77.9
6/17/2024 15:08	77.5
6/17/2024 15:09	77
6/17/2024 15:10	77.1
6/17/2024 15:11	77.4
6/17/2024 15:12	77.3

DRC

PZ22-12000032  
10/16/2024

DRC

PZ22-12000032  
04/02/2025

DRC

PZ22-12000032  
11/05/2025

6/17/2024 15:13	77.3
6/17/2024 15:14	78.4
6/17/2024 15:15	77.3
6/17/2024 15:16	77.6
6/17/2024 15:17	77.3
6/17/2024 15:18	77.3
6/17/2024 15:19	76.5
6/17/2024 15:20	77.8
6/17/2024 15:21	77.7
6/17/2024 15:22	77.8
6/17/2024 15:23	77.8
6/17/2024 15:24	77.8
6/17/2024 15:25	77.7
6/17/2024 15:26	77.5
6/17/2024 15:27	78.2
6/17/2024 15:28	77.8
6/17/2024 15:29	77.6
6/17/2024 15:30	77.7
6/17/2024 15:31	76.9
6/17/2024 15:32	78.1
6/17/2024 15:33	77
6/17/2024 15:34	77.8
6/17/2024 15:35	76.9
6/17/2024 15:36	77.2
6/17/2024 15:37	77.2
6/17/2024 15:38	77.4
6/17/2024 15:39	77.8
6/17/2024 15:40	77.4
6/17/2024 15:41	77.7
6/17/2024 15:42	77.6
6/17/2024 15:43	77.6
6/17/2024 15:44	77.3
6/17/2024 15:45	77.5
6/17/2024 15:46	77.7
6/17/2024 15:47	76.9
6/17/2024 15:48	77.7
6/17/2024 15:49	77.5
6/17/2024 15:50	77.2
6/17/2024 15:51	77.4
6/17/2024 15:52	78.1
6/17/2024 15:53	77
6/17/2024 15:54	77.2
6/17/2024 15:55	77.1
6/17/2024 15:56	77.1

DRC

PZ22-12000032  
10/16/2024

DRC



DRC

PZ22-12000032  
11/05/2025

6/17/2024 15:57	77.4
6/17/2024 15:58	77.3
6/17/2024 15:59	76.7
6/17/2024 16:00	77.8
6/17/2024 16:01	77.9
6/17/2024 16:02	77.7
6/17/2024 16:03	77.7
6/17/2024 16:04	76.5
6/17/2024 16:05	77.4
6/17/2024 16:06	77.8
6/17/2024 16:07	77.5
6/17/2024 16:08	77.5
6/17/2024 16:09	77.5
6/17/2024 16:10	78
6/17/2024 16:11	77.1
6/17/2024 16:12	77.2
6/17/2024 16:13	77.6
6/17/2024 16:14	77
6/17/2024 16:15	76.9
6/17/2024 16:16	77.5
6/17/2024 16:17	77.7
6/17/2024 16:18	77.2
6/17/2024 16:19	77.3
6/17/2024 16:20	76.9
6/17/2024 16:21	77.4
6/17/2024 16:22	77.5
6/17/2024 16:23	77.3
6/17/2024 16:24	77.7
6/17/2024 16:25	77.6
6/17/2024 16:26	77.3
6/17/2024 16:27	77.2
6/17/2024 16:28	76.9
6/17/2024 16:29	77.2
6/17/2024 16:30	76.5
6/17/2024 16:31	77.3
6/17/2024 16:32	77
6/17/2024 16:33	78.1
6/17/2024 16:34	77.4
6/17/2024 16:35	77.7
6/17/2024 16:36	77.1
6/17/2024 16:37	77.7
6/17/2024 16:38	77.1
6/17/2024 16:39	77
6/17/2024 16:40	77.1

DRC

PZ22-12000032  
10/16/2024

DRC

DRC

PZ22-12000032  
11/05/2025

6/17/2024 16:41	77.2
6/17/2024 16:42	76.9
6/17/2024 16:43	77
6/17/2024 16:44	77.8
6/17/2024 16:45	77.5
6/17/2024 16:46	77.7
6/17/2024 16:47	78.2
6/17/2024 16:48	77.5
6/17/2024 16:49	77.4
6/17/2024 16:50	77.3
6/17/2024 16:51	77
6/17/2024 16:52	77.4
6/17/2024 16:53	77
6/17/2024 16:54	77.8
6/17/2024 16:55	77.7
6/17/2024 16:56	77.6
6/17/2024 16:57	77
6/17/2024 16:58	76.9
6/17/2024 16:59	77.1
6/17/2024 17:00	76.8
6/17/2024 17:01	76.9
6/17/2024 17:02	77
6/17/2024 17:03	76.9
6/17/2024 17:04	76.5
6/17/2024 17:05	77
6/17/2024 17:06	77.5
6/17/2024 17:07	77.1
6/17/2024 17:08	77.5
6/17/2024 17:09	77.4
6/17/2024 17:10	77.7
6/17/2024 17:11	77.1
6/17/2024 17:12	77.2
6/17/2024 17:13	76.5
6/17/2024 17:14	77
6/17/2024 17:15	76.9
6/17/2024 17:16	77
6/17/2024 17:17	77.9
6/17/2024 17:18	77.4
6/17/2024 17:19	77.6
6/17/2024 17:20	77.2
6/17/2024 17:21	76.6
6/17/2024 17:22	77.2
6/17/2024 17:23	77.1
6/17/2024 17:24	77.4

DRC

PZ22-12000032  
10/16/2024

DRC

DRC

PZ22-12000032  
11/05/2025

6/17/2024 17:25	76.8
6/17/2024 17:26	76.9
6/17/2024 17:27	77.8
6/17/2024 17:28	77.2
6/17/2024 17:29	77.1
6/17/2024 17:30	77.1
6/17/2024 17:31	76.9
6/17/2024 17:32	77.1
6/17/2024 17:33	77.2
6/17/2024 17:34	76.3
6/17/2024 17:35	77.3
6/17/2024 17:36	77.4
6/17/2024 17:37	76.9
6/17/2024 17:38	77.2
6/17/2024 17:39	77.2
6/17/2024 17:40	77.8
6/17/2024 17:41	77.3
6/17/2024 17:42	77.2
6/17/2024 17:43	78
6/17/2024 17:44	77.5
6/17/2024 17:45	76.8
6/17/2024 17:46	77.4
6/17/2024 17:47	77.4
6/17/2024 17:48	77
6/17/2024 17:49	77
6/17/2024 17:50	77.1
6/17/2024 17:51	76.7
6/17/2024 17:52	77.1
6/17/2024 17:53	76.9
6/17/2024 17:54	76.9
6/17/2024 17:55	77.2
6/17/2024 17:56	77
6/17/2024 17:57	77.3
6/17/2024 17:58	76.3
6/17/2024 17:59	77.5
6/17/2024 18:00	77.2
6/17/2024 18:01	76.8
6/17/2024 18:02	76.8
6/17/2024 18:03	77.2
6/17/2024 18:04	76.5
6/17/2024 18:05	76.8
6/17/2024 18:06	76.8
6/17/2024 18:07	76.8
6/17/2024 18:08	76.8

DRC

PZ22-12000032  
10/16/2024

DRC

DRC

PZ22-12000032  
11/05/2025

6/17/2024 18:09	77.5
6/17/2024 18:10	77.3
6/17/2024 18:11	77.1
6/17/2024 18:12	77.1
6/17/2024 18:13	76.9
6/17/2024 18:14	76.6
6/17/2024 18:15	77.4
6/17/2024 18:16	77.3
6/17/2024 18:17	76.8
6/17/2024 18:18	77.3
6/17/2024 18:19	76.7
6/17/2024 18:20	77
6/17/2024 18:21	76.8
6/17/2024 18:22	76.8
6/17/2024 18:23	77
6/17/2024 18:24	76.8
6/17/2024 18:25	77.4
6/17/2024 18:26	77.9
6/17/2024 18:27	76.9
6/17/2024 18:28	76.9
6/17/2024 18:29	77.3
6/17/2024 18:30	77.4
6/17/2024 18:31	77
6/17/2024 18:32	77.6
6/17/2024 18:33	77
6/17/2024 18:34	76.7
6/17/2024 18:35	76.4
6/17/2024 18:36	77.2
6/17/2024 18:37	76.8
6/17/2024 18:38	76.9
6/17/2024 18:39	76.9
6/17/2024 18:40	77.4
6/17/2024 18:41	77.3
6/17/2024 18:42	77.1
6/17/2024 18:43	77.1
6/17/2024 18:44	77.7
6/17/2024 18:45	77
6/17/2024 18:46	76.4
6/17/2024 18:47	77.2
6/17/2024 18:48	76.9
6/17/2024 18:49	76.3
6/17/2024 18:50	76.5
6/17/2024 18:51	77
6/17/2024 18:52	76.7

DRC

PZ22-12000032  
10/16/2024

DRC

DRC

PZ22-12000032  
11/05/2025

6/17/2024 18:53	76.9
6/17/2024 18:54	77.2
6/17/2024 18:55	76.7
6/17/2024 18:56	77.1
6/17/2024 18:57	77
6/17/2024 18:58	77.1
6/17/2024 18:59	77.9
6/17/2024 19:00	76.3
6/17/2024 19:01	76.1
6/17/2024 19:02	76.9
6/17/2024 19:03	76.8
6/17/2024 19:04	76.4
6/17/2024 19:05	76
6/17/2024 19:06	77.5
6/17/2024 19:07	77.6
6/17/2024 19:08	77
6/17/2024 19:09	76.7
6/17/2024 19:10	76.6
6/17/2024 19:11	76.7
6/17/2024 19:12	77.3
6/17/2024 19:13	77.1
6/17/2024 19:14	77.2
6/17/2024 19:15	76.4
6/17/2024 19:16	76.8
6/17/2024 19:17	76.5
6/17/2024 19:18	76.5
6/17/2024 19:19	76.7
6/17/2024 19:20	77.1
6/17/2024 19:21	77.2
6/17/2024 19:22	77.3
6/17/2024 19:23	76.7
6/17/2024 19:24	76.5
6/17/2024 19:25	76.2
6/17/2024 19:26	77.2
6/17/2024 19:27	77
6/17/2024 19:28	76.9
6/17/2024 19:29	77.2
6/17/2024 19:30	76.8
6/17/2024 19:31	76.8
6/17/2024 19:32	76.5
6/17/2024 19:33	76.7
6/17/2024 19:34	76.8
6/17/2024 19:35	76.9
6/17/2024 19:36	76.9

DRC

PZ22-12000032  
10/16/2024

DRC



DRC

PZ22-12000032  
11/05/2025

6/17/2024 19:37	77.4
6/17/2024 19:38	77.2
6/17/2024 19:39	76.6
6/17/2024 19:40	77
6/17/2024 19:41	76.5
6/17/2024 19:42	76.6
6/17/2024 19:43	76.6
6/17/2024 19:44	76.7
6/17/2024 19:45	77.2
6/17/2024 19:46	77.4
6/17/2024 19:47	77.2
6/17/2024 19:48	76.9
6/17/2024 19:49	77.2
6/17/2024 19:50	76.6
6/17/2024 19:51	76.7
6/17/2024 19:52	77
6/17/2024 19:53	77.4
6/17/2024 19:54	77.8
6/17/2024 19:55	77
6/17/2024 19:56	77.6
6/17/2024 19:57	76.4
6/17/2024 19:58	76.2
6/17/2024 19:59	76.8
6/17/2024 20:00	76.1
6/17/2024 20:01	77.3
6/17/2024 20:02	76.6
6/17/2024 20:03	76.5
6/17/2024 20:04	77.5
6/17/2024 20:05	77
6/17/2024 20:06	76.6
6/17/2024 20:07	77
6/17/2024 20:08	76.9
6/17/2024 20:09	77.2
6/17/2024 20:10	77.4
6/17/2024 20:11	76.5
6/17/2024 20:12	76.5
6/17/2024 20:13	76.5
6/17/2024 20:14	76.2
6/17/2024 20:15	76.3
6/17/2024 20:16	76.8
6/17/2024 20:17	77.3
6/17/2024 20:18	76.8
6/17/2024 20:19	77.1
6/17/2024 20:20	76.8

DRC

PZ22-12000032  
10/16/2024

DRC

DRC

PZ22-12000032  
11/05/2025

6/17/2024 20:21	77.1
6/17/2024 20:22	76.8
6/17/2024 20:23	77.4
6/17/2024 20:24	76.3
6/17/2024 20:25	76.7
6/17/2024 20:26	77
6/17/2024 20:27	76.9
6/17/2024 20:28	77.2
6/17/2024 20:29	77.1
6/17/2024 20:30	77.2
6/17/2024 20:31	76.8
6/17/2024 20:32	76.1
6/17/2024 20:33	76.4
6/17/2024 20:34	76.7
6/17/2024 20:35	75.9
6/17/2024 20:36	76.9
6/17/2024 20:37	77.2
6/17/2024 20:38	77.1
6/17/2024 20:39	76.7
6/17/2024 20:40	76.7
6/17/2024 20:41	76.6
6/17/2024 20:42	77
6/17/2024 20:43	76.9
6/17/2024 20:44	76.7
6/17/2024 20:45	76.2
6/17/2024 20:46	76.4
6/17/2024 20:47	76.8
6/17/2024 20:48	76.3
6/17/2024 20:49	76.2
6/17/2024 20:50	76.4
6/17/2024 20:51	76.9
6/17/2024 20:52	77.1
6/17/2024 20:53	76.5
6/17/2024 20:54	76.8
6/17/2024 20:55	77.6
6/17/2024 20:56	77.4
6/17/2024 20:57	76.5
6/17/2024 20:58	76
6/17/2024 20:59	77
6/17/2024 21:00	76.2
6/17/2024 21:01	76.7
6/17/2024 21:02	76.5
6/17/2024 21:03	76.4
6/17/2024 21:04	76.9

DRC

PZ22-12000032  
10/16/2024

DRC

DRC

PZ22-12000032  
11/05/2025

6/17/2024 21:05	77.1
6/17/2024 21:06	77.1
6/17/2024 21:07	77.2
6/17/2024 21:08	76.5
6/17/2024 21:09	76.5
6/17/2024 21:10	77.6
6/17/2024 21:11	76.9
6/17/2024 21:12	76.9
6/17/2024 21:13	77
6/17/2024 21:14	77.1
6/17/2024 21:15	77.1
6/17/2024 21:16	77.2
6/17/2024 21:17	76.5
6/17/2024 21:18	76.7
6/17/2024 21:19	76.5
6/17/2024 21:20	76.2
6/17/2024 21:21	76.4
6/17/2024 21:22	76.4
6/17/2024 21:23	76.6
6/17/2024 21:24	76.7
6/17/2024 21:25	76.8
6/17/2024 21:26	77.2
6/17/2024 21:27	77.5
6/17/2024 21:28	77.2
6/17/2024 21:29	77.3
6/17/2024 21:30	76.6
6/17/2024 21:31	76.6
6/17/2024 21:32	77.3
6/17/2024 21:33	77.1
6/17/2024 21:34	77.3
6/17/2024 21:35	77.1
6/17/2024 21:36	76.5
6/17/2024 21:37	76.7
6/17/2024 21:38	76.6
6/17/2024 21:39	76.5
6/17/2024 21:40	76.5
6/17/2024 21:41	76.6
6/17/2024 21:42	76.8
6/17/2024 21:43	76.5
6/17/2024 21:44	76.9
6/17/2024 21:45	77.2
6/17/2024 21:46	76.8
6/17/2024 21:47	77
6/17/2024 21:48	77.1

DRC

PZ22-12000032  
10/16/2024

DRC

PZ22-12000032  
04/02/2025

DRC

PZ22-12000032  
11/05/2025

6/17/2024 21:49	77
6/17/2024 21:50	76.6
6/17/2024 21:51	76.7
6/17/2024 21:52	77.3
6/17/2024 21:53	76.7
6/17/2024 21:54	77.1
6/17/2024 21:55	76.7
6/17/2024 21:56	77.9
6/17/2024 21:57	80.5
6/17/2024 21:58	80
6/17/2024 21:59	80.4
6/17/2024 22:00	81.2
6/17/2024 22:01	80.3
6/17/2024 22:02	80.6
6/17/2024 22:03	80.8
6/17/2024 22:04	80.3
6/17/2024 22:05	80.3
6/17/2024 22:06	80.4
6/17/2024 22:07	81
6/17/2024 22:08	80.7
6/17/2024 22:09	80.7
6/17/2024 22:10	80.7
6/17/2024 22:11	80.9
6/17/2024 22:12	81.1
6/17/2024 22:13	80.9
6/17/2024 22:14	80.8
6/17/2024 22:15	80.8
6/17/2024 22:16	80.9
6/17/2024 22:17	80.8
6/17/2024 22:18	80.1
6/17/2024 22:19	80.6
6/17/2024 22:20	80.4
6/17/2024 22:21	80.6
6/17/2024 22:22	82.6
6/17/2024 22:23	83
6/17/2024 22:24	83.1
6/17/2024 22:25	81.9
6/17/2024 22:26	82.6
6/17/2024 22:27	82.6
6/17/2024 22:28	83
6/17/2024 22:29	82.4
6/17/2024 22:30	83.1
6/17/2024 22:31	82.8
6/17/2024 22:32	82.5

DRC

PZ22-12000032  
10/16/2024

DRC

DRC

PZ22-12000032  
11/05/2025

6/17/2024 22:33	82.4
6/17/2024 22:34	82.6
6/17/2024 22:35	82.7
6/17/2024 22:36	82.6
6/17/2024 22:37	82.4
6/17/2024 22:38	82
6/17/2024 22:39	82.2
6/17/2024 22:40	82.5
6/17/2024 22:41	82.1
6/17/2024 22:42	82.5
6/17/2024 22:43	83
6/17/2024 22:44	82.6
6/17/2024 22:45	82.7
6/17/2024 22:46	82.5
6/17/2024 22:47	82.8
6/17/2024 22:48	82.9
6/17/2024 22:49	82.9
6/17/2024 22:50	82.6
6/17/2024 22:51	82.6
6/17/2024 22:52	83.3
6/17/2024 22:53	82.5
6/17/2024 22:54	83.3
6/17/2024 22:55	82.7
6/17/2024 22:56	83
6/17/2024 22:57	82.4
6/17/2024 22:58	82.4
6/17/2024 22:59	82.3
6/17/2024 23:00	82.2
6/17/2024 23:01	81.7
6/17/2024 23:02	82.1
6/17/2024 23:03	82.4
6/17/2024 23:04	82.3
6/17/2024 23:05	83.1
6/17/2024 23:06	82.7
6/17/2024 23:07	82.8
6/17/2024 23:08	83.2
6/17/2024 23:09	82.3
6/17/2024 23:10	82.7
6/17/2024 23:11	82.8
6/17/2024 23:12	83
6/17/2024 23:13	83.3
6/17/2024 23:14	82.9
6/17/2024 23:15	83.1
6/17/2024 23:16	82.3

DRC

PZ22-12000032  
10/16/2024

DRC



DRC

PZ22-12000032  
11/05/2025

6/17/2024 23:17	82.4
6/17/2024 23:18	82.6
6/17/2024 23:19	82.7
6/17/2024 23:20	82.1
6/17/2024 23:21	82.7
6/17/2024 23:22	82.7
6/17/2024 23:23	82.9
6/17/2024 23:24	82.9
6/17/2024 23:25	82.7
6/17/2024 23:26	82.1
6/17/2024 23:27	82.9
6/17/2024 23:28	82.1
6/17/2024 23:29	82.7
6/17/2024 23:30	82.9
6/17/2024 23:31	82.9
6/17/2024 23:32	82.8
6/17/2024 23:33	82.7
6/17/2024 23:34	83.2
6/17/2024 23:35	82.7
6/17/2024 23:36	82.3
6/17/2024 23:37	83.2
6/17/2024 23:38	82.2
6/17/2024 23:39	82.9
6/17/2024 23:40	82.8
6/17/2024 23:41	82.6
6/17/2024 23:42	82.5
6/17/2024 23:43	82.5
6/17/2024 23:44	82.6
6/17/2024 23:45	82.4
6/17/2024 23:46	82.9
6/17/2024 23:47	82.3
6/17/2024 23:48	82.5
6/17/2024 23:49	82.9
6/17/2024 23:50	82.8
6/17/2024 23:51	82.5
6/17/2024 23:52	82.6
6/17/2024 23:53	82.2
6/17/2024 23:54	82.7
6/17/2024 23:55	82.9
6/17/2024 23:56	82.7
6/17/2024 23:57	82.6
6/17/2024 23:58	82.4
6/17/2024 23:59	81.5
6/18/2024 0:00	82.4

DRC

PZ22-12000032  
10/16/2024

DRC

DRC

PZ22-12000032  
11/05/2025

6/18/2024 0:01	82
6/18/2024 0:02	82.3
6/18/2024 0:03	82.4
6/18/2024 0:04	82.3
6/18/2024 0:05	81.6
6/18/2024 0:06	82.7
6/18/2024 0:07	82.7
6/18/2024 0:08	82.9
6/18/2024 0:09	82.7
6/18/2024 0:10	82.2
6/18/2024 0:11	82.6
6/18/2024 0:12	82.9
6/18/2024 0:13	82.9
6/18/2024 0:14	83
6/18/2024 0:15	83.1
6/18/2024 0:16	83
6/18/2024 0:17	82.6
6/18/2024 0:18	82.7
6/18/2024 0:19	82.1
6/18/2024 0:20	82.4
6/18/2024 0:21	82.4
6/18/2024 0:22	82.7
6/18/2024 0:23	82.5
6/18/2024 0:24	82.5
6/18/2024 0:25	82.7
6/18/2024 0:26	82.7
6/18/2024 0:27	82.9
6/18/2024 0:28	82.7
6/18/2024 0:29	83
6/18/2024 0:30	82.4
6/18/2024 0:31	82.7
6/18/2024 0:32	82.6
6/18/2024 0:33	81.9
6/18/2024 0:34	82.4
6/18/2024 0:35	82.6
6/18/2024 0:36	82.4
6/18/2024 0:37	82.2
6/18/2024 0:38	82.3
6/18/2024 0:39	81.8
6/18/2024 0:40	83.1
6/18/2024 0:41	82.7
6/18/2024 0:42	82.8
6/18/2024 0:43	82.7
6/18/2024 0:44	83.1

DRC

PZ22-12000032  
10/16/2024

DRC

DRC

PZ22-12000032  
11/05/2025

6/18/2024 0:45	82.5
6/18/2024 0:46	82.9
6/18/2024 0:47	83
6/18/2024 0:48	83.2
6/18/2024 0:49	82.6
6/18/2024 0:50	83
6/18/2024 0:51	83
6/18/2024 0:52	82.8
6/18/2024 0:53	82.8
6/18/2024 0:54	82.8
6/18/2024 0:55	83
6/18/2024 0:56	82.6
6/18/2024 0:57	82.2
6/18/2024 0:58	82.2
6/18/2024 0:59	82.5
6/18/2024 1:00	82
6/18/2024 1:01	82.4
6/18/2024 1:02	83.5
6/18/2024 1:03	81.9
6/18/2024 1:04	82.4
6/18/2024 1:05	82.1
6/18/2024 1:06	82.3
6/18/2024 1:07	82.6
6/18/2024 1:08	82.3
6/18/2024 1:09	82.4
6/18/2024 1:10	82.5
6/18/2024 1:11	82.8
6/18/2024 1:12	82.4
6/18/2024 1:13	82.3
6/18/2024 1:14	82.8
6/18/2024 1:15	83.3
6/18/2024 1:16	83.1
6/18/2024 1:17	82.7
6/18/2024 1:18	82.4
6/18/2024 1:19	82.2
6/18/2024 1:20	83.1
6/18/2024 1:21	82.6
6/18/2024 1:22	82.3
6/18/2024 1:23	82
6/18/2024 1:24	82.4
6/18/2024 1:25	82.3
6/18/2024 1:26	82.2
6/18/2024 1:27	82.2
6/18/2024 1:28	82.7

DRC

PZ22-12000032  
10/16/2024

DRC

DRC

PZ22-12000032  
11/05/2025

6/18/2024 1:29	78.7
6/18/2024 1:30	75.6
6/18/2024 1:31	75.7
6/18/2024 1:32	75.9
6/18/2024 1:33	75.6
6/18/2024 1:34	75.5
6/18/2024 1:35	75.7
6/18/2024 1:36	76.1
6/18/2024 1:37	76.1
6/18/2024 1:38	75.6
6/18/2024 1:39	75.7
6/18/2024 1:40	75.5
6/18/2024 1:41	75.4
6/18/2024 1:42	75.9
6/18/2024 1:43	76.3
6/18/2024 1:44	75.6
6/18/2024 1:45	76.3
6/18/2024 1:46	76.1
6/18/2024 1:47	75.6
6/18/2024 1:48	75.7
6/18/2024 1:49	75.8
6/18/2024 1:50	76
6/18/2024 1:51	76
6/18/2024 1:52	76.1
6/18/2024 1:53	75.9
6/18/2024 1:54	76.1
6/18/2024 1:55	75.7
6/18/2024 1:56	75.7
6/18/2024 1:57	75.6
6/18/2024 1:58	75.3
6/18/2024 1:59	75.8
6/18/2024 2:00	75.5
6/18/2024 2:01	75.7
6/18/2024 2:02	75
6/18/2024 2:03	75.5
6/18/2024 2:04	75.7
6/18/2024 2:05	75.6
6/18/2024 2:06	75.5
6/18/2024 2:07	75.8
6/18/2024 2:08	76.2
6/18/2024 2:09	75.8
6/18/2024 2:10	75.5
6/18/2024 2:11	75.2
6/18/2024 2:12	75.3

DRC

PZ22-12000032  
10/16/2024

DRC

DRC

PZ22-12000032  
11/05/2025

6/18/2024 2:13	75.4
6/18/2024 2:14	75.2
6/18/2024 2:15	74.7
6/18/2024 2:16	75.4
6/18/2024 2:17	75.4
6/18/2024 2:18	75.5
6/18/2024 2:19	75.4
6/18/2024 2:20	75.2
6/18/2024 2:21	75.4
6/18/2024 2:22	75.4
6/18/2024 2:23	75.2
6/18/2024 2:24	75.1
6/18/2024 2:25	75.5
6/18/2024 2:26	75.7
6/18/2024 2:27	75.6
6/18/2024 2:28	75.5
6/18/2024 2:29	76
6/18/2024 2:30	75.3
6/18/2024 2:31	75.1
6/18/2024 2:32	75.4
6/18/2024 2:33	75.4
6/18/2024 2:34	75.4
6/18/2024 2:35	76.2
6/18/2024 2:36	75.7
6/18/2024 2:37	75.6
6/18/2024 2:38	75.9
6/18/2024 2:39	75.8
6/18/2024 2:40	75.9
6/18/2024 2:41	75.2
6/18/2024 2:42	75.7
6/18/2024 2:43	75.9
6/18/2024 2:44	75.9
6/18/2024 2:45	76
6/18/2024 2:46	76.1
6/18/2024 2:47	76
6/18/2024 2:48	76.8
6/18/2024 2:49	76.4
6/18/2024 2:50	76.3
6/18/2024 2:51	75.9
6/18/2024 2:52	75.6
6/18/2024 2:53	75.9
6/18/2024 2:54	75.8
6/18/2024 2:55	76.1
6/18/2024 2:56	75.8

DRC

PZ22-12000032  
10/16/2024

DRC



DRC

PZ22-12000032  
11/05/2025

6/18/2024 2:57	76.3
6/18/2024 2:58	75.7
6/18/2024 2:59	75.5
6/18/2024 3:00	75.2
6/18/2024 3:01	75.2
6/18/2024 3:02	75.6
6/18/2024 3:03	75.3
6/18/2024 3:04	75.4
6/18/2024 3:05	75.1
6/18/2024 3:06	75.8
6/18/2024 3:07	75.9
6/18/2024 3:08	76.5
6/18/2024 3:09	75.9
6/18/2024 3:10	75.7
6/18/2024 3:11	75.2
6/18/2024 3:12	74.8
6/18/2024 3:13	75.8
6/18/2024 3:14	75.5
6/18/2024 3:15	75.7
6/18/2024 3:16	75.7
6/18/2024 3:17	76.1
6/18/2024 3:18	75.6
6/18/2024 3:19	75.7
6/18/2024 3:20	76.4
6/18/2024 3:21	75.7
6/18/2024 3:22	75.8
6/18/2024 3:23	75.8
6/18/2024 3:24	76.4
6/18/2024 3:25	76.1
6/18/2024 3:26	75.8
6/18/2024 3:27	75.6
6/18/2024 3:28	75.8
6/18/2024 3:29	76
6/18/2024 3:30	75.7
6/18/2024 3:31	75.5
6/18/2024 3:32	75.4
6/18/2024 3:33	75.3
6/18/2024 3:34	75.6
6/18/2024 3:35	75.4
6/18/2024 3:36	74.8
6/18/2024 3:37	75.7
6/18/2024 3:38	75.8
6/18/2024 3:39	75.7
6/18/2024 3:40	75.8

DRC

PZ22-12000032

10/16/2024

DRC

DRC

PZ22-12000032  
11/05/2025

6/18/2024 3:41	76.4
6/18/2024 3:42	75.9
6/18/2024 3:43	76.1
6/18/2024 3:44	75.9
6/18/2024 3:45	76.2
6/18/2024 3:46	75.9
6/18/2024 3:47	76
6/18/2024 3:48	75.6
6/18/2024 3:49	76.3
6/18/2024 3:50	76.7
6/18/2024 3:51	76.1
6/18/2024 3:52	75.8
6/18/2024 3:53	76
6/18/2024 3:54	75.2
6/18/2024 3:55	75.7
6/18/2024 3:56	75.3
6/18/2024 3:57	75.2
6/18/2024 3:58	75.3
6/18/2024 3:59	75.8
6/18/2024 4:00	74.9
6/18/2024 4:01	75
6/18/2024 4:02	74.9
6/18/2024 4:03	74.5
6/18/2024 4:04	74.8
6/18/2024 4:05	75.4
6/18/2024 4:06	75.1
6/18/2024 4:07	75.2
6/18/2024 4:08	75.1
6/18/2024 4:09	74.8
6/18/2024 4:10	75
6/18/2024 4:11	75.3
6/18/2024 4:12	75.3
6/18/2024 4:13	75.5
6/18/2024 4:14	75.2
6/18/2024 4:15	75.1
6/18/2024 4:16	74.8
6/18/2024 4:17	74.8
6/18/2024 4:18	74.7
6/18/2024 4:19	74.7
6/18/2024 4:20	75.3
6/18/2024 4:21	75.6
6/18/2024 4:22	75.5
6/18/2024 4:23	76
6/18/2024 4:24	75.6

DRC

PZ22-12000032  
10/16/2024

DRC

DRC

PZ22-12000032  
11/05/2025

6/18/2024 4:25	75.7
6/18/2024 4:26	75.1
6/18/2024 4:27	74.8
6/18/2024 4:28	75.1
6/18/2024 4:29	75.7
6/18/2024 4:30	75.1
6/18/2024 4:31	75.3
6/18/2024 4:32	75.4
6/18/2024 4:33	75
6/18/2024 4:34	74.9
6/18/2024 4:35	74.9
6/18/2024 4:36	75.1
6/18/2024 4:37	76
6/18/2024 4:38	75.8
6/18/2024 4:39	75.4
6/18/2024 4:40	75.6
6/18/2024 4:41	75.5
6/18/2024 4:42	75.6
6/18/2024 4:43	75.4
6/18/2024 4:44	75.3
6/18/2024 4:45	75
6/18/2024 4:46	75.2
6/18/2024 4:47	74.9
6/18/2024 4:48	75.5
6/18/2024 4:49	75.6
6/18/2024 4:50	75.3
6/18/2024 4:51	75.3
6/18/2024 4:52	75.4
6/18/2024 4:53	75.8
6/18/2024 4:54	75.2
6/18/2024 4:55	75.8
6/18/2024 4:56	75.3
6/18/2024 4:57	75.4
6/18/2024 4:58	75.5
6/18/2024 4:59	75.4
6/18/2024 5:00	75
6/18/2024 5:01	75.2
6/18/2024 5:02	74.8
6/18/2024 5:03	74.4
6/18/2024 5:04	75.5
6/18/2024 5:05	75.7
6/18/2024 5:06	75
6/18/2024 5:07	75.5
6/18/2024 5:08	74.9

DRC

PZ22-12000032  
10/16/2024

DRC

DRC

PZ22-12000032  
11/05/2025

6/18/2024 5:09	74.5
6/18/2024 5:10	75.4
6/18/2024 5:11	75.2
6/18/2024 5:12	74.6
6/18/2024 5:13	75.4
6/18/2024 5:14	75
6/18/2024 5:15	75.2
6/18/2024 5:16	75.5
6/18/2024 5:17	74.8
6/18/2024 5:18	74.9
6/18/2024 5:19	75.2
6/18/2024 5:20	74.7
6/18/2024 5:21	74.7
6/18/2024 5:22	75.6
6/18/2024 5:23	75.2
6/18/2024 5:24	74.6
6/18/2024 5:25	74.9
6/18/2024 5:26	74.5
6/18/2024 5:27	74.5
6/18/2024 5:28	74.7
6/18/2024 5:29	75.5
6/18/2024 5:30	75.5
6/18/2024 5:31	74.8
6/18/2024 5:32	75.1
6/18/2024 5:33	75.6
6/18/2024 5:34	75.4
6/18/2024 5:35	75.1
6/18/2024 5:36	75.5
6/18/2024 5:37	75.5
6/18/2024 5:38	76.1
6/18/2024 5:39	75.7
6/18/2024 5:40	75.5
6/18/2024 5:41	76.1
6/18/2024 5:42	75.8
6/18/2024 5:43	75.3
6/18/2024 5:44	75.4
6/18/2024 5:45	75.6
6/18/2024 5:46	75.1
6/18/2024 5:47	75.8
6/18/2024 5:48	75.1
6/18/2024 5:49	75.5
6/18/2024 5:50	75.4
6/18/2024 5:51	75.6
6/18/2024 5:52	75.1

DRC

PZ22-12000032  
10/16/2024

DRC

DRC

PZ22-12000032  
11/05/2025

6/18/2024 5:53	75.3
6/18/2024 5:54	75.3
6/18/2024 5:55	75.6
6/18/2024 5:56	75.9
6/18/2024 5:57	75.1
6/18/2024 5:58	74.9
6/18/2024 5:59	75.7
6/18/2024 6:00	75.7
6/18/2024 6:01	75
6/18/2024 6:02	74.8
6/18/2024 6:03	75
6/18/2024 6:04	74.3
6/18/2024 6:05	74.9
6/18/2024 6:06	75.1
6/18/2024 6:07	75.6
6/18/2024 6:08	75.8
6/18/2024 6:09	75.2
6/18/2024 6:10	75
6/18/2024 6:11	74.9
6/18/2024 6:12	74.7
6/18/2024 6:13	75.6
6/18/2024 6:14	74.5
6/18/2024 6:15	75.1
6/18/2024 6:16	75.7
6/18/2024 6:17	75.4
6/18/2024 6:18	75.4
6/18/2024 6:19	75.4
6/18/2024 6:20	75.2
6/18/2024 6:21	75.3
6/18/2024 6:22	75.5
6/18/2024 6:23	75.2
6/18/2024 6:24	75.5
6/18/2024 6:25	75.6
6/18/2024 6:26	75
6/18/2024 6:27	74.8
6/18/2024 6:28	75.9
6/18/2024 6:29	75.7
6/18/2024 6:30	75.3
6/18/2024 6:31	75.5
6/18/2024 6:32	75.3
6/18/2024 6:33	75.2
6/18/2024 6:34	75.3
6/18/2024 6:35	75.5
6/18/2024 6:36	75.7

DRC

PZ22-12000032  
10/16/2024

DRC

DRC

PZ22-12000032  
11/05/2025

6/18/2024 6:37	74.4
6/18/2024 6:38	75.3
6/18/2024 6:39	74.9
6/18/2024 6:40	75.6
6/18/2024 6:41	75.6
6/18/2024 6:42	75.7
6/18/2024 6:43	76.2
6/18/2024 6:44	75.8
6/18/2024 6:45	75.3
6/18/2024 6:46	74.9
6/18/2024 6:47	75.1
6/18/2024 6:48	75.4
6/18/2024 6:49	74.8
6/18/2024 6:50	75.7
6/18/2024 6:51	75.7
6/18/2024 6:52	76.3
6/18/2024 6:53	75.5
6/18/2024 6:54	75.4
6/18/2024 6:55	75.5
6/18/2024 6:56	76.1
6/18/2024 6:57	74.9
6/18/2024 6:58	75.7
6/18/2024 6:59	75.1
6/18/2024 7:00	76.1
6/18/2024 7:01	75.5
6/18/2024 7:02	75.5
6/18/2024 7:03	74.9
6/18/2024 7:04	75.9
6/18/2024 7:05	76.2
6/18/2024 7:06	76.3
6/18/2024 7:07	76.2
6/18/2024 7:08	75
6/18/2024 7:09	74.9
6/18/2024 7:10	75.4
6/18/2024 7:11	75.8
6/18/2024 7:12	74.4
6/18/2024 7:13	75.8
6/18/2024 7:14	75.4
6/18/2024 7:15	75.2
6/18/2024 7:16	76.6
6/18/2024 7:17	75.7
6/18/2024 7:18	75.9
6/18/2024 7:19	76
6/18/2024 7:20	76.1

DRC

PZ22-12000032  
10/16/2024

DRC

DRC

PZ22-12000032  
11/05/2025

6/18/2024 7:21	75.8
6/18/2024 7:22	75.6
6/18/2024 7:23	76.3
6/18/2024 7:24	76.2
6/18/2024 7:25	76
6/18/2024 7:26	75.6
6/18/2024 7:27	76.2
6/18/2024 7:28	76.2
6/18/2024 7:29	75.9
6/18/2024 7:30	76.2
6/18/2024 7:31	75.6
6/18/2024 7:32	75.6
6/18/2024 7:33	75.7
6/18/2024 7:34	75.3
6/18/2024 7:35	76
6/18/2024 7:36	74.8
6/18/2024 7:37	77.1
6/18/2024 7:38	77.9
6/18/2024 7:39	76.4
6/18/2024 7:40	80.7
6/18/2024 7:41	82.9
6/18/2024 7:42	81.5
6/18/2024 7:43	81.5
6/18/2024 7:44	81.5
6/18/2024 7:45	81.4
6/18/2024 7:46	80.7
6/18/2024 7:47	81.3
6/18/2024 7:48	81.1
6/18/2024 7:49	81.4
6/18/2024 7:50	81.7
6/18/2024 7:51	81.1
6/18/2024 7:52	80.1
6/18/2024 7:53	81.3
6/18/2024 7:54	81.2
6/18/2024 7:55	81.5
6/18/2024 7:56	81.4
6/18/2024 7:57	81.1
6/18/2024 7:58	80.4
6/18/2024 7:59	82.5
6/18/2024 8:00	83.2
6/18/2024 8:01	82.9
6/18/2024 8:02	77

24 HOUR MIN.	74
--------------	----

DRC

PZ22-12000032  
10/16/2024

DRC