


4 FLAG POLE DETAIL - 25' HIGH - MAX WIND SPEED 255 MPH
SCALE: NTS (MAX HEIGHT 32'-0" NAVD) GRADE AT INSTALLATION +7.00 NAVD





VACUUM ENCLOSURE KEY NOTES:

1. CAST IN PLACE CONCRETE CAP WITH 2 #5 CONT. TOP & BOTTOM
2. CMU WALL WITH #5 BAR IN GROUT FILLED CELLS @ 32" O.C. AND ALL CORNERS.
3. PROVIDE 9 GA WIRE TYPE REINFORCING AT EVERY OTHER BLOCK COURSE.
4. 5/8" 3 COAT SMOOTH STUCCO FINISH. WITH TOOLED 1/4" VERTICAL REVEAL. PROVIDE PLASTIC J BEAD AT TRANSITION TO STUCCO BASE.
5. PROVIDE 1/2" EXPANSION JOINT FILLER.
6. 6" THICK SLOPPED CONCRETE 3000 PSI NORMAL WEIGHT CONCRETE SLAB ON GRADE WITH W6X6X10 WWM.
7. PROVIDE 6 MIL VAPOR BARRIER.
8. HEAVY DUTY HINGES
9. PROVIDE 1X3 TUBE STEEL FRAME
10. 3/4" X 6" HORIZONTAL TUBE SLATS @ 6.5" O.C. PAINTED TO CREATE OPAQUE GATE.
11. STEEL PLATE WITH (2) 1" Ø HOLES FOR DROP PINS. DRILL ASPHALT 2" DEEP MIN.
12. PROVIDE HEAVY DUTY 3/4" ALUMINUM STOP PIN (CAIN BOLT) CLOSING DEVICE.
13. FOOTING SEE SCHEDULE
14. PROVIDE 1-1/4" SMOOTH STUCCO 24" HIGH BASE WITH ACCENT COLOR. TERMINATE 6" BELOW GRADE.



DUMPSTER ENCLOSURE KEY NOTES:

1. CAST IN PLACE CONCRETE CAP WITH 2 #5 CONT. TOP & BOTTOM
2. CMU WALL WITH #5 BAR IN GROUT FILLED CELLS @ 32" O.C. AND ALL CORNERS.
3. PROVIDE 9 GA WIRE TYPE REINFORCING AT EVERY OTHER BLOCK COURSE.
4. 5/8" 3 COAT SMOOTH STUCCO FINISH. WITH TOOLED 1/4" VERTICAL REVEAL. PROVIDE PLASTIC J BEAD AT TRANSITION TO STUCCO BASE.
5. PROVIDE 1/2" EXPANSION JOINT FILLER.
6. 6" THICK SLOPPED CONCRETE 3000 PSI NORMAL WEIGHT CONCRETE SLAB ON GRADE WITH W6X6X10 WWM.
7. PROVIDE 6 MIL VAPOR BARRIER.
8. HEAVY DUTY HINGES
9. PROVIDE 1X3 TUBE ALUMINUM FRAME
10. 3/4" X 6" HORIZONTAL TUBE SLATS @ 6.5" O.C. POWDER COATED PAINTED TO CREATE OPAQUE GATE.
11. STEEL PLATE WITH (2) 1" Ø HOLES FOR DROP PINS. DRILL CONCRETE 2" DEEP MIN.
12. PROVIDE HEAVY DUTY 3/4" ALUMINUM STOP PIN (CAIN BOLT) CLOSING DEVICE.
13. FOOTING SEE SCHEDULE
14. PROVIDE 1-1/4" SMOOTH STUCCO 24" HIGH BASE WITH ACCENT COLOR. TERMINATE 6" BELOW GRADE.



FANJUL & ASSOCIATES, LLC
ARCHITECTURE, PLANNING & INTERIOR DESIGN

A226000725

ARTURO G. FANJUL, RA
PRESIDENT

5455 SW 8TH STREET, SUITE 240
CORAL GABLES, FLORIDA 33134

PH. 305 726.8313
FAX 305 356.3686

arturo@fanjularchitects.com

"A BETTER LIFE THROUGH DESIGN"

STATE OF FLORIDA
ARTURO G. FANJUL
REGISTERED ARCHITECT
AR0017585

ARTURO G. FANJUL AR0017585
STATE OF FLORIDA REGISTERED ARCHITECT

This item has been electronically signed and sealed by:

Printed copies of electronically signed, dated, and sealed documents are not considered signed and sealed and the SIA authentication code must be verified on any electronic copies.

DESIGN REVIEW

el CAR WASH

WEST POMANO

2960 W SAMPLE ROAD
POMPANO BEACH, FL 33069
ID:48422107031/32/32

SITE ACCESSORIES

| REVISION | NO. |
|----------|-----|
| | |
| | |
| | |
| | |
| | |
| | |

DATE: 9/17/2025
SCALE:
DRAWN: AGF
CHECKED: AGF
JOB NO. 24-0704
PERMIT NO.
OWNERSHIP
OF THESE DOCUMENTS & SPECIFICATIONS AS INSTRUMENTS OF SERVICE ARE AND SHALL REMAIN THE PROPERTY OF THE ARCHITECT. WHETHER THE PROJECT THEY ARE MADE FOR IS EXECUTED OR NOT, THEY SHALL NOT BE USED BY OWNER OR OTHERS ON OTHER PROJECTS OR FOR ADDITIONS TO THIS PROJECT BY OTHERS, EXCEPT BY AGREEMENT IN WRITING AND WITH APPROPRIATE COMPENSATION TO THE ARCHITECT.

A002