



ROOF PLAN 1
SCALE: 1/8" = 1'-0"

GENERAL NOTES:	KEY NOTES:
<div>1. MEP PENETRATIONS – SEE MEP DRAWINGS FOR MECHANICAL & PLUMBING PENETRATIONS.</div> <div>2. CURBS AND FLASHINGS – ALL CURBS AND FLASHING SHALL BE WATER TIGHT TO AN ELEVATION 4" ABOVE THE TOP OF THE ROOF OVER-FLOW SCUPPERS.</div>	<div>1. TPO ROOFING SYSTEM - MECHANICAL FASTENED & HEAT WELD SYSTEMS OVER TAPERED INSULATION. COLOR - WHITE</div> <div>2. PARAPET - HEIGHT VARIES, SEE EXTERIOR ELEVATIONS.</div> <div>3. ROOF DRAIN - SEE PLUMBING DRAWINGS. COORDINATE LOCATION WITH INSTALLATION REQUIREMENTS WITH STRUCTURAL CONCRETE INSTALLER.</div> <div>4. ELEVATOR PENTHOUSE – HEIGHT AS REQUIRED FOR CLEARANCE BY ELEVATOR SUPPLIER. SLOPE TOP TO DRAIN. COVER TOP AND SIDES WITH ROOFING MEMBRANE.</div> <div>5. ROOF CRICKET - TAPERED INSULATION CRICKET SHAPE TO DRAIN.</div> <div>6. ROOF HATCH - MINIMUM 16 SF OPENING AND ALTERNATING TREAD STEEL STAIR. BILCO NB-50T OR EQUAL INSULATED ACCESS HATCH. LAPEYRE BRAND STAIR - STEEL ALTERNATING TREAD STAIR 68 DEGREE ANGLE OR EQUAL. PROVIDE SAFETY RAIL ON SIDES WHERE HATCH IS WITHIN 10 FEET OF ROOF EDGE.</div> <div>7. ROOF DRAIN OVERFLOW SCUPPER 4"HX6"W MINIMUM OPENING. COORDINATE SIZE WITH LOCAL RAIN FALL.</div> <div>8. LINEN CHUTE VENT & CURB.</div> <div>9. ACCESS WALKWAY PAD. EXTEND TO ALL MECHANICAL EQUIPMENT LOCATIONS. APPROXIMATE PATH SHOWN, COORDINATE WITH EQUIPMENT INSTALLER.</div> <div>10. EQUIPMENT SCREENING PANELS W/ ANCHORAGE & BRACING AS REQUIRED TO WITHSTAND 150 MPH WIND LOAD. COORDINATE MINIMUM HEIGHT W/ EQUIPMENT.</div> <div>11. PER-MANUFACTURED ROOF CANOPY (BELOW).</div>

JOB NUMBER
22031

ISSUE DATE
05-13-24

REVISIONS

CDG II, L.L.C. © 2024

STATE OF FLORIDA

CHRISTOPHER H. BENNETT

ARCHITECT

AR97607

09/13/24

CHRISTOPHER HOWARD BENNETT
ARCHITECT AR97607
EXP: 2/28/2025

Digitally signed by Christopher Bennett
Date: 2024.05.14 13:38:42 -0500

872 E MCNAB ROAD POMPANO BEACH, FLORIDA 33060

CONDO HOTEL

ARCHITECTURE | PLANNING | INTERIOR DESIGN | PROCUREMENT

CENTRAL DESIGN GROUP II • 3200 PENN TERRACE, SUITE 100 • COLUMBIA, MISSOURI, 65202 • TEL: 573.441.9391



centraldesign
group II

ROOF PLAN

DRC

AC 1

PZ23-12000045
07/03/2024