

DOOR SCHEDULE

TAG	ROOM	DOOR				MATERIAL	FINISH	FRAME		HARDWARE	NOTES
		TYPE	WIDTH	HEIGHT	THICKNESS			MATERIAL	FINISH		
100	WAITING AREA	A	3' - 0"	7' - 0"	0' - 1 3/4"	HM	PAINTED	HM	PAINTED	1	IMPACT-RESISTANT EXTERIOR DOOR
101	HALLWAY	A	3' - 0"	7' - 0"	0' - 1 3/4"	HM	PAINTED	HM	PAINTED	2	
102	OFFICE	A	3' - 0"	7' - 0"	0' - 1 3/4"	HM	PAINTED	HM	PAINTED	2	
103	PARTS ROOM	A	3' - 0"	7' - 0"	0' - 1 3/4"	HM	PAINTED	HM	PAINTED	2	
104	RESTROOM	A	3' - 0"	7' - 0"	0' - 1 3/4"	HM	PAINTED	HM	PAINTED	3	
105	RESTROOM	A	3' - 0"	7' - 0"	0' - 1 3/4"	HM	PAINTED	HM	PAINTED	3	
106	JAN. CLOSET	A	3' - 0"	7' - 0"	0' - 1 3/4"	HM	PAINTED	HM	PAINTED	3	
107	BOATS SERVICE	B	14' - 0"	16' - 0"	0' - 4 3/4"	STEEL	PAINTED	STEEL	PAINTED	4	OVERHEAD DOOR, ROLLING STEEL SERVICE DOOR, MODEL 610
108	BOATS STORAGE	B	14' - 0"	16' - 0"	0' - 4 3/4"	STEEL	PAINTED	STEEL	PAINTED	4	OVERHEAD DOOR, ROLLING STEEL SERVICE DOOR, MODEL 610
109	BOATS SERVICE	B	14' - 0"	16' - 0"	0' - 4 3/4"	STEEL	PAINTED	STEEL	PAINTED	4	OVERHEAD DOOR, ROLLING STEEL SERVICE DOOR, MODEL 610
110	BOATS SERVICE	B	14' - 0"	16' - 0"	0' - 4 3/4"	STEEL	PAINTED	STEEL	PAINTED	4	OVERHEAD DOOR, ROLLING STEEL SERVICE DOOR, MODEL 610
111	BOATS SERVICE	B	14' - 0"	16' - 0"	0' - 4 3/4"	STEEL	PAINTED	STEEL	PAINTED	4	OVERHEAD DOOR, ROLLING STEEL SERVICE DOOR, MODEL 610
112	BOATS SERVICE	A	3' - 0"	7' - 0"	0' - 1 3/4"	HM	PAINTED	HM	PAINTED	1	IMPACT-RESISTANT EXTERIOR DOOR
113	BOATS SERVICE	B	14' - 0"	16' - 0"	0' - 4 3/4"	STEEL	PAINTED	STEEL	PAINTED	4	OVERHEAD DOOR, ROLLING STEEL SERVICE DOOR, MODEL 610
200	OFFICE	A	3' - 0"	7' - 0"	0' - 1 3/4"	HM	PAINTED	HM	PAINTED	2	
201	RESTROOM	A	3' - 0"	7' - 0"	0' - 1 3/4"	HM	PAINTED	HM	PAINTED	3	
202	SMALL PARTS ROOM	A	3' - 0"	7' - 0"	0' - 1 3/4"	HM	PAINTED	HM	PAINTED	2	
203	LUNCH ROOM	A	3' - 0"	7' - 0"	0' - 1 3/4"	HM	PAINTED	HM	PAINTED	2	

DOOR NOTES

1.

ALL NEW DOORS TO COMPLY WITH FBC-8TH EDITION (2023), SECTION 1010.
2.

ALL DOORS SHALL HAVE LEVER OPERATED MECHANISMS AND SHALL COMPLY WITH ADA AND FLORIDA ACCESSIBILITY CODE FOR BUILDING AND CONSTRUCTION.
3.

ALL NEW FIRE RATED DOORS TO HAVE BALL BEARING HINGES, U.L. APPROVED LATCHES AND DOOR CLOSERS.
4.

CONTRACTOR TO COORDINATE DOOR FRAMES WITH PARTITION THICKNESS AND PROVIDE LABELS PER FBC SECTION 715.4 (20 = 20MIN. FIRE RATING, 45 = 45MIN. FIRE RATING, 60 = 60MIN. FIRE RATING,90 = 90MIN. FIRE RATING).
5.

ALL DOOR HARDWARE SHALL MEET THE REQUIREMENTS OF NFPA 101 7.1.2.5 LOCKS, LATCHES, AND ALARM DEVICES:
6.

7.1.2.5 DOORS SHALL BE ARRANGED TO BE OPENED READILY FROM EGRESS SIDE WHENEVER THE BUILDING IS OCCUPIED
7.

LOCKS, IF PROVIDED, SHALL NOT REQUIRE THE USE OF A KEY, TOOL SPECIAL KNOWLEDGE, OR EFFORT FOR OPERATION FROM THE INSIDE OF THE BUILDING.

DOOR HARDWARE SETS

HARDWARE SET 1 - EXTERIOR DOOR

ENTRY LOCKSET  
HINGE SET  
DRIP STRIP  
SWEEP & WEATHER STRIPPING  
THRESHOLD  
CLOSER

HARDWARE SET 2 - OFFICE

OFFICE LOCKSET  
HINGE SET  
CLOSER  
WALL STOP

HARDWARE SET 3 - RESTROOM

PRIVACY LOCKSET  
HINGE SET  
CLOSER  
WALL STOP

HARDWARE SET 4 - OVERHEAD DOOR

AS PER MANUFACTURER

WINDOW NOTES


1.

ALL NEW EXTERIOR GLAZING, AS NOTED ON THE SCHEDULE, SHALL BE IMPACT RESISTANT GLASS IN ALUMINUM FRAMES TESTED IN ACCORDANCE WITH APPLICABLE WIND AND IMPACT CODES, EXCEPT WHERE NOTED. COMPLETE PRODUCT DATA, INCLUDING TESTING RESULTS, SHALL BE INCLUDED WITH THE SHOP DRAWING SUBMITTAL.
2.

THE NEW GLAZING IS INTENDED TO MATCH THE EXISTING IN COLOR, FINISH, AND SIZE. FIELD VERIFY THE EXISTING GLAZING COMPONENTS, INCLUDING SUCH INFORMATION IN THE REQUIRED SUBMITTAL.
3.

WINDOWS:  
A. SYSTEM: TBD  
B. COLOR: TBD  
C. GLAZING: TBD


DOOR TYPES



WINDOW SCHEDULE

TAG	COUNT	WINDOW		MANUFACTURER	NOTES
		WIDTH	HEIGHT		
W1	10	3' - 0"	3' - 2"	TBD	IMPACT-RESISTANT SINGLE HUNG WINDOW- EXTERIOR
W2	1	3' - 0"	3' - 2"	TBD	INTERIOR WINDOW

WINDOWS



S ARCHITECTURE

33 SE 4TH STREET, SUITE 100  
BOCA RATON, FL 33432  
561.835.5515

WWW.SARCHITECTURE.COM  
AA26003746

SEAL:



MATTHEW R. FORGET // REG. FL. NO. AR95364

DIGITAL SIGNATURE:

CLIENT / PROJECT ADDRESS:

HODGE MARINE

1857 NW 21ST STREET  
POMPANO BEACH, FLORIDA 33069

REVISIONS:

NO.	DATE	DESCRIPTION
-----	------	-------------

KEY PLAN:

PROJECT NUMBER: 24-057

DATE ISSUED: 2025-06-30

SHEET TITLE:

DOOR & WINDOW  
SCHEDULE

SHEET NO:

A600

DRC

APPROVAL  
SITE PLAN

PZ25-1200034

08/06/2025