

Tree #	Common Name	Botanical Name	DBH (in)	Condition (%)	Height (ft)	Width (ft)	Clear Trunk (ft)	Canopy Coverage (sq ft)	Notes
1	Bismarck Palm	<i>Bismarckia nobilis</i>		90%	25	14	15	154	
2	Royal Palm	<i>Roystonea regia</i>		50%	28	12	20	113	Severe penciling in upper portion of trunk. Chlorotic crown. Trunk has oozing cracks.
3	Bismarck Palm	<i>Bismarckia nobilis</i>		90%	29	16	17	201	<div>DRC</div> <div>PZ24-12000027 07/02/2025</div>
4	Royal Palm	<i>Roystonea regia</i>		60%	35	14	28	154	Vertical cracks along trunk. Mild chlorosis in crown.
5	Bismarck Palm	<i>Bismarckia nobilis</i>		90%	22	16	12	201	

Received after DRC Meeting to address DRC comments prior to the submission of a Building Permit Application.
06/16/2025

PZ24-12000027
07/02/2025

6	Sabal Palm	<i>Sabal palmetto</i>		80%	12	12	4	113	Limited root zone. Utility pole conflict.
7	Sabal Palm	<i>Sabal palmetto</i>		70%	9	10	11	79	Limited root zone. Tip dieback/chlorosis on most fronds.
8	Silver Buttonwood	<i>Conocarpus erectus</i>	10	55%	16	8		50	Major codominance in lower half. Low live crown ratio. Limited root zone.
9	Silver Buttonwood	<i>Conocarpus erectus</i>	10	75%	15	10		79	Poor structure. Limited root zone. Good health and vigor.
10	False Tamarind	<i>Lysiloma latisiliquum</i>	20	55%	14	20		314	Poor structure. Multiple codominant trunks in lower half with included bark. Limited root zone in all directions. Roots lifting pavement and curb. Poor vigor. Dieback of limbs 1-3" in diameter throughout interior.
11	Silver Buttonwood	<i>Conocarpus erectus</i>	10	80%	16	14		154	Limited root zone. Over-extended branches.

Received after DRC Meeting
to address DRC comments
prior to the submission of a
Building Permit Application.
08/16/2025

DRC

PZ24-12000027
07/02/2025PZ24-12000027
04/16/2025PZ24-12000027
03/05/2025

PZ24-12000027
07/02/2025

12	Silver Buttonwood	<i>Conocarpus erectus</i>	10	60%	18	14		154	Poor structure. Multiple codominant trunks in lower half. Sparse foliage within crown. Overextended branches.
13	Montgomery Palm	<i>Veitchia montgomeryana</i>		80%	10	5	7	20	
14	Silver Buttonwood	<i>Conocarpus erectus</i>	13	80%	20	18		254	Codominant in lower half. Slight lean to the North. Good health and vigor.
15	Silver Buttonwood	<i>Conocarpus erectus</i>	9	75%	12	14		154	Limited root zone. Overhead wire conflict. Vertically-oriented/weakly-attached branches within crown. Good health and vigor.
16	Gumbo Limbo	<i>Bursera simaruba</i>	6	60%	15	10		79	Overhead wire conflict. Poor structure. Limited root zone.
17	Silver Buttonwood	<i>Conocarpus erectus</i>	6	60%	11	16		201	Overhead wire conflict. Poor structure. Limited root zone.

Received after DRC Meeting to address DRC comments prior to the submission of a Building Permit Application.
08/16/2025

PZ24-12000027
07/02/2025

DRC

PZ24- 12000027
03/04/2026

18	Carrotwood	<i>Cupaniopsis anacardioides</i>	3	20%	10	6		28	FISC category I invasive species.
19	Umbrella Tree	<i>Schefflera actinophylla</i>	5	50%	10	6		28	FISC category I invasive species.
20	Areca Palm	<i>Dypsis lutescens</i>		80%	10	10	6	79	Multi-trunk cluster.
21	Christmas Palm	<i>Adonidia merrillii</i>		80%	14	4	10	13	DRC PZ24-12000027 07/02/2025
22	Christmas Palm	<i>Adonidia merrillii</i>		80%	18	4	14	13	
23	Christmas Palm	<i>Adonidia merrillii</i>		80%	14	10	10	79	

Received after DRC Meeting
to address DRC comments
prior to the submission of a
Building Permit Application.
08/16/2025

PZ24-12000027
04/16/2025

PZ24-12000027
03/05/2025

PZ24-12000027
07/02/2025

24	Christmas Palm	<i>Adonidia merrillii</i>		80%	18	4	14	13	
25	Christmas Palm	<i>Adonidia merrillii</i>		80%	18	4	14	13	
26	Christmas Palm	<i>Adonidia merrillii</i>		80%	12	4	8	13	
27	Christmas Palm	<i>Adonidia merrillii</i>		80%	18	4	14	13	
28	Christmas Palm	<i>Adonidia merrillii</i>		80%	16	10	12	79	Double.
29	Christmas Palm	<i>Adonidia merrillii</i>		80%	14	4	10	13	

Received after DRC Meeting
to address DRC comments
prior to the submission of a
Building Permit Application.
06/16/2025

DRC
PZ24-12000027
07/02/2025

PZ24-12000027
07/02/2025

30	Umbrella Tree	<i>Schefflera actinophylla</i>		50%	16	8		50	FISC category I invasive species.
31	Christmas Palm	<i>Adonidia merrillii</i>		80%	20	4	16	13	
32	Christmas Palm	<i>Adonidia merrillii</i>		80%	18	10	14	79	Double.
33	Christmas Palm	<i>Adonidia merrillii</i>		80%	16	4	12	13	<div>DRC</div> <div>PZ24-12000027 07/02/2025</div>
34	Silver Buttonwood	<i>Conocarpus erectus</i>	12	80%	10	12		113	Limited root zone.
35	Christmas Palm	<i>Adonidia merrillii</i>		80%	18	10	14	79	Double

Received after DRC Meeting
to address DRC comments
prior to the submission of a
Building Permit Application.
08/16/2025

36	Christmas Palm	<i>Adonidia merrillii</i>		80%	10	4	6	13	
37	False Tamarind	<i>Lysiloma latisiliquum</i>	13	70%	18	16		201	Limited root zone. Codominant in lower half.
38	Christmas Palm	<i>Adonidia merrillii</i>		60%	12	5	7	20	Single. Canopy competition with Brazilian Pepper.
39	Brazilian Beauty Leaf	<i>Calophyllum inophyllum</i>	12	80%	20	20		314	Limited root zone. <div>DRC PZ24-12000027 07/02/2025</div>
40	Brazilian Beauty Leaf	<i>Calophyllum inophyllum</i>	11	80%	15	20		314	Limited root zone.
41	Live Oak	<i>Quercus virginiana</i>	6	75%	16	14		154	Limited root zone.

Received after DRC Meeting to address DRC comments prior to the submission of a Building Permit Application.
08/16/2025

42	Brazilian Beauty Leaf	<i>Calophyllum inophyllum</i>	10	75%	20	20		314	Limited root zone. Mildly chlorotic foliage.
43	Live Oak	<i>Quercus virginiana</i>	5	60%	18	14		154	Limited root zone. Poor vigor.
44	Brazilian Beauty Leaf	<i>Calophyllum inophyllum</i>	12	60%	20	15		177	Limited root zone. Girdling roots. Tip dieback.
45	Brazilian Beauty Leaf	<i>Calophyllum inophyllum</i>	12	70%	25	15		177	Limited root zone. DRC Plunging and girdling roots.
46	Coconut Palm	<i>Cocos nucifera</i>		75%	40	16	34	201	Minor mechanical trunk damage.
47	Sabal Palm	<i>Sabal palmetto</i>		80%	12	14	5	154	

Received after DRC Meeting to address DRC comments prior to the submission of a Building Permit Application.
08/16/2025

PZ24-12000027
07/02/2025

48	Brazilian Beauty Leaf	<i>Calophyllum inophyllum</i>	8	10%	14	10		79	Severe decline and dieback.
49	Brazilian Beauty Leaf	<i>Calophyllum inophyllum</i>	12	70%	12	18		254	
50	Brazilian Beauty Leaf	<i>Calophyllum inophyllum</i>	11	65%	16	16		201	Tip dieback.
51	Brazilian Beauty Leaf	<i>Calophyllum inophyllum</i>	11	65%	20	20		314	Tip dieback. <div>DRC PZ24-12000027 07/02/2025</div>
52	False Tamarind	<i>Lysiloma latisiliquum</i>	12	55%	18	14		154	Severely limited root zone. Dieback of branches 1-3" in diameter. Hanging branches. Cracking along main trunk.
53	Live Oak	<i>Quercus virginiana</i>	8	60%	18	16		201	Limited root zone. Girdling roots.

Received after DRC Meeting to address DRC comments prior to the submission of a Building Permit Application.
08/16/2025

PZ24-12000027
07/02/2025

54	Live Oak	<i>Quercus virginiana</i>	10	70%	18	18		254	Limited root zone. Tip dieback.
55	Live Oak	<i>Quercus virginiana</i>	10	50%	18	20		314	Limited root zone. Dieback. Poor vigor.
56	Live Oak	<i>Quercus virginiana</i>	11	60%	20	20		314	Limited root zone. Lifting roots. Dieback of interior foliage within crown.
57	Live Oak	<i>Quercus virginiana</i>	8	50%	18	15		177	Limited root zone. Girdling roots. Tip dieback. Poor vigor.
58	Live Oak	<i>Quercus virginiana</i>	11	70%	20	20		314	Limited root zone. Overextended branches.
59	Yellow Poinciana	<i>Peltophorum pterocarpum</i>	20	55%	18	20		314	Poor structure. Codominance in lower half with included bark. Severely limited root zone. Lifting roots. Visual evidence of internal decay.

Received after DRC Meeting to address DRC comments prior to the submission of a Building Permit Application.
08/16/2025

DRC
PZ24-12000027
07/02/2025

PZ24-12000027
04/16/2025

PZ24-12000027
03/05/2025

60	Live Oak	<i>Quercus virginiana</i>	10	80%	15	15		177	Limited root zone. Over-extended branches.
61	Live Oak	<i>Quercus virginiana</i>	10	70%	14	16		201	Limited root zone. Tip dieback.
62	Live Oak	<i>Quercus virginiana</i>	10	60%	16	16		201	Limited root zone. Tip dieback. Circling roots.
63	Simpson Stopper	<i>Myrcianthes fragrans</i>	12	80%	12	10		79	Multi-trunk. Limited root zone. DRC Canopy and root competition. PZ24-12000027 07/02/2025
64	Simpson Stopper	<i>Myrcianthes fragrans</i>	8	80%	10	6		28	Multi-trunk. Hedge-sheared.
65	Live Oak	<i>Quercus virginiana</i>	10	30%	14	16		201	Very poor structure. No central leader. Weak attachments.

Received after DRC Meeting to address DRC comments prior to the submission of a Building Permit Application.
08/16/2025

DRC

PZ24-12000027
07/02/2025

66	N/A	N/A	12	0%	20	15		177	Dead.
----	-----	-----	----	----	----	----	--	-----	-------

DRC

PZ24- 12000027
03/04/2026

Received after DRC Meeting
to address DRC comments
prior to the submission of a
Building Permit Application.

08/16/2025

DRC

PZ24-12000027
07/02/2025

DRC

PZ24-12000027
04/16/2025

DRC

PZ24-12000027
03/05/2025