

TYPICAL ROADWAY SECTION

ENGINEERING STANDARDS 2025		
REVISIONS BY | DATE S.S. | JUNE 2005 S.S. | JAN. 2018	ENGINEERING DIVISION CITY OF POMPANO BEACH SCALE: N.T.S.	TYPICAL ROADWAY SECTION DATE: MAY 2022 DWG. NO. 305-1



TYP. CONCRETE DRIVEWAY SWALE SECTION

ENGINEERING STANDARDS 2025		
REVISIONS BY | DATE S.S. | 6/07	ENGINEERING DIVISION CITY OF POMPANO BEACH SCALE: N.T.S.	TYP. CONCRETE DRIVEWAY SWALE DATE: MAY 2022 DWG. NO. 305-2



PLAN



TYPICAL SIDEWALK SECTION

SIDEWALK DETAILS

ENGINEERING STANDARDS 2025		
REVISIONS BY | DATE	ENGINEERING DIVISION CITY OF POMPANO BEACH SCALE: N.T.S.	SIDEWALK DETAILS DATE: JUNE 2022 DWG. NO. 301-1

TABLE OF SIDEWALK JOINTS	
TYPE	LOCATION
"A"	JOINT SHALL BE PLACED AT P.C. AND P.T. OF CURVES, JUNCTION OF EXISTING SIDEWALKS, EVERY 60' ON NEW SIDEWALKS AND WHERE SIDEWALKS ABUT CONCRETE CURBS, DRIVEWAYS AND SIMILAR STRUCTURES.
"B"	JOINT SHALL BE PLACED 5'-0" CENTER
"C"	JOINT SHALL BE PLACED AT 20' INTERVALS



TYPE "A" JOINT



TYPE "B" JOINT TYPE "C" JOINT

NOTE: SIDEWALK SHALL BE 4" THICK EXCEPT IN DRIVEWAYS WHERE THE THICKNESS SHALL BE 6".

SIDEWALK DETAILS

ENGINEERING STANDARDS 2025		
REVISIONS BY | DATE	ENGINEERING DIVISION CITY OF POMPANO BEACH SCALE: N.T.S.	SIDEWALK DETAILS DATE: JUNE 2022 DWG. NO. 301-2

1 TYPICAL ROADWAY SECTION

N.T.S.



TYPE "D" CURB

NOTE

FOR USE ADJACENT TO CONCRETE OR FLEXIBLE PAVEMENT, CONCRETE SHOWN. EXPANSION JOINT, PREFORMED JOINT FILLER AND JOINT SEAL ARE REQUIRED BETWEEN CURBS AND CONCRETE PAVEMENT ONLY.

CONCRETE CURB DETAIL

ENGINEERING STANDARDS 2025		
REVISIONS BY | DATE S.S. | 01-2014 S.S. | 08-2015 S.S. | 07-2016	ENGINEERING DIVISION CITY OF POMPANO BEACH SCALE: N.T.S.	CONCRETE CURB DATE: MAY 2022 DWG. NO. 300-2

2 TYP. DRIVEWAY SWALE SECTION

N.T.S.



TYPE "F" CURB & GUTTER

CONCRETE CURB AND GUTTER DETAIL

ENGINEERING STANDARDS 2025		
REVISIONS BY | DATE S.S. | 07-2016	ENGINEERING DIVISION CITY OF POMPANO BEACH SCALE: N.T.S.	CONCRETE CURB AND GUTTER DATE: MAY 2022 DWG. NO. 300-1

3 TYP. SIDEWALK DETAILS

N.T.S.



TREE LOCATIONS REQUIRED IN PUBLIC R/W ON UTILITY EASEMENTS

NOTES

PLEASE NOTE THAT AS PER CITY ORDINANCE(S) 50.02(A) (4) AND 100.35(E), STREET TREES SHALL NOT BE PLACED ON TOP OF OR 5' OF EITHER SIDE OF ANY CITY OWNED UTILITY INFRASTRUCTURE. ALSO, PLEASE NOTE THAT NO TREES SHRUBBERY OR OBSTRUCTION SHALL BE PLACED WITHIN A 3' RADIUS OF A CITY OWNED LATERAL CLEANOUT OR WATER & OR REUSE METER.

ENGINEERING STANDARDS 2025		
REVISIONS BY | DATE	ENGINEERING DIVISION CITY OF POMPANO BEACH SCALE: N.T.S.	REQUIRED TREE LOCATIONS APPROVED BY: DATE: MAY 2022 DWG. NO. 316-1

4 TYP. SIDE WALK DETAIL

N.T.S.

5 CONCRETE CURB DETAIL

N.T.S.

6 CONCRETE CURB & GUTTER DETAIL

N.T.S.

7 TREE LOCATION REQUIRED IN PUBLIC R/W

N.T.S.

PERMIT SET G-9

MUNICIPALITY STAMP

RIVERSIDE
3214 SE 11 STREET
POMPANO BEACH | FL 33062

3214 POMPANO LLC
3179 HOY LAKE ROAD, UNIT 224A
LAKE WORTH | FL 33467

PERMIT SET

ARCHITECT:

Ricardo J Muniz-Guillet
2025.01.28 15:22:54-05'00'

STATE OF FLORIDA · RICARDO J. MUNIZ-GUILLET · LICENSE AR97841 · REGISTERED ARCHITECT

SIGNATURE:
RICARDO J. MUNIZ-GUILLET
LIC# AR97841

2030 HABERSHAM TRCE | CUMMING | GA 30041 - 954 812 6650
RICARDO@MUVEARCH.COM
AA#26003161

MUVE ARCHITECTURE

DESIGNER:

RED OCTOPUS.LLC
1555 NORTH PARK DRIVE #102 WESTON FL 33326
954 850 9965
ADMIN@REDOCTOPUSLLC.COM

CONSULTING ENGINEERS:

MEP:

NAME
ADDRESS
CITY / ZIP
† | PHONE

STRUCTURAL ENGINEER:

NAME
ADDRESS
CITY/ZIP
† | PHONE

CIVIL ENGINEER:

THINKQ ENGINEERING LLC
5226 SW 139TH PLACE
MIAMI | FL 33175
† | (786) 491-8545

SHEET ISSUE DATE:
PROJECT NO.: 2403
DRAWN BY: LR **APPROVED BY:** YM

ALL DRAWINGS AND WRITTEN MATERIALS HEREIN CONSTITUDE ORIGINAL WORK OF THE DESIGNER AND MAY ONLY BE DUPLICATED WITH THEIR WRITTEN CONSENT

SHEET TITLE:
CITY DETAILS

SCALE:
N.T.S.

SHEET NO.:
G-9

DRC
PZ25-1000066
03/05/2025