


RIVERSIDE											
LIGHTING FIXTURE SCHEDULE											
TYPE	DESCRIPTION	MFR	CATALOG NUMBER	VOLTS	WATTS	LAMP COLOR	LIGHT TYPE	MOUNTING	LUMENS	DIMMING	REMARKS
WE	WALL MOUNT LUMINAIRE W/ BATTERY	SPITZER	EWA-32L-U-CC-C1-WH	UNV	28.7W	SELECTABLE (3000K, 4000K, 5000K)	LED	WALL	3539	0-10V	
FOR QUESTIONS PERTAINING TO THIS FIXTURE SCHEDULE PLEASE CONTACT QUOTATIONS@LIGHTINGDYNAMICS.COM, (954) 944-0286											

Photometrics Calculation Software Generated Luminaire Schedule								
Scene: NORMAL MODE								
Symbol	Qty	Label	Arrangement	Lum. Lumens	Arr. Lum. Lumens	LLF	Lum. Watts	Arr. Watts
□	20	WE	Single	3539	3539	0.900	28.7	28.7
Calculation Summary								
Scene: NORMAL MODE								
Label	CalcType	Units	Avg	Max	Min	Avg/Min	Max/Min	
DRIVEWAY	Illuminance	Fc	7.16	18.2	1.0	7.16	18.20	
PROPERTY LINE @ 5' AFG	Illuminance	Fc	0.04	0.9	0.0	N.A.	N.A.	
WALKWAY	Illuminance	Fc	6.68	13.8	0.5	13.36	27.60	



Based on the information provided, all dimensions and luminaire locations shown represent recommended positions. The engineer and/or architect must determine applicability of the layout to existing or future field conditions. This lighting pattern represents illumination levels calculated from laboratory data taken under controlled conditions utilizing current industry standard lamp ratings in accordance with Illuminating Engineering Society approved methods. Actual performance of any manufacturer's luminaire may vary due to variation in electrical voltage, tolerance in lamps and other variable field conditions.

NOTES:

2	PHOTOMETRIC STUDY	01/15/25
1	PHOTOMETRIC STUDY	01/14/25
No.	Revision/Issue	Date

LIGHTING DYNAMICS, INC.
7835 West Commercial Blvd.
Tamarac, FL 33351
(954) 944-0286
www.lightingdynamics.com

Project Name and Address

RIVERSIDE
LIGHTING STUDY - SITE
NORMAL MODE
POMPAÑO BEACH, FL

FILE P:\PROJECTS\2025\JAN

CLIENT RedOctopus, LLC

Project RIVERSIDE

Date 01/15/2025

Scale 1/8" = 1'-0"

Sheet

L0

DRAWN BY

JC / VR / EM

P223-12000005

03/05/2025