


USE MEGALUGS AT ALL PIPE JOINTS

\\City-STANDARDS\2019 Standards Details\Water 1-2.dwg, 11/2/2018 2:41:46 PM



\\City-STANDARDS\2019 Standards Details\Water 1-2.dwg, 11/2/2018 2:42:06 PM



1. ALL UTILITY PIPE SHALL BE INSTALLED WITH 4"Ø MARKING BALLS PLACED EVERY 40' AND AT EVERY FITTING, FOR IDENTIFICATION AND WARNING PURPOSES, BURIED ABOVE THE PIPE AT A MAXIMUM DEPTH OF 24 INCHES OR AS APPROVED BY THE OWNER. IT SHALL BE COLOR CODED AND WORDED AS FOLLOWS:

POTABLE WATER.

- A. COLOR: BLUE PER 62-555.320(21)(b)(3) F.A.C.
B. LETTERING: WATER
C. FREQUENCY OF MARKER BALLS SHALL BE 145.
D. THE MARKER BALLS CAN BE BURIED IN ANY OF

THE MARKER BALLS SHALL BE DETECTABLE BY STANDARD METAL DETECTION EQUIPMENT AND SHALL BE MANUFACTURED BY TEMPO OR 3M LOCATOR SYSTEM OR EQUIVALENT (FREQUENCY 145.7 KHz)

2. FOR LARGE DIAMETER PIPE INSTALLED AT DEPTHS BELOW 4'-0" MARKER BALLS SHALL BE PLACED AT A MAXIMUM DEPTH OF 4'-0" BELOW GRADE *

J:\City-STANDARDS\2019 Standards Details\Water 1-4.dwg, 11/2/2018 2:53:56 PM