




ELEVATION 3



ELEVATION 1



ELEVATION 2



8 HEAD SECTION

**WINDOWS:**  
U-VALUE = .6  
SHGC VALUE = .42  
PER 2017 FLORIDA ENERGY CODE AND CALCULATIONS FOR ALL FENESTRATIONS

**ENTRANCE DOORS:**  
U-VALUE = 1.25  
SHGC VALUE = .82  
PER 2017 FLORIDA ENERGY CODE AND CALCULATIONS FOR ALL FENESTRATIONS


- GLAZING SCHEDULE**
- 9/16" LAMINATED
  - ▣ 9/16" LAMINATED
  - ▤ 9/16" LAMINATED

9/16" O.A. LAMINATED SAFETY GLASS CONSISTING OF:  
1/4" THICK HIGH PERFORMANCE, HEAT STRENGTHENED OUTBOARD LIGHT  
0.090" INTERLAYER DUPONT SENTRYGLAS.  
1/4" THICK CLEAR HEAT STRENGTHENED INBOARD LIGHT


**FRAMING / DOOR FINISH**

DOORS - CLEAR ANODIZED  
FRAMING - 2 1/2"x 5" ALUMINUM PAINTED  
BRONZE w/ CLEAR TOP COAT


7 STOREFRONT ELEVATION - HURRICANE




1 JAMB DETAIL




2 JAMB DETAIL



3 HEAD SECTION



4 STOREFRONT FRAMING AND GLAZING



5 THRESHOLD DETAIL

**GENERAL NOTES**

1. STOREFRONT SHALL BE AS MANUFACTURED BY EITHER VISTAWALL ARCHITECTURAL PRODUCTS, YKK, OR U.S. ALUMINUM PRODUCTS AND SHALL BE 2" WIDE BY 4 1/2" DEEP. IMPACT FRAMING SHALL BE 2 1/2" WIDE BY 5" DEEP.
2. CONTRACTOR SHALL FIELD VERIFY ALL DIMENSIONS PRIOR TO BEGINNING FABRICATION OF THE FRAMING MEMBERS OR ORDERING GLASS. INSTALLATION SHALL CONFORM TO ALUMINUM MANUFACTURER'S PRINTED SHOP DRAWINGS AND INSTRUCTIONS.
3. STEEL CLIPS AND ANCHORS SHALL BE HOT ROLLED STEEL A-36 ALLOY WITH A MINIMUM OF ONE COAT OF ZINC CHROMATE PRIMER.
4. ALL FASTENERS SHALL BE ZINC OR CADMIUM PLATED OR NON-MAGNETIC STAINLESS STEEL. ALL FASTENERS IN EXPOSED AREAS ARE TO BE PAINTED TO MATCH FINISH OF ALUMINUM.
5. FINISH OF ALUMINUM CLADDING AND FORMED ALUMINUM SHAPES SHALL MATCH THE FINISH OF ADJACENT EXTRUDED ALUMINUM.
6. MITERING AND NOTCHING OF INTERIOR TRIM SHOULD BE DONE IN THE FIELD.

6 STOREFRONT NOTES

AutoZone Store No. 6365  
3001 WEST ATLANTIC AVE  
POMPANOBACH FL 33096  
STOREFRONT / VESTIBULE PLAN / DETAILS

Architect: George Callow - License #AR0014155  
123 South Front Street  
Memphis, Tennessee 38103  
TEL: 901-495-8705 FAX: (901) 495-8969  
For Bidding & Contractor Information Contact:  
McGrav - Hill Construction Tel. 615-884-1017  
www.construction.com

George W Callow  
AR0014155  
55 State of Florida  
Date: 2020.02.04  
10:53:06 -06'00

03/19/17

7 PER

AAC  
PZ20-12000007  
2/2/21

AAC  
PZ20-12000007  
03/03/2020