

CONNECTION SCHEDULE						
1	TRUSS	WALL	NU-VUE	NVJH28	FL. # 15-0507.02	1079 #
					14. 10d x 1 1/2" LEDGER	7. 10d x 1 1/2" TRUSS

- 1 8X8 CONC. CAP W/ 2#5 CONT. @ 3 TIES @ 2' OC.
- 2 (2) 2X8 PT. LEDGER W/ 1/2 X 10" LONG EXP. BOLTS STAGGERED @ 24" OC. 3" FROM EDGE
- 3 JOIST HANGER REFER TO CONNECTION SCHEDULE ABOVE #1
- 4 1"x4" P.T. CONT. NAILER
- 5 1X4 CONT. FIRE-STOP (TYP.) SEE FIRE STOPPING
- 6 #5 IN FILLED CONC. CELLS @ MAX. OF 32" REFER TO PLAN FOR VARIOUS CONDITIONS.
- 7 SINGLE PLAY ROOFING ON SLOPED BOARD INSULATION
- 8 5" PLY-WD ROOF SHEATHING
- 9 R-19 SPRAY ON INSULATION
- 10 PRE-ENGINEERED WOOD TRUSSES @ 24" OC.
- 11 2X4 HORIZONTAL BRACING @ 4'-0" OC. (TOP&BOT)
- 12 1X3 FURRING @ 24" OC.
- 13 5/8" DRYWALL CEILING ON 1X3 FURRING @ 2'-0" OC.
- 14 3/4" CAVITY INSULATION (R-5) (TYP. @ ALL EXTERIOR WALLS)
- 15 5/8" MIN. SMOOTH STUCCO FINISH
- 16 1" X 6" P.T. CONT. NAILER (TYP.)
- 17 3/4" X 6" BASEBOARD (SEE FINISH SCHEDULE)
- 18 8" CONC. BLOCK WITH HORIZ. REINFORCING SEE GENERAL STRUCTURAL NOTES
- 19 4" CONC. SLAB REINF W/6X6-W20XW20 WWF OVER 6 MIL VAPOR BARRIER ON WELL COMPACTED FILLED

CONT. CONC. FTG. (SEE SH S-1 FOUNDATION PLAN)

DRC

PZ23-12000026
12/04/2024

REVISIONS

TOWNHOUSES AT NW 19 AVE

MIAMI
ARCHITECT
INC.
7755 SW 117 ST. MIAMI, FL 33156
TEL: (305) 256-1720
AA 28000671

Taghi
Afkham
Digitally signed by
Taghi Afkham
Date: 2023.07.27
20:15:58 -04'00'

Printed copy of this document is not valid unless signed and sealed by the State of Florida.

TAGHI AFKHAM
STATE OF FLORIDA
ARCHITECT
AR0014758
DATE: 03/15/2023

DRC
PZ23-12000026
11/15/2023
S-5